	SUBJECT ID LABEL HERE
	DIAGNOSTIC INTERVIEW FOR GENETIC STUDIES (DIGS)
	NIMH MOLECULAR GENETICS INITIATIVE
SUBJECT ID:	
	MOTHER ID:
FAMILY ID:	
	FATHER ID:
SUBJECT NAME:	
	First Middle Last
NICKNAME:	
RELATIONSHIP TO	PRIMARY PROBAND:
INTERVIEW DATE:	
	D D M O N Y Y
INITIAL or RETES	I R
IN PERSON or TEI	EPHONE: P T
RATER NAME:	
	First MI Last
RATER NO:	
START/END TIME:	: / : TOTAL TIME: :
	hr. min. hr. min. # hr : # min.

ACKNOWLEDGMENTS

Development of the DIGS instrument and training manual was supported by the NIMH Diagnostic Centers for Psychiatric Linkage Studies (extramural grant numbers U01 MH 46276, 46289, 46318, 46274, 46282, 46280, and the Clinical Neurogenetics Branch, Intramural Research Program, NIMH).

Members of the NIMH Diagnostic Centers for Psychiatric Linkage Studies Cooperative Agreement who participated in the development of the DIGS include:

Sandra Barton, Kate Berg, Ph.D., Mary Blehar, Ph.D., Elizabeth Bowman, M.D., C. Robert Cloninger, M.D., J. Raymond Depaulo, Jr., M.D., Stephen Faraone, Ph.D., Jill Harkavy Friedman, Ph.D., Elliot Gershon, M.D., Juliet Guroff, M.S.W., Charles Kaufmann, M.D., Darrell Kirch, M.D., Dolores Malaspina, M.D., Mary Elizabeth Maxwell, M.S.W., Aimee Mayeda, M.D., Martin McElhiney, M.S., Francis J. McMahon, M.D., Marvin Miller, M.D., John Nurnberger, Jr., M.D., Ph.D., Beth O'Dell, B.S., John Pepple, Ph.D., H. Matthew Quitkin, A.B., Leela Rau, M.D., Theodore Reich, M.D., A. Louise Ritz, M.B.A., Joanne Severe, M.S., Sylvia Simpson, M.D., Carrie Smiley, R.N., Ming T. Tsuang, M.D., Ph.D., D.Sc., Debra Wynne, M.S.W., Scott Yale, M.S.W., and Carolyn York, R.N.

A complete list of references for the DIGS instrument is included in the training manual.

We gratefully acknowledge the assistance of Jean Endicott, Ph.D., Kenneth Kendler, M.D., Philip Lavori, Ph.D., and Lee Robins, Ph.D., for critical review of the instrument.

A blank copy of the current version of the DIGS, DIGS code manual, DIGS training manual, and DIGS software are available on the World Wide Web at http://www-grb.nimh.nih.gov/gi.html.

CONTENTS

	SECTION NAME	PAGE
A.	DEMOGRAPHICS	1
в.	MEDICAL HISTORY	5
C.	MODIFIED MINI-MENTAL STATUS EXAMINATION (IF APPLICABLE)	10
D.	SOMATIZATION	12
Ε.	OVERVIEW OF PSYCHIATRIC DISTURBANCE	18
F.	MAJOR DEPRESSION	24
G.	MANIA/HYPOMANIA	33
н.	DYSTHYMIA/DEPRESSIVE/HYPERTHYMIC PERSONALITY	41
I.	ALCOHOL ABUSE AND DEPENDENCE	44
J.	DRUG ABUSE AND DEPENDENCE	53
к.	PSYCHOSIS	61
L.	SCHIZOTYPAL PERSONALITY FEATURES (BIPOLAR CENTERS)	87
М.	MODIFIED STRUCTURED INTERVIEW FOR SCHIZOTYPY (SCHIZOPHRENIA CENTERS)	89
N.	COMORBIDITY ASSESSMENT	113
ο.	SUICIDAL BEHAVIOR	115
P.	ANXIETY DISORDERS	117
Q.	EATING DISORDERS (BIPOLAR CENTERS)	125
R.	PATHOLOGICAL GAMBLING (SITE OPTIONAL)	127
s.	ANTISOCIAL PERSONALITY	128
т.	GLOBAL ASSESSMENT SCALE (GAS)	131
U.	SCALE FOR THE ASSESSMENT OF NEGATIVE SYMPTOMS (SANS)	132
v.	SCALE FOR THE ASSESSMENT OF POSITIVE SYMPTOMS (SAPS)	135
W.	SIS RATINGS (SCHIZOPHRENIA CENTERS)	138
x.	INTERVIEWER'S RELIABILITY ASSESSMENT	145
Υ.	NARRATIVE SUMMARY	145
z.	MEDICAL RECORDS INFORMATION	147
AA.	OPCRIT INFORMATION MODIFIED MMS CARD ALCOHOL USE CARD MARIJUANA USE CARD DRUG USE CARD COMORBIDITY CARD SIS RESPONSE CARDS	148

INTER	VIEWER:	If it app with his the Modi:	/her abi	lity to	provide	accui	rate :	inf	ormat	ion,	, ski		
										MAL	ιE	FEMA	LE
1.	INTERVI	EWER:	Circle	sex cod	le.				[10] 0)	1	
2.	What is	your bir	th date?			[20]	DI		—	0		- Y	Y
3.	(IF YES	u adopted: :) Clari: ther info:	Ey natur	e of add	option. [40]_	(See	manua	al 	[30]	<u>NO</u> 0	<u>YE</u> 1		<u>UNK</u> U
4.		h country response :			[50]_			_					
5.	What is	the ethn. EWER:	Code u	round of p to fou al sides	ır ethni	cities	s on 1			and	1		
	Record :	response:	pacern	ar prues	, II POP	PIDIE.	•						
				[7	01		[08]				[90]		
		[100]											
	02 = Nor 03 = Wes 04 = Eas 05 = Rus 06 = Med 07 = Ash 08 = Sep 09 = His 10 = Pus 11 = Mex 12 = Asi 13 = Ara 14 = Nat	literranea Menazi Je Mardic Je Spanic (no erto Rican Kican Hisp an b Live Ameri cican Ameri Mer, Spec.	n (e.g., n, Slavi n W t Puerto Hispani anic can/Alas	French, c Rican) c kan Nativ	German) ve	igin	5.3 [14 5.] [16 5.0 [18 5.0 [20	0] 0] 0] 0] 0]			5.e) 150] 5.f) 170] 5.g) 190] 5.h) 210]		
6.	1 = Cath 2 = Prot 3 = Jewi 4 = Mosl 5 = Not	estant .sh	d	religiou	s affil [240]	iation	1? [2	230]	I				

IAGES
LDREN

8 = Other, Specify: _____ [290]_____

using	is your present occupation? Code occupation chart below. [300]					
-	d response:[310]					
	MOS					
10.a)	What is the most responsible job you have ever held? Code occupation using chart below. [320]					
	Record response: [330]					
10.b)	(IF SUBJECT NOT HEAD OF HOUSEHOLD:) What is/was the occupation of the head of household during most of [340] their working career? Code occupation using chart below.					
	Record response: [350]					
	Managerial and Professional Specialty Occupations					
	01 = Executive, Administrative, and Managerial Occupations 02 = Professional Specialty Occupations 03 = Writers, Artists, Entertainers, and Athletes					
	Technical, Sales, and Administrative Support Occupations					
04 = Technicians and Related Support Occupations 05 = Sales Occupations 06 = Administrative Support Occupations, Including Cler:						
Service Occupations						
	 07 = Private Household Occupations 08 = Protective Service Occupations 09 = Service Occupations, Except Protective and Private Household 					
	Farming, Forestry, and Fishing Occupations					
	10 = Farm Operators and Managers 11 = Other Farming, Forestry, and Fishing Occupations					
	Precision Production, Craft, and Repair Occupations					
	12 = Mechanics and Repairers, Construction Trades, Extractive Occupations, Precision Production Occupations					
	Operators, Fabricators, and Laborers					
	13 = Machine Operators, Assemblers, and Inspectors 14 = Transportation and Material-Moving Occupations 15 = Handlers, Equipment Cleaners, Helpers, and Laborers					
	<u>Other</u>					
	<pre>16 = Armed Services 17 = Disabled 18 = Housewife/Homemaker 19 = Never worked 20 = Full time student 21 = Unemployed/Retired</pre>					

				YF	ARS
11.	How many years of school did you complete?		[360]		
	Record response: [370]		<u>NO</u>	<u>YES</u>	<u>UNK</u>
12.	Have you ever been in the Military? [38	30]	0	1	U
	12.a) (IF NO:) Were you ever rejected for Military Service? Why?				
	1 = Never called up or never rejected (include females).			
	2 = Rejected for physical defect.				[390]
	3 = Rejected for low IQ.				[390]
	4 = Rejected for delinquency or criminal record.				
	5 = Rejected for other psychiatric reasons.				
	6 = Rejected for reasons uncertain.				
13.	(IF YES TO Q.12:) What kind of discharge did you rece	ive	? 🖣		[400]
	1 = Honorable				
	2 = General				

- 3 = Medical
- 4 = Without Honor
- 5 = Undesirable
- 6 = Dishonorable
- 7 = Not Discharged, Currently in Active or Reserve Military

INTER	/IEWER:	to psychiatric hospital name,	on from medical record condition, record p city, state, and to Records Information aw.	physician na reatment dat	me, es			
					N	2 3	YES	<u>UNK</u>
1.	Have yo probler		serious physical i	llnesses or n	nedical [<mark>410</mark>] ()	1	U
	(IF YES	S:) Specify:	[420]					
						#	OF '	TIMES
2.		ny times have yo ing surgery?	ou been in a hospita	al <u>overnight</u>	[43	0]		
INTER	INTERVIEWER: Exclude psychiatric or substance abuse treatment and pregnancies.							
		# of Nights	Description	Name]	losp	oita	1

	Year	# of Nights <u>in Hospital</u>	Description of Problem	Name <u>of Hospital</u>	Hospital Location
2.a)	19_ <mark>[44</mark> 0] _[450]	[460]	[470]	[480]
2.b)	19_ <mark>[49</mark> 0] _[500]	[510]	[520]	[530]
2.c)	19_ <mark>[54</mark> 0] _[550]	[560]	[570]	[580]
2.d)	19_ <mark>[59</mark> 0] _[600]	[610]	[620]	[630]

3. Have you had any of the following conditions:

	Thyroid or Other				YEAR OF <u>ONSET</u>		<u>NOTES</u>
	Hormonal Disorders?		[640]	T	19_[650]	[660]_	
(IF	YES:)						
3.a.	1) Overactive Thyroid	0	[670]	1	19_[<mark>680</mark>]	[690]	
3.a.	2) Underactive Thyroid	0	[700]	1	19_[710]	[720]_	
3.a.	3) Enlarged Thyroid	0	[730]	1	19_[740]	[750]_	
3.a.	4) Cushings Disorder	0	[760]	1	19_[770]	[780]_	
3.b) <i>M</i>	<i>Migraine Headaches?</i>	0	[790]	1	19_[800]	[810]	

		<u>NO YES</u>	YEAR OF <u>ONSET</u>	NOTES			
3.c)	<i>Ulcers or Other Bowel</i> <i>Diseases?</i>	0 [820] 1	19_[830]	[840]			
(IF	(IF YES:)						
3.c	.1) Peptic Ulcers	0 [850] 1	19_[860] _	[870]			
3.c	.2) Crohn's Disease	0 [880] 1	19_[890] _	[900]			
3.c	.3) Ulcerative Colitis	0 [910] 1	19_[920]	[930]			
3.d)	Vitamin Deficiency?	0 [940] 1	19_[950] _	[960]			
3.e)	Learning Disabilities/ Hyperactivity?	0 [970] 1	19_[980] _	[990]			
3.f)	Meningitis/Other Brain Disorders?	0 [1000] 1	19_[1010]	[1020]			
3.g)	Parkinson's Disease/ Other Movement Disorders?	0 [1030] 1	19_[1040]	[1050]			
3.h)	Multiple Sclerosis?	0 [1060] 1	19_[1070]	[1080]			
3.i)	Huntington's Disease?	0 [1090] 1	19_[1100]	[1110]			
3.j)	Stroke?	0 [1120] 1	19_[1130]	[1140]			
3.k)	Epilepsy/Convulsions/ Seizures?	0 [20000]	1 19_[20010] _[20020]			
(IF YES:) # OF TIMES 3.k.a.) How many times have you had a seizure? [20030]							
3.k	3.k.b.) How old were you the first time?						
3.k	3.k.c.) Was a cause found for the seizure(s)? $\begin{bmatrix} NO & YES \\ 20050 \end{bmatrix} \begin{bmatrix} 0 & 1 \end{bmatrix}$						
	(IF YES:) Specify: [20060]						

4.

3.1) Serious head	d injury?	<u>NO YES</u> 0 [20070] 1	YEAR OF <u>ONSET</u> 19_[20080]	<u>NOTES</u>
(IF YES:) 3.1.a.) How many head in		you had a se	erious	# OF TIMES [20100]
3.l.b.) Did you	lose conscio	ousness?		<u>NO</u> <u>YES</u> [20110] 0 1
(IF YES)	:) Specify ho	w long:	MINUT	
3.1.c.) How old	were you?			AGE
INTERVIEWER:		ness if there	st episode wi e has been mo	
Have you ever had	any of the f	following tes	sts:	
	<u>no yes</u>	<u>YEAR –</u> (<u>MOST</u> <u>RECENT</u> <u>TEST</u>)	(Inclu	AND RESULTS de dates of tests here)
4.a) <i>EEG/"Brain</i> wave" tests?	0 [1180] 1	19_[1190]	[12	00]
4.b) Head CAT scan?	0 [1210] 1	19_[1220]	[1	230]
4.c) Head MRI?	0 [1240] 1	19_[1250]	[12	60]

5. Are you currently taking any medications (include aspirin and oral contraceptives)?

NO YES

1

[1270] 0

(IF YES:) Specify medication, dosage, and duration:

Medication	Dosage Per Day	Duration of Usage
[20150]	[20160]	WEEKS [20170]
[20180]	[20190]	WEEKS [20200]
[20210]	[20220]	WEEKS [20230]
[20240]	[20250]	WEEKS [20260]
[20270]	[20280]	WEEKS [20290]
[20300]	[20310]	WEEKS [20320]

. Was y			<u>NO</u>	YES	<u>UNK</u>
any v	your own birth or early development abnormal in yay?	[1330]	0	1	U
IF	NO, SKIP TO Q.7				
6.a)	Were there any problems with your mother's health while she was pregnant with you, or with your birth, such as prematurity or birth complications?	[20330]	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
	(IF YES:) Specify:[20340]				
			<u>NO</u>	<u>YES</u>	<u>UNK</u>
6.b)	Was your development abnormal in any way, for example did you walk or talk later than other children?	[20350]	0	1	U
	(IF YES:) Specify:[20360]				
		YE <u>CURRE</u> I	S, NTLY	YES <u>F</u>	, IN <u>AST</u>
TT					
	you ever smoked cigarettes on a daily s? (IF YES:) Are you currently smoking? 0		350] L		2
		1	L	CK YE.	
basis	<pre>S? (IF YES:) Are you currently smoking? 0 (IF YES AND EVER A CIGARETTE SMOKER:) Estimate</pre>	[1360]	L	CK YE.	
basis 7.a)	<pre>s? (IF YES:) Are you currently smoking? 0 (IF YES AND EVER A CIGARETTE SMOKER:) Estimate number of "pack-years". Record:[1370] X[1380]</pre>	[1360]	L	<u>CK YE</u>	
basis 7.a) NTERVIEWH	<pre>s? (IF YES:) Are you currently smoking? 0 (IF YES AND EVER A CIGARETTE SMOKER:) Estimate number of "pack-years". Record:[1370] X[1380]_ #PPD #YRS</pre>	[1360]	L	<u>YES</u>	
basis 7.a) NTERVIEWH Have	<pre>s? (IF YES:) Are you currently smoking? 0 (IF YES AND EVER A CIGARETTE SMOKER:) Estimate number of "pack-years". Record:[1370] X[1380]_ #PPD X#YRS ER: FOR MALES, SKIP TO MINI-MENTAL STATUS (PAGE</pre>	[1360] 		YES	ARS
basis 7.a) NTERVIEWH Have	<pre>9? (IF YES:) Are you currently smoking? 0 (IF YES AND EVER A CIGARETTE SMOKER:) Estimate number of "pack-years". Record:[1370] X[1380] #PPD X[YRS] ER: FOR MALES, SKIP TO MINI-MENTAL STATUS (PAGE you ever been pregnant? NO, SKIP TO Q.9.</pre>	[1360] 10). [1390]		YES	<u>UNK</u> U

	8.b)	How many live births?	[14	£20]	LI BIR	•
				<u>NO</u>	YES	<u>UNK</u>
	8.c)	Have you ever had any severe emotional problem during a pregnancy or within a month of childh				ן ע
		(IF YES:) Specify: [1440]				
9.		you ever noticed regular mood changes in the nstrual or menstrual period?	[1450]	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
	-	(IF YES:) Specify:[1460]	_			
				NO	<u>YES</u>	<u>UNK</u>
10.	Have y	you gone through menopause?	[1470]	0	1	U
	10.a)	<pre>(IF YES:) Have you ever had any severe emotion problems associated with menopause? (IF YES:) Specify:[1490]</pre>	[1480]	0	1	U

INTERVIEWER: COMPLETE THIS SECTION ONLY IF THE SUBJECT'S MENTAL STATUS IS QUESTIONABLE. Check here if this section does not apply to subject. [1500]

Now I am going to ask you to perform some quick tasks.

		MAXIMUI SCORE	
1.	<u>Orientation</u>	<u> </u>	beom
	<pre>1.a) What is the: (Year) (Season) (Date) (Day) (Month)?</pre>	5	[1510]
	<pre>1.b) Where are we: (Country) (State) (Town) (Hospital/Bldg) (Floor/Street)?</pre>	5	[1520]
2.	Registration	3	[1530]
	Name three objects or concepts for the subject (e.g., fish hook, shoe, green) taking one second to say each. Tell subject s/he will be asked to recall them. Ask the subject to repeat all three after you have said them. Give one point for each correct answer. Repeat them until subject learns all three (up to six trials).		
3.	Attention and Calculation		
	Serial 7's. Count backward from 100 by 7. Score one point for each correct. Stop after five answers. -and-	5	[20370]
	Spell "world" (or some other 5-letter word) backward. Score one point for each letter in correct order.	5	[20380]
4.	<u>Recall</u>	3	[1550]
	Ask the subject to name the three objects repeated above. Score one point for each correct.		
5.	Language		
	5.a) Point to a pencil and watch. Ask the subject "What is this called?" for each. Score two points.	2	[1560]
	5.b) Ask the subject to repeat the following "No ifs, ands, or buts." Score one point.	1	[1570]
	5.c) Ask the subject to follow a three- stage command. (E.g., "Take a paper in your right hand, fold it in half, and put it on the floor.") Score three points.	3	[1580]

*6.	<u>Cogn</u> :	itive State	MAXIMUM SCORE	SUBJECT SCORE
	6.a)	Hand the subject the MMS Card that reads "Close Your Eyes" Score one point.	1	[1590]
	6.b)	Write a sentence. Score one point.	1	[1600]
	б.с)	Copy the design below. Score one point.	1	[1610]

7. Record Total Score 35 [1620]
8. INTERVIEWER: Assess level of consciousness. [1630]
1 = Alert
2 = Drowsy
3 = Stupor

INTERVIEWER: IF SCORE IS 15 OR LESS, DISCONTINUE INTERVIEW AT THIS TIME.

*Adapted, with permission, from Folstein, M.F., Folstein, S.E., McHugh, P., "Mini Mental State": A practical method for grading the cognitive state of patients for the clinician, <u>Journal of Psychiatric Research</u> <u>12</u>:189-198, 1975.

I am	going to ask you a few more questions about your health				
		Go	<u>od I</u>	air	<u>Poor</u>
1.	Generally, what has your physical health been like? [16	540]	1	2	3
	Record response:[1650]				
2.	Have you ever been bothered by problems with pains in			<u>NO</u>	<u>YES</u>
2.	your				
	2.a) abdomen or stomach (other than during menstruation)	?	[166	0]	0 1
	2.b) back?		[167	0]	0 1
	2.c) joints?		[168	0]	0 1
	2.d) arms or legs (other than in the joints)?		[169	0]	0 1
	2.e) chest?		[170	0]	0 1
	2.f) painful sexual intercourse (other than after childbirth) ?		[172	0]	0 1
	2.g) genitals or rectum (other than during intercourse)?		[171	.0]	0 1
	2.h) during urination?		[173	0]	0 1
	2.i) (IF FEMALE:) painful menstrual periods?		[174	0]	0 1
	2.j) headaches?		[1765	9]	0 1
	2.k) anywhere else? (IF YES:) Specify:[1750]		[176	0]	0 1

INTERVIEWER: IF LESS THAN 4 CODED YES, (DO NOT COUNT Q.2.j -- headaches), SKIP TO OVERVIEW (PAGE 18).

3.		did you see about this pain? did they say you had?	IMPAIRMENT CODE
	3.a)	Abdominal pains: Who seen: [1770] What told: [1780]	0 1 2 3 4 [1790]
	3.b)	Back pain: Who seen: [1800] What told: [1810]	[1820]
	3.c)	Pain in the joints: Who seen: [1830] What told: [1840]	[1850]
	3.d)	Pain in the arms/legs: Who seen: [1860] What told: [1870]	[1880]
	3.e)	Chest pains: Who seen: [1890] What told: [1900]	[1910]
	3.f)	Painful sexual intercourse: Who seen: [1950] What told: [1960]	[1970]
	3.g)	Genital/rectal pain: Who seen: [1920] What told: [1930]	[1940]
	3.h)	Painful urination: Who seen: [1980] What told: [1990]	[2000]
	3.i)	(IF FEMALE:) Painful menstrual periods: Who seen: [2010] What told: [2020]	[2030]
	3.j)	Headaches: Who seen:[17660] What told:[17661]	[17662]
	3.k)	Other pain (excluding headaches) , Specify:[2040] Who seen:[2050] What told:[2060]	[2070]

INTERVIEWER: For each symptom coded YES in Q.2 above, ask the following.

INTERVIEWER: IF 4 OR MORE ARE CODED 4 (DO NOT COUNT Q.3.j -- Headaches), SKIP TO Q.5.

3.1) (IF 4 OR MORE ARE CODED 3 OR 4:) Probe for age of onset, duration of problems, number of contacts with medical personnel. Note whether complaints are limited to discrete periods of medically explainable illness. Record response:

[2080]

4. INTERVIEWER: Do you suspect, based upon subject's responses and medical history, somatization disorder?

SKIP TO OVERVIEW (PAGE 18)

IMPAIRMENT CODES

- 0 = None.
- 1 = Yes, mild (never saw physician/never took medication/
- did not interfere with usual activities).
- 2 = Yes, always secondary to alcohol or drug use.3 = Yes, always part of medically explained physical disorder.
- 4 = Yes, medically <u>un</u>explained.

NO

0

[2090]

YES

5.	How old were you the <u>first</u> time you had any of the problems like (Review all items coded 2, 3, [2100] or 4 in Q.3 above)?
6.	How old were you the <u>last</u> time you had any of these problems?
7.	Have you ever been bothered by any stomach or digestive problems such as: IMPAIRMENT CODE
	7.a) vomiting or regurgitation of food (when not pregnant)?0 1 2 3 4Who seen:[2120]What told:[2130][2140]
	7.b) nausea (other than motion sickness)? Who seen: [2150] What told: [2160] [2170]
	7.c) excessive gas or bloating of your stomach or abdomen? Who seen: [2180] What told: [2190] [2200]
	7.d) loose bowels or diarrhea? Who seen: [2210] What told: [2220] [2230]
	7.e) three or more foods making you sick? Who seen: [2240] What told: [2250] [2260]
INT	ERVIEWER: IF Q.7.a-e <u>ALL</u> CODED 0 OR 1, SKIP TO OVERVIEW (PAGE 18).
8.	How old were you the <u>first</u> time you had any of the problems like (Review all items coded 2, 3, [2270] or 4 in Q.7 above)?
9.	How old were you the <u>last</u> time you had any of [2280]

	IMPAIRMENT CODES
-	= None.
1	= Yes, mild (never saw physician/never took medication/ did not interfere with usual activities).
2	= Yes, always secondary to alcohol or drug use.
	 Yes, always part of medically explained physical disorder. Yes, medically <u>un</u>explained.

).	Have	you ever had any neurological problems such as:		AIR COD		т
	10.a)	temporary blindness in one or both eyes lasting several seconds or more?	0	1 2	3	
	10 1-1	Who seen: [2290] What told: [2300]		[23	10]	
	10.0	double vision? Who seen: [2320] What told: [2330]		[23	40]	
	10.c)	<pre>completely losing your hearing for a few seconds or longer? Who seen: [2350] What told: [2360]</pre>		[23	701	
	10.ď	being paralyzed, where you could not move		[23	10]	
	10.0	a part of your body for at least a few minutes?				
		Who seen: [2380] What told: [2390]		[24	00]	
	10.e)	periods of weakness where you could not				
		lift or move things you could normally lift or move?		5.0.4	201	
		Who seen: [2410] What told: [2420]		[24	30]	
	10.f	trouble walking? (balance or coordination problems) Who seen: [2440] What told: [2450]		[24	601	
	10			[24	001	
	10.g	being unable to urinate or having difficulty urinating for 24 hours or longer or having to be				
		catheterized (other than after childbirth or surgery)?				
		Who seen: [2470] What told: [2480]		[24	90]	
	10.h)	having a lump in your throat that made it difficult				
		to swallow (other than when you feel like crying)?				
		Who seen: [2500] What told: [2510]		[25	20]	
	10.i)	having a seizure or convulsion (where you had staring				
		spells or were unconscious and your body jerked)? Who seen: [2530] What told: [2540]		[25	501	
	10 -			[23	50]	
	10.]	being unconscious or fainting (not seizures) ? Who seen: [2560] What told: [2670]		[25	801	
	10 1-1			[23	00]	
	10.K	amnesia for a period of several hours or days where y could not remember afterwards anything that happened?	70u			
		Who seen: [2590] What told: [2600]		[26	10]	
	INT	ERVIEWER: IF Q.10 ALL CODED 0 OR 1, SKIP TO Q.13				
	P		С	NS	AGE	
	How o proh	old were you the <u>first</u> time you had any of the lems like (Review all items coded 2, 3, or 4 in [2620	1			
	-	above)?	-			
	TT -		R	REC	AGE	
		old were you the <u>last</u> time you had any of [2630]]			
		-	_			_

IMPAIRMENT CODES

0 =	None.
1 =	Yes, mild (never saw physician/never took medication/ did not interfere with usual activities).
2 =	Yes, always secondary to alcohol or drug use.
	Yes, always part of medically explained physical disorder. Yes, medically <u>un</u> explained.

13. Have you ever been bothered by problems such as:	IMPAIRMENT CODE
<pre>13.a) feeling that your sex life was not very important? Who seen: [2640] What told: [2650]</pre>	0 1 2 3 4
13.b) having sexual difficulties? Who seen: [2670] What told: [2680]	[2690]
(IF YES:)	
13.b.1) (IF MALE:) impotence? Who seen: <u>[17663]</u> What told: <u>[17664]</u>	[17665]
13.b.2) (IF FEMALE:) anorgasmia? Who seen: <u>[17666]</u> What told: <u>[17667]</u>	[17668]
INTERVIEWER: FOR MALE SUBJECTS, SKIP TO Q.14.	
<pre>13.c) (Code from Q.3.i on page 13 without asking.) Painfu menstruation?</pre>	ıl
Who seen: [2700] What told: [2710]	[2720]
<pre>13.d) excessive menstrual bleeding (not within two years of menopause)? Who seen: [2730] What told: [2740]</pre>	[2750]
13.e) having irregular menstrual periods? Who seen: [2760] What told: [2770]	[2780]
<pre>13.f) vomiting throughout a pregnancy or being hospitalize for vomiting during pregnancy? Who seen: [2790] What told: [2800]</pre>	ed [2810]
INTERVIEWER: IF Q.13 ALL CODED 0 OR 1, SKIP TO Q.16	
14. How old were you the <u>first</u> time you had any problems like (Review all items coded 2, 3, [17669 or 4 in Q.13 above)?	ONS AGE
15. How old were you the <u>last</u> time you had any of these problems? [17670	REC AGE
IMPAIRMENT CODES	

0 =	None.
1 =	Yes, mild (never saw physician/never took medication/ did not interfere with usual activities).
2 =	Yes, always secondary to alcohol or drug use.
3 =	Yes, always part of medically explained physical disorder.
4 =	Yes, medically <u>un</u> explained.

		IMPAIRMENT CODE
16.	Have you ever been bothered by any general problems such as:	0 1 2 3 4
	<pre>16.a) shortness of breath when you had not exerted yourself Who seen: [2820] What told: [2830]</pre>	[2840]
	<pre>16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860]</pre>	[2870]
	<pre>16.c) losing your voice for 30 minutes or more and only being able to whisper?</pre>	
	Who seen: [2880] What told: [2890] 16.d) fainting spells where you felt weak, dizzy,	[2900]
	and passed out? Who seen: [2910] What told: [2920]	[2930]
	<pre>16.e) your heart beating so hard you could feel it pounding in your chest? Who seen: [2940] What told: [2950]</pre>	[2960]
	16.f) dizziness? Who seen: [2970] What told: [2980]	[2990]
	<pre>16.g) feeling sickly for most of your life? Who seen: [3000] What told: [3010]</pre>	[3020]
	INTERVIEWER: IF Q.16 <u>ALL</u> CODED 0 or 1, SKIP TO OVERVIEW (PAG	GE 18).
17.	How old were you the <u>first</u> time you had any of the problems like (Review all items coded 2, 3, [3090 or 4 in Q.16 above)?	ONS AGE
18.	How old were you the <u>last</u> time you had any of these problems? [3100	REC AGE
19.	How many years have you been having these problems? [17671]	YEARS


	IMPAIRMENT CODES
0	= None.
1	= Yes, mild (never saw physician/never took medication/ did not interfere with usual activities).
2	= Yes, always secondary to alcohol or drug use.
	= Yes, always part of medically explained physical disorder.
	= Yes, medically <u>un</u> explained.

		NO	YES	<u>UNK</u>
Have you ever had any em when you were not feelin self?			1	U
Have you ever seen any p problems, your nerves, c feeling or acting?	rofessional for emotic r the way you were	onal [3120] 0	1	U
(IF YES:)				AGE
2.a) How old were you wh someone for (Emotic		[31]	30]	
2.b) Were you employed a	t the time?	<u>NO</u> [17682] 0	<u>YES</u> 1	<u>UNK</u> U
Has there ever been a pe were unable to work, go other responsibilities k or emotional reasons?	to school, or take car	re of [3140] 0	1	U
Have you ever taken medi or any emotional or ment		s [3150] 0	1	U
INTERVIEWER: Circle all	individual medications	s that apply.		
Antidepressants: Desyrel - [3170], Ludiomil - [3190], Paxil - [20410], Surmontil - [3240], Wellbutrin - [3270]	Anafranil - [20390], A Effexor - [20400], B Norpramin - [3200], B Prozac - [3220], S Tofranil - [3250], V Zoloft - [20420].	sendin - [3160] Lavil - [3180] Pamelor - [3210] Sinequan - [3230 Vivactil - [3260	, ,)] ,)] ,	
MAOI's: Marplan - [328	0], Nardil - [3290],	Parnate -	[3300]	•
Sedatives/Hypnotics/ Minor Tranquilizers: Benadryl - [3330], Dalmane - [3360], Librium - [3390], Restoril - [3420], Tranxene - [3450],	Buspar - [3340], C Halcion - [3370], J Miltown - [3400], F Seconal - [3430], S	ativan - [3320] hloral Hydrate - nderal - [3380] Placidyl - [3410 Serax - [3440], Xanax - [3470].	- [33!	50],
Antipsychotics: Loxitane - [3490], Navane - [3520], Serentil - [3540], Thorazine - [3560],		10ban - [3510], Risperidone - [2	20430]	,
Stimulants:	Cylert - [3580], F	Ritalin - [3590]	•	
Antimanic Agents:	Klonopin - [3600], I Tegretol - [3620], N	Lithium - <mark>[3610]</mark> Valproic Acid -	13630	1
Antiparkinsonian Agents:	Akineton - [16525], Cogentin - [16527],			
(IF OTHERS:) Specify:	[3640]			
Have you ever received e (ECT, shock treatments)?		[20440] 0	<u>YES</u> 1 ‡ OF CC	UNK U
		1		OKSES
(IF YES:) How many cour	rses of ECT have you re	ceived? [20450]		

6.	Have you ever been admitted to a hospital because of	Ē	<u>NO</u>	<u>YES UNK</u>	<u>UNK</u>
	problems with your mood, emotions, or how you were acting?	[3650]	0	1	U
	(IF YES:) 6.a) How many times?		HOSP1	TALIZZ	ATIONS
	6.b) (IF ANY:) Were any primarily for alcohol		11000	ALC/D	
	and/or drug treatment?		HOSPI	TALIZA	ALTONS
	INTERVIEWER: Code number of hospitalizations for alcohol and/or drug treatment.		[367	0]	
	6.c) How old were you at the time of your <u>first</u> psychiatric hospitalization?		[368	0]	
INT	ERVIEWER: IF SUBJECT REPORTED ANY EMOTIONAL PROBLEMS (Q.1-Q.6), SKIP TO Q.8				
7.	Was there ever a time when you or someone else thoug	aht	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	you needed professional help because of your feeling	-	0	1	U
	SKIP TO MAJOR DEPRESSION (PAGE 24).				

8. Please tell me more about these periods we've just discussed. [17683]

E. OVERVIEW OF PSYCHIATRIC DISTURBANCE (Cont'd)



PATIENT:

AGE	TYPE OF EPISODE OR SYMPTOMS	DURATION (WEEKS)	TREATMENT
[17684]	[17685]	[17686]	[17687]
[17688]	[17689]	[17690]	[17691]
[17692]	[17693]	[17694]	[17695]

Now 1	I'm going to ask you some questions about your mo	ood.			
1		,	NO	YES	UNK
1.	Have you ever had a period of at least one week				
	you were bothered most of the day, nearly every by feeling depressed, sad, down, low?	<i>day</i> , [3700]	0	1	U
	by reening depressed, sad, down, row?	[3700]		T	U
	1.a) (IF NO:) By feeling irritable?	[17673]	0	1	U
2.	Have you ever had a period of at least one week when you did not enjoy most things, even things you usually like to do?	[3710]	0	1	U
				A A TT T T	
				ANHE- DONIA	
3.	Have you been feeling that way recently (i.e., i			DONI	
			1	2	U
	(IF YES): INTERVIEWER: Determine if depressed				
	mood or anhedonia only.				
	3.a) (IF YES:) How long have you felt this way?		Г	WEE	KS
		[3730)]		
				Г	3740]
4.	Think about the most <u>severe</u> period in your) 1			
	unable to enjoy things When did it begin?		0	N	ΥΥ
	-		0	IN	1 1
	Record response: [3750]				
				_	AGE
	4.a) INTERVIEWER: Compute age.		[3760	0]	
				WE	EKS
	4.b) How long did that period last?	[3770)]		
					•
				NHE-	
	(a) INTERNER, Code for either democrad	<u>M0</u>	<u> 1 DOC</u>	DONIA	<u>UNK</u>
	4.c) INTERVIEWER: Code for either depressed mood or anhedonia only.	[17674]	1	2	U
	mood of annedonia only.	[1/0/4]	T	2	0
F			<u>NO</u>	YE	<u>IS</u>
5.	INTERVIEWER: Is the current episode <u>also</u> the most severe episode?	[17675]	0	1	
INTE	RVIEWER: If current episode is also the most se episode, code the episode only in the Severe column. If current episode is the most severe episode, complete Curr Episode first.	Most <u>not</u>			

Duri	ng this current episode:	CURRENT MOST SEVERE EPISODE EPISODE (PAST MONTH)
Duri	ng the most severe episode:	
6.	Did you have a loss of appetite or did your appetite greatly increase?	[3780] 0 = No 0 = No
		1 = Yes, decreased 1 = Yes, decreased
		2 = Yes, increased 2 = Yes, increased
		3 = Yes, mixture 3 = Yes, mixture
		U = Unknown/ No Info. U = Unknown/ No Info.
	6.a) Did you lose/gain weight when you were not trying to?	NOLOSSGAINUNK012U[3800][3810]
	<pre>(IF YES:) 6.b) What was your weight <u>before</u> the loss/gain?</pre>	POUNDS [3820] POUNDS [3830]
		POUNDS [3840] POUNDS [3850]
	6.c) What was your weight <u>after</u> the loss/gain?	
	6.d) Over what period of time did you lose/gain this amount of weight?	POUNDS [3860] POUNDS [3870]
		$\underbrace{\frac{NO}{0} \underbrace{YES}{1} \underbrace{UNK}{1} \underbrace{NO}{1} \underbrace{YES}{1} \underbrace{UNK}{1}$
7.	Did you have trouble sleeping or were sleeping more than usual? (IF YES:)	
	7.a) Were you unable to fall asleep?	[3900] [3910]
	7.b) (IF YES:) Was this for at least one hour?	[3920] [3930]
	7.c) Were you waking up in the middle of the night and not able to go k to sleep?	back [3940] [3950]
	7.d) Were you waking up too early in the morning?	[3960] [3970]
	7.e) (IF YES:) Was this at least one hour earlier than usual?	[3980] [3990]
	7.f) Were you sleeping much more than usual?	[4000] [4010]

			1
		CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
		<u>NO YES UNK</u> 0 1 U	<u>NO YES UNK</u> 0 1 U
8.	Were you so fidgety or restless that other people could have noticed (e.g., pacing or wringing hands)?	[4020]	[4030]
9.	Were you moving or speaking so slowly that other people could have noticed?	[4040]	[4050]
10.	Were you less interested in things or less able to enjoy sex or other pleasurable activities?	[4060]	[4070]
11.	Were you feeling a loss of energy or more tired than usual?	[4080]	[4090]
12.	Were you feeling guilty or that you were a bad person?	[4100]	[4110]
13.	Were you feeling that you were a failure or worthless?	[4120]	[4130]
14.	Were you having difficulty thinking, concentrating, or making decisions?	[4140]	[4150]
15.	Were you frequently thinking about death, or wishing you were dead, or thinking about taking your life?	[4160]	[4170]
16.	Did you actually try to harm yourself?	[4180]	[4190]
17.	INTERVIEWER: Enter number of boxes with at least one YES response in Q.6-16.	BOXES	BOXES
INT	ERVIEWER: IF LESS THAN THREE, RETURN TO Q.6 AND CODE MOST SEVERE EPISODE.	<u>[4200]</u>	[4210]
INT	ERVIEWER: IF LESS THAN THREE, SKIP TO		
	MANIA/HYPOMANIA (PAGE 33).	<u>no yes unk</u> 0 1 u	<u>NO YES UNK</u> 0 1 U
18.	Were the symptoms (Review symptoms in Q.6-16 plus depressed mood) present nearly every day for at least a two-week period?	[4220]	[4230]
	INTERVIEWER: At least five symptoms (including depressed mood or anhedonia as one of the five) are required for a "YES" response (DSM III-R criteria).	<u>AM</u> <u>PM</u> NO 0 1 2	NO <u>AM PM DIF</u> 0 1 2
19.	Did you tend to feel worse in the	[17676]	[17681]

			CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
20.	belief	this episode, did you have s or ideas that you later found re not true?	<u>NO YES UNK</u> 0 1 U [4240]	<u>NO YES UNK</u> 0 1 U [4250]
	(IF YE	S:) Specify:	[4260]	[4270]
	20.a)	Did these beliefs occur either just before this depression or after it cleared?	<u>NO YES UNK</u> 0 1 U [16529]	<u>NO YES UNK</u> 0 1 U [17421]
	20.b)	(IF YES:) How long did they last?	DAYS [17422]	DAYS [17423]
21.	people	u see or hear things that other could not see or hear?	<u>NO YES UNK</u> 0 1 U [4280]	<u>NO YES UNK</u> 0 1 U [4290]
	(IF YE	S:) Specify:	[4300]	[4310]
	21.a)	Did these visions or voices occur either just before this depression or after it cleared?	<u>NO YES UNK</u> 0 1 U [17424]	<u>NO YES UNK</u> 0 1 U [17425]
	21.b)	(IF YES:) How long did they last?	DAYS [17426] NO YES UNK	DAYS [17427] NO YES UNK
22.	Did ps that w themes	S TO Q.20 OR Q.21:) INTERVIEWER: ychotic symptoms have content as <u>inconsistent</u> with depressive such as poverty, guilt, illness, al inadequacy or catastrophe?	0 1 U	0 1 U
	22.a)	(IF YES:) INTERVIEWER: Was subject preoccupied with psychotic symptoms to the exclusion of other symptoms or concerns?		[17678]
23.	doctor	u seek or receive help from a or other professional for this of depression?	[4380]	[4390]
24.	Were y depres	ou prescribed medication for sion?	[4400]	[4410]
	(IF YE	S:) Specify:	[4420]	[4430]
25.	Did yo	u receive ECT (shock treatments)?	<u>NO YES UNK</u> 0 1 U [4440]	<u>NO YES UNK</u> 0 1 U [4450]

			CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
26.	During hospit	this episode were you alized for depression?	<u>NO YES UNK</u> 0 1 U [4460] DAYS	<u>NO YES UNK</u> 0 1 U [4470] DAYS
	26.a)	(IF YES:) For how long?		
INT	ERVIEWE	R: IF PATIENT WAS HOSPITALIZED TWC DAYS OR MORE, HAD ECT, OR HAD PSYCHOTIC SYMPTOMS, SKIP TO Q.29 AND CODE INCAPACITATION.		
			[4500]	[4510]
27.		ur major responsibility during	1 = Job	1 = Job
	this episode job, home, school, or something else?		2 = Home	2 = Home
			3 = School	3 = School
			4 = Other	4 = Other
	(IF OT	HER:) Specify:	[4520]	[4530]
			<u>NO YES UNK</u>	NO YES UNK
28.		ur functioning (in this affected?	0 1 U [4540]	0 1 U [4550]
	(IF YE	S:) Specify:	[4560]	[4570]
	28.a)	Did something happen as a result of this? (such as marital separation, absence from work or school, loss of a job, or lower grades)	<u>NO YES UNK</u> 0 1 U [4580]	<u>NO YES UNK</u> 0 1 U [4590]
	(IF YES:) Specify:		[4600]	[4610]
	28.b)	(IF NO TO Q.28.a:) Did someone comment on your difficulty functioning?	<u>NO YES UNK</u> 0 1 U [17679]	<u>NO YES UNK</u> 0 1 U [17680]

				1
			CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
29.	INTERVIEWER	: Code based on answers to		
		Q.20,Q.21, and Q.25-28.a.	[4620]	[4630]
			0 = No Change	0 = No Change
	fied RDC IRMENT:	A decrease in <u>quality</u> of	1 = Impairment	1 = Impairment
		the most important role performance (noticeable	2 = Incapac. U = Unknown	2 = Incapac.
		to others). This usually requires a decrease in the <u>amount</u> of performance; it may be manifested by a person taking ten hours to do what normally may require five hours.	U = UNKNOWN	U = Unknown
	fied RDC PACITATION:	Complete inability to function in principal role for two days, or hospitalized for two or more days, ECT, or delusions or hallucinations present. For example, a housewife is unable to maintain her household duties, or a person stays home from work or from studies.		
		(IF IMPAIRED OR INCAPAC.:) Specify:	[4640]	[4650]
30.	RDC MINOR R	OLE DYSFUNCTION:	<u>no yes unk</u>	<u>no yes unk</u>
	functioning	GE IN Q.29:) Was your in any other r life affected?	0 1 U [4660]	0 1 U [4670]
	(IF YES:) S	pecify:	[4680]	[4690]
31.		isode occur during or er an illness of some kind?	<u>NO YES UNK</u> 0 1 U [4700]	<u>NO YES UNK</u> 0 1 U [4710]
		: The following illnesses, s, may be relevant:		
	titis, Canc	ism, CVA, MS, Mono, Hepa- er, Parkinson's, HIV, r other endocrine illnesses.		
	(IF YE	S:) Specify:	[4720]	[4730]
INT		F MALE OR NEVER PREGNANT, KIP TO Q.33.		

		CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
32.	Did this episode occur around the time of childbirth?	<u>NO YES UNK</u> 0 1 U [4740] [4760]	<u>NO YES UNK</u> 0 1 U [4750] [4770]
	32.a) IF YES:) What was the date of childbirth?		
33.	Did this episode begin shortly after you started taking any prescribed medication?	<u>NO YES UNK</u> 0 1 U [4780]	<u>NO YES UNK</u> 0 1 U [4790]
	INTERVIEWER: The following medicines, among others, may be relevant:		
	Blood Pressure Medicines: Aldomet, Inderal, Propranolol, Reserpine, Serpasi Sedatives/Hypnotics: Dalmane, Halcion, Restoril. Tranguilizers: Ativan, Librium,	1.	
	Serax, Tranxene, Valium. Heart Medicines: Digitalis, Digoxin. Steroids: Prednisone.		
	(IF YES:) Specify medications:	[4800]	[4810]
		<u>NO YES UNK</u>	<u>no yes unk</u>
34.	Did this episode begin while you were using street drugs?	0 1 U [4820]	0 1 U [4830]
	INTERVIEWER: The following drugs, among others, may be relevant:		
	Amphetamines, Barbiturates, Cocaine, "Downers", Tranquilizers		
	(IF YES:) Specify drug and quantity:	[4840]	[4850]
35.	Did this episode follow increased use of alcohol?	<u>NO YES UNK</u> 0 1 U [4860]	<u>NO YES UNK</u> 0 1 U [4870]
	(IF YES:) Specify:	[4880]	[4890]
		<u> </u>	<u> </u>
36.	Did this episode follow the death of someone close to you?	0 1 U [4900]	0 1 U [4910]
	(IF YES:) Specify <u>relationship</u> and date of death:	[20460]	[20470]
	Date of Death:		
		DD MON YY	<u>DD MON Y</u> Y

			<u>NO</u>	YES	<u>UNK</u>
			0	1	
				_	U
				_	U
				_	U
-				-	U
	_			-	U
	-			_	U
R	isky or indiscreet behavior	[20560]	0	T	U
s not t .6 and	the most severe episode, return code for Most Severe episode.				
ned (mo rganic tion, c sympto	ost severe) was precipitated by factor or that it was a grief or a mixed episode (Q.37 has 4 or oms marked "YES") attempt to establish		NO	VES	UNK
INTERV	TEWER: Has there been at least one		<u>110</u>	165	UNIC
"clean	" episode?	[4940]	0	1	U
ERVIEWE	R: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40.		NO	VFS	UNK
when y one we	rou were depressed for at least wek and had several of the symptoms	[4950]	_	1	U
(IF YE	35:)				
39.a)	When did it begin? [4960]		0 N]_[
39.a)	When did it begin? [4960] D D		O N		
39.a) 39.b)		м	o n <u>NO</u>] — [<u>YES</u>	Y UNK
	you al (Mark O M R G D D R RVIEWER s not t .6 and ou susp ned (mo rganic tion, o sympto her sev INTERV "clean ERVIEWE	<pre>"clean" episode? ERVIEWER: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least one week and had several of the symptoms you described?</pre>	you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive [20500] More talkative/pressured speech [20510] Racing thoughts/speech hard to follow [20520] Grandiosity [20530] Decreased need for sleep [20540] Distractibility [20550] Risky or indiscreet behavior [20560] RVIEWER: If coding current episode and s not the most severe episode, return .6 and code for Most Severe episode. ou suspect that the episode just med (most severe) was precipitated by rganic factor or that it was a grief tion, or a mixed episode (0.37 has 4 or symptoms marked "YES") attempt to establish her severe episode without such a precipitant. INTERVIEWER: Has there been at least one "clean" episode? [4940] ERVIEWER: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least one week and had several of the symptoms you described? [4950]	During this episode of depression did you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive [20500] 0 More talkative/pressured speech [20510] 0 Racing thoughts/speech hard to follow [20520] 0 Grandiosity [20530] 0 Decreased need for sleep [20540] 0 Distractibility [20550] 0 Risky or indiscreet behavior [20560] 0 RVIEWER: If coding current episode and s not the most severe episode, return .6 and code for Most Severe episode. ou suspect that the episode just ned (most severe) was precipitated by rganic factor or that it was a grief tion, or a mixed episode (Q.37 has 4 or symptoms marked "YES") attempt to establish her severe episode without such a precipitant. INTERVIEWER: Has there been at least one "clean" episode? [4940] 0 ERVIEWER: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least one week and had several of the symptoms	During this episode of depression did you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive [20500] 0 1 More talkative/pressured speech [20510] 0 1 Racing thoughts/speech hard to follow [20520] 0 1 Grandiosity [20530] 0 1 Decreased need for sleep [20540] 0 1 Distractibility [20550] 0 1 Risky or indiscreet behavior [20560] 0 1 RVIEWER: If coding current episode and s not the most severe episode, return .6 and code for Most Severe episode. ou suspect that the episode just med (most severe) was precipitated by rganic factor or that it was a grief tion, or a mixed episode (Q.37 has 4 or symptoms marked "YES") attempt to establish her severe episode? [4940] 0 1 ERVIEWER: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least one week and had several of the symptoms you described? [4950] 0 1

						SX			
	39.c)	INTERVIEWER: Enter number of symptoms marked "YES" in Q.39.b.	ymptoms [506						
	39.d)	Was it preceded by a medical illness, use of medication/drugs/alcohol, or		<u>NO</u>	<u>YES</u>	<u>UNK</u>			
		the loss of a loved one?	[5070]	0	1	U			
	39.e)	Was there a difference in the way [5080] you managed your work, school, or							
		household tasks?	1 = Impair.						
		(IF YES:) Specify: [5090]	2	cap.					
			U	= Unł	ζ				
39.f)	39.f)	How long did this episode last?			WEEKS				
			[5100]						
	39.g)	Did you receive any treatment or were you hospitalized during this episode?	[5110]	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U			
		(IF YES:) Specify treatment:[5120]	_						
40.	How of	d were you the <u>first</u> time you had an			ONS	AGE			
10.	episod	le of depression like this?	[5	130]					
41.	How ol episod	d were you the <u>last</u> time you had an le of depression like this?	[5	140]	REC	AGE			
42.	How ma like t	any separate times have you been depressed chis?	[5	150]	EPIS	ODES			
					HOSPITALIZE				
43.		any times were you hospitalized for an episode pression?	[20	570]					
44.	How ma	any times have you had ECT for depression?	[20]	# 580]	OF T	IMES			
				<u>NO</u>	YES	<u>UNK</u>			
45.		ou ever feel high or were you overactive ying medical treatment for depression?	[17428]	0	1	U			
	(IF YE	2S:) Describe:[17429]							

Now	I'm go	oing to ask you some other questions about your m	ood.			
				NO	YES	UNK
	1.a)	Did you ever have a period when you felt				
		extremely good or high, clearly different				
		from your normal self? (Was this more			_	
		than just feeling good?)	[5160]	0	1	U
	1.b)	(IF NO:) Did you ever have a period when you				
		were unusually irritable, clearly different				
		from your normal self so that you would shout				
		at people or start fights or arguments?	[5170]	0	1	U
	1.c)	INTERVIEWER: Probe for description if necessary using additional probes (e.g., Did you experience increased energy? increased activity? a need for less sleep? increased talkativeness?)	e			
		[5180]				
				NO	YES	UNK
	1.d)	(IF YES TO Q.1.a OR Q.1.b:) Did this last		110	001	
	2104/	persistently throughout the day or intermittentl	v			
		for two days or more?	[5190]	0	1	U
	1.e)	INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or other information?	[5200]	0	1	U
	SK	IP TO HYPOMANIA SCREEN (Q.37, PAGE 40).				
2.	Have	you been feeling this way recently (i.e., during				
		past 30 days)?	[5210]	0	1	U
	(YES:)	AYS		WEEKS	,
	-	How long have you felt this way?	AIS		WEEKC	
		less than one week, code DAYS.)	OR			
			220]		[5230]	
3.		k about the most extreme period 0 1	_			
		our life when you were feeling [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240] [5240]				
		did it begin?	MC) N	Y	Y
					AG	E
	3.a)	INTERVIEWER: Compute age.				
			[5:	250]		
		Г	AYS		WEEKS	1
	3.b)	How long did that period last?	OR			
	,	(If less than one week, code DAYS.)				
		[5	260]		[5270]	

- 34
- NO YES

[17696] 0 1

4. INTERVIEWER: Is the current episode <u>also</u> the most severe episode?

INTERVIEWER: If the current episode is also the most severe episode, code the episode only in the Most Severe column. If it is not the most severe episode, complete Current Episode first.

During the current episode:

During the most severe episode:

- 5. INTERVIEWER: Specify irritable or elated mood.
- 6. Were you more active than usual either sexually, socially, or at work, or were you physically restless?
- 7. Were you more talkative than usual or did you feel pressure to keep on talking?
- 8. Did your thoughts race or did you talk so fast that it was difficult for people to follow what you were saying?
- 9. Did you feel you were a very important person, or that you had special powers, plans, talents, or abilities?
- 10. Did you need less sleep than usual?

(IF YES:)

- 10.a) How many hours of sleep did you get per night?
- 10.b) How many hours of sleep do you usually get per night?
- 11. Did you have more trouble than usual concentrating because your attention kept jumping from one thing to another?
- 12. Did you do anything that could have gotten you into trouble--like buy things, make business investments, have sexual indiscretions, drive recklessly?

(IF YES:) Specify:

-	
CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
IRR ELA 1 2 [5280] NO YES UNK [5300] [5320] [5340]	IRR ELA 1 2 [5290] NO YES UNK [5310] [5350]
$\begin{bmatrix} 5380 \end{bmatrix}$ HOURS $\begin{bmatrix} 5400 \end{bmatrix}$ HOURS $\begin{bmatrix} 5420 \end{bmatrix}$ HOURS $\begin{bmatrix} 5420 \end{bmatrix}$ HOURS $\begin{bmatrix} 5420 \end{bmatrix}$ HOURS $\begin{bmatrix} 5420 \end{bmatrix}$ UNK U	$\begin{bmatrix} 5390 \end{bmatrix}$ HOURS $\begin{bmatrix} 5410 \end{bmatrix}$ HOURS $\begin{bmatrix} 5430 \end{bmatrix}$ HOURS $\begin{bmatrix} 5430 \end{bmatrix}$ $\begin{bmatrix} 1 \\ 5430 \end{bmatrix}$ HOURS $\begin{bmatrix} 5430 \end{bmatrix}$ UNK $\begin{bmatrix} 1 \\ U \end{bmatrix}$
[5440]	[5450]
[5460] [5480]	[5470] [5490]

		_			
				CURRENT	MOST SEVERE
			(P.	EPISODE AST MONTH)	EPISODE
			N	<u>O YES UNK</u>	<u>NO YES UNK</u>
1 0		he hereit and here	() 1 U	0 1 U
13.		ou say your behavior was tive, obnoxious, arrogant,			
	or mani	pulative enough to cause			
		s for your family, friends, orkers?		[5500]	[5510]
	(IF YES	:) Specify:		[[[]]]	
				[5520]	[5530]
				DOVER	DOVED
14.				BOXES	BOXES
	at leas	t one YES response in Q.6-12.			
	INTERVIEWER: IF ONLY ONE OR NONE FOR BOTH		<u>ا</u> ا	5540]	[5550]
		R: IF ONLY ONE OR NONE FOR BOTH ISODE AND MOST SEVERE EPISODE,			
SK	IP TO DY	STHYMIA (PAGE 41).			
			N	<u>0 YES UNK</u>) 1 U	<u>NO YES UNK</u> 0 1 U
15.		u so excited that it was almost			
	impossi	ble to hold a conversation with you	1?	[5560]	[5570]
16.		have beliefs or ideas that you			[[[0 0]
		ound out were not true?		[5580]	[5590]
	(IF YES	:) Specify:		[5600]	[5610]
	16.a)	Did these beliefs occur either	N	<u>o yes unk</u>	<u>NO YES UNK</u>
		just before this mania or after it cleared?		0 1 U	0 1 U
				[17438]	[17439]
				DAYS	DAYS
				[17440]	[17441]
	16.b)	(IF YES:) How long did they last?			
			N	O YES UNK	NO YES UNK
17.	Did vou	see or hear things that other		0 1 U	101 U
		could not see or hear?		[5620]	[5630]
	(IF YES	:) Specify:		[[[(40]]	
				[5640]	[5650]
	17.a)	Did these visions or voices occur	Ν	<u>O YES UNK</u>	NO YES UNK
	-	either just before this mania or			
		after it cleared?		0 1 U [17434]	0 1 U [17435]
				DAYS	DAYS
				[17436]	[17437]
	17.b)	(IF YES:) How long did they last?			

	-		
		CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
		<u>NO YES UNK</u> 0 1 U	<u>NO YES UNK</u> 0 1 U
18.	(IF Q.16 OR Q.17 IS YES:) INTERVIEWER: psychotic symptoms have content that w <u>inconsistent</u> with manic themes such as inflated worth, power, knowledge, iden or special relationship to a deity or famous person?	Did as tity,	[17755]
	18.a) (IF YES:) INTERVIEWER: Was sub preoccupied with psychotic symp to the exclusion of other sympt or concerns?	toms	[17698]
19.	Did you seek or receive help from some like a doctor or other professional?	one [5720]	[5730]
20.	Were you prescribed medication for this	s? [5740]	[5750]
	(IF YES:) Specify:	[5760]	
		<u>NO YES UNK</u> 0 1 U	<u>NO YES UNK</u> 0 1 U
21.	Did you receive ECT?	[5780]	[5790]
22.	During this episode, were you hospitalized for mania?	[5800] DAYS [5820]	[5810] DAYS [5830]
	22.a) (IF YES:) For how long?		
TW SY	TERVIEWER: IF PATIENT WAS HOSPITALIZED O DAYS OR MORE, HAD ECT OR HAD PSYCHOTI MPTOMS, SKIP TO Q.25 AND CODE INCAPACI- TION.	c	
23.	Was your major responsibility at that job, home, school, or something else?	<pre>time [5840] 1 = Job 2 = Home 3 = School 4 = Other</pre>	[5850] 1 = Job 2 = Home 3 = School 4 = Other
	(IF OTHER:) Specify:	<u>[5860]</u> <u>NO YES UNK</u>	[5970] NO YES UNK
24.	Did your functioning decline (in this role)?	<u>NO YES UNK</u> 0 1 U [5880]	<u>NO YES UNK</u> 0 1 U [5890]
	(IF YES:) Specify:	[5900]	[5910] [5910]

				Γ	EP:	RRENT ISODE MONTH)	MOST S EPIS	-
					(PASI NO	YES UNK	NO YES	UNK
	(IF YE	s to Q.2	1)		0	$\frac{1100}{1}$ U	$\frac{10}{0}$ 1	U
	24.a)	of this: separat:	ething happen as a re (such as marital ion, absence from wo loss of a job, or lo	rk or		[5920]	[5930]
		(IF YES	:) Specify:		[5940]	[5950]
					<u>NO</u> 0	<u>YES</u> <u>UNK</u> 1 U	<u>NO YES</u> 0 1	UNK U
	24.b)		co Q.24.a:) Did some on your decline in ning?	one		[17699]	[17700)]
25.	INTERV to Q.1		Code based on answe	rs	0 = No	[5960] o change	[59] 0 = No (0)	Change
		MENT: De	ecreased functioning r o meet incapacitation		2 = I1 3 = In	mpairment ncapac. mprovemt. nknown	1 = Impa 2 = Inca 3 = Impa U = Unka	apac. rovemt.
	functio two day or hall	CITATION on in pri vs, hospi	ncipal role for at le talization, ECT, delu ns, or inability to c	ast sions				
	IMPROV	(:	Emprovement in function IF IMPAIRED OR INCAP. Specify:		[20590]	[20600]
26.	Was you area ou get int	ur funct: f your l: to troub	: (IF NO CHANGE TO Q ioning in any other ife affected or did y le in any way? function)	-	<u>NO</u> 0	<u>YES UNK</u> 1 U [5980]	<u>NO YES</u> 0 1 [5990	UNK U]
	(IF YE:	S:) Speci	ify:		[6000]	[6010]	
27.			de occur during or si ss of some kind?	hortly	<u>NO</u> 0	<u>YES UNK</u> 1 U [6020]	<u>NO YES</u> 0 1 [6030	UNK U]
	INTERV	IEWER:	The following illner among others, may be relevant: MS, HIV, Hyperthyroidism, Luy Cushing's, Brain Tur Encephalitis.	e pus,				
	(IF YE:	S:) Speci	ify illness:		[6040]	[6050]	

		CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
28.	Did this episode begin shortly after you started using decongestants, steroids, or some other medication?	2 <u>NO YES UNK</u> 0 1 U [6060]	<u>NO YES UNK</u> 0 1 U [6070]
	INTERVIEWER: L-DOPA, among others, may be relevant. Antidepressants are not considered an organic precipitant for DSM-III-R and RDC.		
	(IF YES:) Specify:	[6080]	[6090]
29.	Did this episode begin shortly after you started taking an antidepressant, shortly after a course of ECT, or after beginning a course of light therapy?	0 1 U	<u>NO YES UNK</u> 0 1 U [20620]
	(IF YES:) Specify:	[20630]	[20640]
30.	Were you using cocaine or other street drugs or were you drinking more than usual just before this episode began?	<u>NO YES UNK</u> 0 1 U [6100]	<u>NO YES UNK</u> 0 1 U [6110]
	INTERVIEWER: Amphetamines, among others may be relevant.	5,	
	(IF YES:)		
	30.a) Cocaine? (IF YES:) Specify:	0 1 U [6120]	0 1 U [6130]
	<u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u>	[6140]	[6150]
	30.b) Other street drugs?	0 1 U [6160]	0 1 U [6170]
	(IF YES:) Specify:	[6180]	[6190]
	30.c) Increased alcohol?	0 1 U [6200]	0 1 U [6210]
	(IF YES:) Specify:	[6220]	[6230]

INTERVIEWER: If coding current episode and it is not the most severe episode, return to Q.5 and code for Most Severe episode.

If you suspect that the episode just defined (most severe) was precipitated and maintained by an organic factor, attempt to establish another severe episode without an organic precipitant.

			<u>NO</u>	<u>YES</u>	<u>UNK</u>
31.	INTERVIEWER: Has there been at least one "clean" episode?	[6240]	0	1	U
	INTERVIEWER: To define a manic episode, the patient must be elated and have three symptoms or be irritable and have four symptoms.			61 5	
	(IF YES:)			CLE EPIS	
	31.a) How many episodes like this have you had?	[6	250]	ONS (CLE	
	31.b) How old were you the <u>first</u> time you had an episode like this?	[6	260]	REC (CLE	AGE
	31.c) How old were you the <u>last</u> time you had an episode like this?	[6	270]	UNCL	EAN
32.	(IF NO CLEAN EPISODES:) How many episodes like this have you had?	[6	280]	ONS (UNCL	AGE
	32.a) How old were you the <u>first</u> time you had an episode like this?	[6	290]	REC	AGE
	32.b) How old were you the <u>last</u> time you had an episode like this?	[6	300] HOS	PITAL	
33.	How many times were you hospitalized for an episode of mania?	[20	650]		
34.	MIXED AFFECTIVE STATES: During any of these manic episodes, did you also experience any of these sympto (MARK "YES" or "NO" FOR EACH SYMPTOM)	oms	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	Depressed mood/loss of interest or pleasure	[20660]		1	U
	Appetite/weight change Sleep difficulty Ghanna in activity lovel (novekempton)	[20670]	0	1 1 1	U U
	Change in activity level (psychomotor) Fatigue/loss of energy	[20690] [20700]		⊥ 1	U U
	Loss of interest/pleasure	[20710]		1	U
	Low self-esteem/guilt	[20720]	0	1	U
	Decreased concentration	[20730]		1	U
	Thoughts of death or suicide IF LESS THAN 5 MARKED "YES", SKIP TO Q.35	[20740]] 0	1	U
	I LESS IMAN S MANALE IES , BAIF IO ¥.35			EPIS	ODES
	How many episodes like this have you had?	[20	750]		

INTERVIEWER: Check whether most severe episode is one of these. IF YES, try to establish another episode as most severe.

RAPID CYCLING

<u> </u>			<u>NO</u>	YES	<u>UNK</u>
35.	Have you had at least four episodes of mood disorder within a one-year period? [177	01]	0	1	U
36.	Have you ever switched back and forth quickly between feeling high to feeling normal or depressed? [63	30]	0	1	U
		<u>HRS</u>	DÆ	AYS_	WKS
	36.a) (IF YES:) Was that happening every few hours,				
	every few days, or every few weeks? [6340]	1		2	3

HYPOMANIA

37.	(ASK ONLY IF Q.2-36 ARE SKIPPED:) I have already asked	
	you about periods of extremely high moods clearly	
	different from your normal self. Now I'd like to ask	
	if you have ever had periods lasting even a day or two	
	when you felt unusually cheerful, energetic, or hyper?	
		[6350]

SKIP TO DYSTHYMIA (PAGE 41).

(IF YES:) During that period were you...

	37.a)	more active than usual? more talkative than usual?	[6360] [6370]	0	1 1	U
	37.b) 37.c) 37.d)	experiencing racing thoughts? feeling you were a very important person or	[6380]		1	U U
	<i>c / • c / </i>	had special powers or talents?	[6390]	0	1	U
	37.e)	needing less sleep than usual?	[6400]	0	1	U
	37.f)	distractible because your attention kept jumping from one thing to another?	[6410]	0	1	U
	37.g)	doing anything that could have gotten you into trouble, like buying things or having sexual indiscretions?	[6420]	0	1	U
INTE	RVIEWER	: If three or more symptoms coded "YES" in Q.37.a37.g., return to Q.2. (page 33) and complete Mania/Hypomania Section.			QE	ELLS
				_	DE	CUUS
38.	How mai	ny spells like this have you had?	[64	30]		
			_		DAYS	
39.	What is	s the longest that one of these has lasted?	[17702]			
					A	GE
40.	How old	d were you when you had the <u>first</u> such spell?	[64	40]		

40

<u>NO YES UNK</u>

U

DYSTHYMIA

INTERVIEWER: IF SUBJECT HAS HAD MANIA OR CHRONIC PSYCHOSIS, CHECK HERE AND SKIP TO INTERVIEWER NOTE ON PAGE 42.

I have asked about episodes of depression that were severe. Some people have less severe periods of depression that go on for years at a time. Now we want to talk about times like that.

- 1. Have you ever had a period of two or more years when you felt sad, down, or blue most of the day, more days than not? [6460] 0 1 U SKIP TO Q.7 ONS AGE How old were you when the first period like 1.a) [6470] this began? END AGE 1.b) How old were you when it ended [6480] 2. Did you have a severe episode of depression NO YES UNK either during the first two years of this period or in the six months before this two-year period began? [6490] 0 1 U Just before and during this period was there a change in your use of street drugs, alcohol, or 3.
- prescription medications, or did you have a serious physical illness? [6500] 0 1 U

(IF YES:) Specify: _____ [6510] _____

INTERVIEWER: If YES to Q.2 or Q.3, identify another two-year period if possible and recode Q.1.a and Q.1.b.

ng that two-year period did you	<u>NO YES UNK</u> 0 1 U
overeat?	[6520]
have a poor appetite?	[6530]
have trouble sleeping?	[6540]
sleep too much?	[6550]
	[6560] [6570] [6580] [6590]
	have a poor appetite? have trouble sleeping? sleep too much? feel tired easily? feel inadequate or worthless? find it hard to concentrate or make decisions?

INTERVIEWER: IF LESS THAN TWO POSITIVE SYMPTOMS (BOXED ITEMS COUNT AS ONE SYMPTOM), SKIP TO Q.7. 41

[6450

YES

UNK

NO

VERSION	2.0	
20-JAN-9	95	

H. DYSTHYMIA/DEPRESSIVE/HYPERTHYMIC PERSONALITY (Cont'd)

			NO	YES	UNK
5.	During that two-year period was your mood ever normal for as long as two months in a row that is, two months when you were <u>not</u> sad, blue or down?	[660]	0] 0	1	U
6.	During that two-year period was there a difference in the way you managed your work, school, or house	e ehold	-		-
	<pre>tasks or was any other area of your life affected: (IF YES): Specify: [20770]</pre>	 	0 [[T	U
DE	PRESSIVE PERSONALITY				
INT	ERVIEWER: IF ONSET OF MAJOR PSYCHIATRIC DISORDER: O AT AGE 20 OR YOUNGER, CHECK HERE AN ALCOHOL ABUSE (PAGE 44). O AFTER AGE 20, ASK ABOUT PERIOD OF T THE FIRST EPISODE.	[18000]	
	See Depression Q.40 (page 32) and Mani (page 39) to clarify onset ages if nec				
7.	For much of your life up to (Now/Age of first Affective Disorder), have you been the kind of per	rson	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	who often has hours, days, or weeks when you feel depressed, down, blue, empty, don't care, feel sorry for yourself, or something like that? [6610]				U
	SKIP TO Q.15 - HYPERTHYMIC PERSONALITY				
Duri	ng those times				
8.	Were you always sad, down, or blue?	[6660]	<u>NO</u> 0	<u>yes</u> 1	<u>UNK</u> U
9.	Did you lose interest or pleasure in your usual activities?	[6620]	0	1	U
10.	How long did this typically last? (If less than one week, code DAYS.)	DAYS C	DR	WEEK	
11.	How many times per year did this happen?	[6650]	TI	MES
12.	How old were you when you <u>first</u> began feeling this way?	[6670]	ONS	AGE
			<u>NO</u>	YES	UNK
13.	Did your friends or family notice or remark on how you felt?	[6680]	0	1	U
14.	Did you tell anyone how you felt?	[6690]	0	1	U



HYPERTHYMIC PERSONALITY

INTERVIEWER: If subject has had major affective disorder, ask about the period of time preceding the first episode.

15.	For much of your life up to (Now/Age of first	<u>]</u>	<u>NO</u>	YES	<u>UNK</u>
	Affective Disorder) , have you had times of <u>unusual</u> ambition, energy, optimism, high spirits, or great activity?	[6700]	0	1	U
	SKIP TO ALCOHOL ABUSE (PAGE 44).				
16.	Were you always this way?	[6740]	0	1	U
17.	How long did it typically last? (If less than one week, code DAYS.)	DAYS OR [6710]		WEEKS	
18.	How many times per year did this happen?	[6	730]	TIM	IES
19.	How old were you when you first began feeling this way?	[6	750]	ONS	AGE
20.	Did your friends or family notice]	<u>NO</u>	<u>YES</u>	<u>UNK</u>
20.	or remark on how you felt?	[6760]	0	1	U
21.	Did you tell anyone how you felt?	[6770]	0	1	U

I am going to ask you a series of questions about alcohol and drug use. I will use the word "often" in some of these questions; by often, we mean three or more times. Now, I would like to ask you some questions about alcoholic beverages like beer, wine, wine coolers, champagne, or hard liquor like vodka, gin, or whiskey. <u>NO YES</u>

1. Have you ever had a drink of alcohol? [6780] 0

1.a) (IF NO:) So, you have never had even one drink of [6790] 0 alcohol?

SKIP TO DRUG ABUSE (PAGE 53).

2.	SITE OPTIONAL <u>NO YES</u> Let us begin with the last week. Did you have any drink
	containing alcohol in the last week? [6800] 0 1
	SKIP TO Q.4.
	We would like to know the number of alcoholic drinks you have had on each day in the <u>last week</u> . Let us begin with yesterday, that is[6810] (Name and record day of week).
3.	How many drinks of (Type of Beverage) did you have on (Day)? (Record in Col. I below.)
	3.a) How long in minutes did it take you to consume that amount? (Record in Col. II below.)
INTE	RVIEWER: Ask for all types of beverages and then go to next day. If "DON'T KNOW" or "CAN'T REMEMBER", Code "UU".
Day	BEER/LITE BEER WINE LIQUOR
Last <u>Week</u>	
MON	_[6820][6830][6840][6850][6860][6870]_
TUE	_[6880][6890][6900][6910][6920][6930]_
WED	_[6940][6950][6960][6970][6980][6990]_
THUR	_[7000][7010][7020][7030][7040][7050]_
FRI	_[7060][7070][7080][7090][7100][7110]_
SAT	_[7120][7130][7140][7150][7160][7170]_
SUN	_[7180][7190][7200][7210][7220][7230]_
4.	NO YES Would you say that your drinking/not drinking in the past week was typical of your drinking habits? [7240] 0 1

1

once a	TO Q.7.]				<u> </u>
			SITE OPT	IONAL		ONS AG
	F YES:) How country of the two that			<u>st</u> time	[7260]	
the num	IS NOPAST ber of drinks week in the	s containir	ng alcohol	you would h	have in a	7
		-		-	ks of (Type	e of
be	verage) do yo	ou have?	(Record in	Col. I belo		
be	a) How long i	ou have?	(Record in does it ta	Col. I belo		at amount?
be 6.	a) How long i (Record in EWER: Ask fo	ou have? in minutes n Col. II l or all type	(Record in does it ta below.) es of beven	Col. I belo	consume tha hen go to r	next day.
be 6. INTERVI Day	a) How long i (Record in EWER: Ask fo If "I BEER/LITE	ou have? in minutes n Col. II l or all type DON'T KNOW	(Record in does it ta below.) es of bever " or "CAN'I WIN	Col. I belo ake you to c cages and t REMEMBER"	consume tha hen go to r , Code "UU' <u>LIC</u>	next day. "• DUOR
be 6. INTERVI	a) How long i (Record ir EWER: Ask fo If "I <u>BEER/LITE</u> I.	ou have? in minutes o Col. II l or all type CON'T KNOW BEER II.	(Record in does it ta below.) es of beven " or "CAN'I I.	Col. I belo the you to c cages and the REMEMBER"	consume tha hen go to r , Code "UU" I.	next day. ".) <u>UOR</u> II.
be 6. INTERVI Day of	a) How long i (Record in EWER: Ask for If "I <u>BEER/LITE</u> I. <u>Drinks</u>	ou have? in minutes n Col. II l or all type OON'T KNOW BEER II. Minutes	(Record in does it ta below.) es of bever " or "CAN'T I. Drinks	Col. I belo the you to c cages and t REMEMBER"	consume tha hen go to r , Code "UU" I. Drinks	next day. "• DUOR II. Minutes
be 6. INTERVI Day of <u>Week</u>	a) How long i (Record in EWER: Ask for If "I <u>BEER/LITE</u> I. <u>Drinks</u> _[7270]_	ou have? in minutes Col. II l or all type CON'T KNOW BEER II. Minutes _[7280]_	(Record in does it tabelow.) es of bever " or "CAN'I <u>Urinks</u> _[7290]_	Col. I belo the you to c cages and the REMEMBER" II. Minutes	consume that hen go to r , Code "UU" I. Drinks _[7310]_	next day. "• II. <u>Minutes</u> _[7320]_
be 6. INTERVI Day of Week MON	a) How long i (Record in EWER: Ask for If "I <u>BEER/LITE</u> I. <u>Drinks</u> _[7270]_ _[7330]_	ou have? in minutes a Col. II b or all type OON'T KNOW BEER II. Minutes _[7280]_ _[7340]_	(Record in does it ta below.) es of bever " or "CAN'T UIN I. Drinks _[7290]_ _[7350]_	Col. I belo the you to c ages and t REMEMBER" II. <u>Minutes</u> [7300]	consume that hen go to r , Code "UU" I. Drinks _[7310]_ _[7370]_	next day. ". <u>DUOR</u> II. <u>Minutes</u> _[7320]_ _[7380]_
be 6. INTERVI Day of <u>Week</u> MON TUE	a) How long i (Record in EWER: Ask for If "I <u>BEER/LITE</u> I. Drinks _[7270]_ _[7330]_ _[7390]_	ou have? in minutes Col. II I or all type CON'T KNOW BEER II. Minutes _[7280]_ _[7340]_ _[7400]_	(Record in does it tabelow.) es of bever " or "CAN'T <u>WIN</u> <u>I.</u> <u>Drinks</u> _[7290]_ _[7350]_ _[7410]_	Col. I belo ake you to a cages and the REMEMBER" II. Minutes _[7300]_ _[7360]_	consume that hen go to r , Code "UU" I. Drinks _[7310]_ _[7370]_ _[7430]_	next day. ". <u>DUOR</u> II. <u>Minutes</u> _[7320]_ _[7380]_ _[7440]_
be 6. INTERVI Day of Week MON TUE WED	<pre>a) How long if (Record in EWER: Ask for If "I BEER/LITE I. Drinks _[7270]_ _[7330]_ _[7390]_ _[7450]_</pre>	bu have? in minutes Col. II I or all type OON'T KNOW BEER II. Minutes _[7280]_ _[7340]_ _[7400]_ _[7460]_	(Record in does it tabelow.) es of bever " or "CAN'T <u>WIN</u> <u>I.</u> <u>Drinks</u> _[7290]_ _[7350]_ _[7410]_ _[7470]_	Col. I belo the you to control reges and the remember II. Minutes _[7300]_ _[7420]_	consume that hen go to r , Code "UU" I. Drinks _[7310]_ _[7430]_ _[7490]_	next day. ". <u>DUOR</u> II. <u>Minutes</u> _[7320]_ _[7380]_ _[7440]_ _[7500]_
be 6. INTERVI Day of <u>Week</u> MON TUE WED THUR	<pre>Average) do yc a) How long i (Record ir EWER: Ask fc</pre>	bu have? in minutes Col. II 1 col. II 1 con'T KNOW BEER II. Minutes _[7280]_ _[7340]_ _[7400]_ _[7460]_ _[7520]_	(Record in does it ta below.) es of bever " or "CAN'T <u>WIN</u> <u>I.</u> <u>Drinks</u> _[7290]_ _[7350]_ _[7410]_ _[7470]_ _[7530]_	Col. I belo ake you to a rages and ti r REMEMBER" [I]. Minutes _[7300]_ _[7360]_ _[7420]_ _[7480]_	consume that hen go to r , Code "UU" I. Drinks _[7310]_ _[7370]_ _[7430]_ _[7550]_	next day. ". <u>DUOR</u> II. Minutes _[7320]_ _[7380]_ _[7440]_ _[7500]_ _[7560]_

- <u>NO</u><u>YES</u>
- Did you ever get drunk--that is, when your speech was slurred or you were unsteady on your feet?

IF NO TO BOTH Q.5 AND Q.7, SKIP TO DRUG ABUSE (PAGE 53).

1

0

[7690]

		-	DRIN	JKS
8.	What is the largest number of drinks you have ever had in a 24-hour period?	[7700]		
	Record response: [7710]			
	HARD LIQUOR DRINK EQUIVALENTS: 1 SHOT GLASS/HIGHBALL = 01 1/2 PINT = 06 1 PINT = 12 1 FIFTH = 20 1 QUART = 24			
	WINE DRINK EQUIVALENTS: GLASS = 1 BOTTLE = 6 WINE COOLER = 1			
	BEER DRINK EQUIVALENTS: BOTTLE/CAN = 1 CASE = 24			
	IF 3 DRINKS OR FEWER, SKIP TO DRUG ABUSE (PAGE 53).	l		
			<u>NO</u>	YES
9.	Did you ever feel you should cut down on your drinking?	[7720]	0	1
	SITE OPTIONAL	014		
	9.a) (IF YES:) How old were you the <u>first</u> time you felt you should cut down on your drinking? [77		S AGE	;]
			<u>NO</u>	YES
10.	Have people annoyed you by criticizing your drinking?	[7740]	0	1
11.	Have you ever felt bad or guilty about drinking?	[7750]	0	1
12.	Did you ever have a drink first thing in the morning to steady your nerves or get rid of a hangover (eye-opener)?	[7760]	0	1
INT	ERVIEWER: IF Q.9-12 ARE ALL NO, SKIP TO DRUG ABUSE (PAGE 53).		
*13.	Have you often tried to stop or cut down on drinking?	[7770]	0	1
	SITE OPTIONAL		s age	-
	13.a) (IF YES:) How old were you the <u>first</u> time? [77			
			· · · · ·	
*14.	Did you ever try to stop or cut down on drinking and find you could not?	[7790]	<u>NO</u> 0	<u>yes</u> 1

15.	Have you more than once gone on binges or benders when	NO	<u>YES</u>	<u>ONCE</u>
	you kept drinking for a couple of days or more without sobering up?	[7800] 0	1	2
	SITE OPTIONAL			
	15.a) (IF YES:) How old were you the <u>first</u> time?	Г	ONS AC	ËE
			NO	YES
*16.	Have you often started drinking when you promised yourself that you would not, or have you often drunk more than you intended to?	[7820]		1
*17.	Has there ever been a period when you spent so much time drinking or recovering from the effects of alcohol that you had little time for anything else?	[7830]	0	1
18.	Did your drinking cause you to:			
	18.a) have problems at work or at school?	[7840]	0	1
	18.b) get into physical fights while drinking?	[7850]	0	1
	18.c) hear objections about your drinking from your family, friends, doctor, or clergyman?	[7860]	0	1
	18.d) lose friends?	[7870]	0	1
	*18.e) (IF ANY YES IN Q.18a-d ABOVE:) Did you continue to drink after you knew it caused you any of these problems?	[17703]	0	1
	SITE OPTIONAL			
	<pre>18.f) (IF ANY YES:) How old were you the <u>first</u> time y (Mention items coded YES in Q.18.a-d above)?</pre>	_	ONS AC	Ë
19.	Did you ever need to drink a lot more in order to get an effect, or find that you could no longer get high or drunk on the amount you used to drink?	[18005]	<u>NO</u> 0	<u>YES</u> 1
	INTERVIEWER: Hand Alcohol Use Card "A" to Subject.			
	*19.a) (IF YES:) Would you say 50 percent more?	[7890]	0	1
20.	Some people try to control their drinking by making rul			

like not drinking before five o'clock or never drinking alone. Have you ever made any rules to control your drinking? [7900] 0 1

			NO	YES
*21.	Have you ever given up or greatly reduced important activities because of your drinkinglike sports, work, or associating with friends or relatives?	[7910]	0	1
	21.a) (IF YES:) Has this happened more than once?	[7920]	0	1
22.	Have you ever had trouble driving, like having an accident, because of drinking?	[7930]	0	1
	SITE OPTIONAL			
	22.a) (IF YES:) How old were you the <u>first</u> time this happen [794	ned?	IS AGE]
			NO	YES
23.	Have you ever been arrested for drunk driving?	[7950]	0	1
	SITE OPTIONAL			
		ON	IS AGE	
	23.a) (IF YES:) How old were you the <u>first</u> time this happen [790]			
24.	Have you ever been arrested or detained by the police even for a few hours because of drunken behavior (other than drunk driving)?	[7970]	<u>NO</u> 0	<u>YES</u> 1
			-	
	SITE OPTIONAL		IS AGE	
	24.a) (IF YES:) How old were you the <u>first</u> time this happen [798	ned?]
			NO	YES
*25.	Have you often been high from drinking in a		110	100
	situation where it increased your chances of getting hurtfor instance, when driving, using knives or			
	hurtfor instance, when driving, using knives or machinery or guns, crossing against traffic, climbing,	[7990]	0	1
	<pre>hurtfor instance, when driving, using knives or machinery or guns, crossing against traffic, climbing, or swimming? Has your drinking or being hung over often kept you from</pre>	[7990] [8000]	0	1
	<pre>hurtfor instance, when driving, using knives or machinery or guns, crossing against traffic, climbing, or swimming? Has your drinking or being hung over often kept you from</pre>			
	<pre>hurtfor instance, when driving, using knives or machinery or guns, crossing against traffic, climbing, or swimming? Has your drinking or being hung over often kept you from working or taking care of household responsibilities?</pre>	[8000]		1

27.	pass ou	ou more than once had blackouts, when you did not t, but you drank enough so that the next day you	1	<u>no yes</u>
	could n	not remember things you said or did?	[8020)] 0 1
		SITE OPTIONAL		
	27.a)	(IF YES:) How old were you the <u>first</u> time this h	nappened? [8030]	ONS AGE
28.	mouthwa	e ever drink unusual things such as rubbing alcoh nsh, vanilla extract, cough syrup, or any other n ne substance containing alcohol?		<u>NO YES</u>
29.	when y	ou ever have any of the following problems You stopped or cut down on drinking? IEWER: Code in Column I.	EVER NO YES 0 1	OCCUR TOGETHER NO YES 0 1
	29.a)	Were you unable to sleep?	[8050]	[8060]
	29.b)	Did you feel anxious, depressed, or irritable?	[8070]	[8080]
	29.c)	Did you sweat?	[8090]	[8100]
	29.d)	Did your heart beat fast?	[8110]	[8120]
	29.e)	Did you have nausea or vomiting?	[8130]	[8140]
	29.f)	Did you feel weak?	[8150]	[8160]
	29.g)	Did you have headaches?	[8170]	[8180]
	*29.h)	Did you have the shakes (hands trembling)?	[8190]	[8200]
	29.i)	Did you see things that were not really there?	[8210]	[8220]
	29.j)	Did you have the DT's, that is, where you were out of your head, extremely shaky, or felt very frightened or nervous?	, [8230]	[8240]
	29.k)	Did you have fits, seizures, or convulsions, where you lost consciousness, fell to the floor and had difficulty remembering what happened?	, [8250]	[8260]
IN	TERVIEWE	R: IF ALL NO IN Q.29.a-k ABOVE, SKIP TO Q.30. IF ONLY ONE YES, SKIP TO Q.29.n.		10
,	*29.1)	Was there ever a time when two or more of these symptoms occurred together?	[8270	<u>NO YES</u>)] 0 1

- 29.m) (IF YES:) Which ones? (Code in Column II.)
- *29.n) On three or more different occasions have you taken a drink to keep from having any of these symptoms or to make them go away? [8280] 0 1

				NO	YES
30.		are several other health problems that can result ong stretches of heavy drinking. Did drinking ever:		<u></u>	<u></u>
	30.a)	cause you to have liver disease or yellow jaundice?	[8290]	0	1
	30.b)	give you stomach disease or make you vomit blood?	[8300]	0	1
	30.c)	cause your feet to tingle/feel numb for many hours?	[8310]	0	1
	30.d)	give you memory problems even when you were not drinking (not blackouts)?	[8320]	0	1
	30.e)	give you pancreatitis?	[8330]	0	1
	30.f)	damage your heart (cardiomyopathy)?	[8340]	0	1
	30.g)	cause other problems? (IF OTHER:) Specify:[8360]	[8350]	0	1
	IF A	LL NO, SKIP TO Q.31.			
	*30.h)	Did you continue to drink knowing that drinking caused you to have health problems?	[8370]	0	1
*31.		rou ever continued to drink when you knew you had any -) serious physical illness that might be made worse b ng?	by [8380]	0	1
	(IF YE	S:) What illness?[8390]			
32.	proble feelin	drinking, did you ever have any psychological mms start or get worse such as feeling depressed, ng paranoid, trouble thinking clearly, hearing, ng or seeing things, or feeling jumpy?		<u>NO</u>	<u>YES</u>
		S:) Specify which problems, read appropriate stion to confirm response and code.			
	Specif	<i>y</i> :[8400]			
	32.a)	feeling depressed or uninterested in things for more than 24 hours to the point that it interfered with your functioning?	[8410]	0	1
	32.b)	feeling paranoid or suspicious of people for more than 24 hours to the point that it interfered with your relationships?	[8420]	0	1
	32.c)	having such trouble thinking clearly that it interfered with your functioning?	[8430]	0	1
	32.d)	hearing, smelling, or seeing things that were not there?	[8440]	0	1
	32.e)	feeling jumpy or easily startled or nervous to the point that it interfered with your functioning?	[8450]	0	1
	*32.f)	(IF ANY YES IN Q.32.a-e ABOVE:) Did you continue to drink after you knew it caused you any of these problems?	5 [8460]	0	1

I. ALCOHOL ABUSE AND DEPENDENCE (Cont'd)

VERSION	2.0
20-JAN-9	95

			<u>NO</u>	<u>YES</u>
33.	Have you ever had treatment for a drinking problem?	[8470]	0	1
	(IF YES:) Was this treatment			
	33.a) discussion with a professional?	[8480]	0	1
	33.b) AA or other self-help?	[8490]	0	1
	33.c) outpatient alcohol program?	[8500]	0	1
	33.d) inpatient alcohol program?	[8510]	0	1
	33.e) other? Specify:[8520]	[8530]	0	1
IN	TERVIEWER: CHECK RESPONSES TO Q.9-33. IF ALL CODED NO, SKIP TO Q.37.			
34.	You told me you had these experiences such as (Review starred (*) positive symptoms in Q.13-33). While you	_	<u>NO</u>	<u>YES</u>
	were drinking, did you ever have at least three of these occur at any time in the same 12 month period?	[20780]	0	1
	<pre>(IF YES:) 34.a) How old were you the <u>first</u> time at least three of these experiences occurred within the same 12 mont</pre>		ONS	AGE
	34.b) How old were you the <u>last</u> time at least three of these experiences occurred within the same 12 mont		REC	AGE
35.	INTERVIEWER: Code YES if at least two symptoms of the disturbance have persisted for at least one month or have occurred over a longer period of time.	[8540]	<u>NO</u> 0	<u>YES</u> 1
	(IF UNCLEAR, ASK:) You told me you had these experiences such as (Review starred (*) positive symptoms in Q.13-33) While you were drinking, was there ever at least a month during which at least two of these occurred persistently? (IF NO:) Was there ever a longer period of time during wh at least two of these occurred repeatedly?			
	<pre>(IF YES:) 35.a) How old were you the <u>first</u> time at least two of these experiences occurred persistently?</pre>	[8550]	ONS	AGE
	35.b) How old were you the <u>last</u> time at least two of these experiences occurred persistently?	[8560]	REC	AGE


			SITE OPTIONAL	
36.	any of	these p	ou the first (second/third) time you had roblems related to alcohol? What was the chird) problem you experienced?	
	25 - 2	Direct .	[0570]	ONS AGE
	35.a)	F1rst:	[8570] [8580]	
	35.b)	Second:	[8590] [8600]	
	35.c)	Third:	[17430][17431]	
		s the las ning alco	t time you had a drink hol)? [17432]	

D D M O N Y Y

MARIJUANA

			<u>NO</u>	YES
1.	Have you ever used marijuana?	[8610]	0	1
	SKIP TO Q.17.			
	<pre>1.a) (IF YES:) Have you used marijuana at least 21 times in a single year? SKIP TO Q.17.</pre>	[8620]	0	1
2.	What was the longest period that you used marijuana almost every day?]	DAYS	
	2.a) (IF MORE THAN 30 DAYS:) When was that?			
	[8640] [3] [3] [3] [3] [3] [3] [3] [3] [3] [3	O N		Y
		0 11	_	_
*3.	Has there ever been a period of a month or more when		<u>NO</u>	<u>YES</u>
	a great deal of your time was spent using marijuana, getting marijuana, or getting over its effects?	[8650]	0	1
4.	While using marijuana did you ever have any psychological problems, such as feeling depressed, feeling paranoid, having trouble thinking clearly, hearing or seeing or smelling things, or feeling jumpy?			
	(IF YES:) Specify which problems, read appropriate subquestions to confirm response and code.			
	Specify: [8660]			
	4.a) feeling depressed or uninterested in things		NO	<u>YES</u>
	for more than 24 hours to the point that it interfered with your functioning?	[8670]	0	1
	4.b) feeling paranoid or suspicious of people for more than 24 hours to the point that it interfered with your relationships?	[8680]	0	1
	4.c) trouble concentrating or having such trouble thinking clearly for more than 24 hours that it interfered with your functioning?	[8690]	0	1
	<pre>4.d) hearing, seeing, or smelling things that were not there?</pre>	[8700]	0	1
	4.e) feeling jumpy or easily startled or nervous to the point that it interfered with your functioning?	[8710]	0	1
	*4.f) (IF YES TO ANY Q.4.a-e:) Did you continue to use marijuana after you knew it caused these problems?	[8720]	0	1
*5.	Have you often wanted to or tried to cut down on marijuana?	[8730]	0	1

			NO	YES
* 6.	Did you ever try to cut down on marijuana and find you could not?	[8740]		1
*7.	Have you often used marijuana more frequently or in larger amounts than you intended to?	[8750]	0	1
*8.	Did you ever need larger amounts of marijuana to get an effect, or did you ever find that you could no longer get high on the amount you used to use? INTERVIEWER: Code YES if at least 50% more use.	[8760]	0	1
*9.	Did stopping or cutting down ever cause you to feel bad physically? (Co-occurrence of symptoms such as nervousness, insomnia, sweating, nausea, diarrhea.)	[8770]	0	1
	(IF YES:) Specify:[8780]	-		
	*9.a) Have you often used marijuana to make any of these withdrawal symptoms go away or to keep from having them?	[8790]	0	1
*10.	Have you often been under the effects of marijuana in a situation where it increased your chances of getting hurtfor instance, when driving, using knives or machinery or guns, crossing against traffic,	[0000]	0	1
	climbing, or swimming?	[8800]		1
11.	Did anyone ever object to your marijuana use?	[8810]	0	1
	*11.a) (IF YES:) Did you continue to use marijuana after you realized it was causing this problem?	[8820]	0	1
*12.	Have you often given up or greatly reduced important activities with friends or relatives or at work while using marijuana?	[8830]	0	1
*13.	Have you often been high on marijuana or suffering its after-effects while in school, working, or taking care of household responsibilities?	[8840]	0	1
14.	Did your marijuana use ever cause you to have legal problems, such as arrests for disorderly conduct, possession or selling?	[20810]	0	1
INT	ERVIEWER: IF Q.3-14 ARE ALL NO, SKIP TO Q.17.			
15.	You told me you had these experiences such as (Review starred (*) positive symptoms in Q.3-14). While you were using marijuana, did you ever have at			
	least three of these occur at any time in the same 12 month period?	[20820]	0	1
	(IF YES):		ONS	AGE
	15.a) How old were you the <u>first</u> time at least three of these experiences occurred within the same	[20830]	OIND	
	12 months?	[20030]		
	15.b) How old were you the <u>last</u> time at least three of these experiences occurred within the same 12 months?	[20840]	REC	AGE



OTHER DRUGS

INTERVIEWER: Hand Drug Use Card "A" to subject.


- 17. Have you ever used any of these drugs to feel good or high, or to feel more active or alert, or when they were not prescribed for you? Or have you ever used a prescribed drug in larger quantities or for longer than prescribed?
 - 17.a) (IF YES:) Which ones?

	A COC [8890]	B STIM [8900]	C SED [8910]	D OP [8920]	E PCP [8930]	F HAL [8940]	G SOL [8950]	H OTH [8960]	I COMB 8970]
NO	0	0	0	0	0	0	0	0	0
YES	1	1	1	1	1	1	1	1	1
						1			
IF ALL NO, SKIP	TO PS	YCHOSIS	G (PAG	E 61)	•	•			

17.b) **INTERVIEWER:** For <u>each</u> drug ask: How many times have you used (Drug) in your life?

(IF UNKNOWN, ASK:) Would you say more than 10 times?

	A	В	С	D	Е	F	G	Н	I
	COC	STIM	SED	OP	PCP	HAL	SOL	OTH	COMB
	[8980]	[8990]	[9000]	[9010]	[9020]	[9030]	[9040]	[9050]	[9060]
# OF TIMES									



VERSION 2.0 20-JAN-95

J. DRUG ABUSE AND DEPENDENCE (Cont'd)

			A COC	B STIM	C SED	D OP	E MISC
25.c)	feel tired, sleepy, or weak	? NO=0 YES=1	[9550]	[9560]	[9570]	[9580]	[9590]
25.d)	have trouble sleeping?	NO=0 YES=1	[9600]	[9610]	[9620]	[9630]	[9640]
25.e)	have an increase or decrease in appetite?	NO=0 YES=1	[9650]	[9660]	[9670]	[9680]	[9690]
25.f)	tremble or twitching?	NO=0 YES=1			[9700]	[9710]	[9720]
25.g)	sweat or have a fever?	NO=0 YES=1			[9730]	[9740]	[9750]
25.h)	have nausea or vomiting?	NO=0 YES=1			[9760]	[9770]	[9780]
25.i)	have diarrhea or stomach aches?	NO=0 YES=1			[9790]	[9800]	[9810]
25.j)	have your eyes water or nose run?	NO=0 YES=1				[9820]	[9830]
25.k)	have muscle pains?	NO=0 YES=1				[9840]	[9850]
25.1)	yawn?	NO=0 YES=1				[9860]	[9870]
25.m)	have your heart race?	NO=0 YES=1			[9880]		[9890]
25.n)	have seizures?	NO=0 YES=1			[9900]		[9910]
	(IF YES:) How many times?	# OF TIMES		[9	920]	[9930]
INTERVIE	WER: IF Q.25.a-n ARE ALL NO,	SKIP TO Q.	28.				

- *26. Was there a time when two or more of these symptoms occurred together because you were not using (Drug)?
- *27. Have you often used (Drug) to make these withdrawal symptoms go away or to keep from having them?
- 28. Did using (**Drug**) cause you to have any other physical health problems (other than withdrawal)?

(IF YES:) Specify: [10090]

NO=0 [9940] [9950] [9960] [9970] [9980] YES=1

В

STIM

Α

COC

С

SED

D

OP


Е

MISC

NO=0 [9990] [10000][10010][10020][10030] YES=1

NO=0 [10040][10050][10060][10070][10080] YES=1

			A COC	B STIM	C SED	D OP	E MISC
	*28.a) Did you continue after you knew : problem?	e to use (Drug) it caused this	NO=0 YES=1	[10110]	[10120]	[10130]	[10140]
29.	Did you ever experience from family, friends, o boss or people at work because of your (Drug)	clergyman, or school	NO=0 YES=1	[10160]	[10170]	[10180]	[10190]
	*29.a) (IF YES:) Did y to use (Drug) at realized it was a problem?	fter you	NO=0 YES=1	[10210]	[10220]	[10230]	[10240]
*30.	Have you often been hig suffering its after-eff in school, working, or household responsibilit	fects while taking care of	NO=0 YES=1	[10260]	[10270]	[10280]	[10290]
31.	Did your use of (Drug) to have legal problems for disorderly conduct, or selling?	such as arrests	NO=0 [20850] YES=1	[20860]	[20870]	[20880]	[20890]
32.	While using (Drug), did any psychological prob get worse, such as fee feeling paranoid, troub clearly, hearing, smel things, or feeling jump	lems start or ling depressed, ble thinking ling, or seeing					
	(IF YES:) Specify whic appropriate subquestion response and code.	ch problems, read ns to confirm					
	Specify:[10300]						
	32.a) feeling depresse uninterested in more than 24 hou point where it a with your functs	things for ırs to the interfered	NO=0 YES=1	[10320]	[10330]	[10340]	[10350]
	32.b) feeling paranoid suspicious of pe more than 24 hou point that it in with your relat:	eople for urs to the nterfered	NO=0 YES=1	[10370]	[10380]	[10390]	[10400]
	32.c) having such trou clearly that it with your funct:	interfered	NO=0 YES=1	[10420]	[10430]	[10440]	[10450]
	32.d) hearing, seeing things that were there?	, or smelling e not really	NO=0 YES=1	[10470]	[10480]	[10490]	[10500]
	32.e) feeling jumpy of startled or ner more than 24 hou point that it in with your functs	<i>rous for</i> <i>urs to the</i> <i>nterfered</i>	NO=0 YES=1	[10520]	[10530]	[10540]	[10560]



VERSION 2.0 20-JAN-95

J. DRUG ABUSE AND DEPENDENCE (Cont'd)

36.	Have you ever been treated for a								NO		YES
	drug problem?					[]	108	10]	0		1
	(IF YES:) Was this treatment:										
	36.a) discussion with a professional?					[]	108:	20]	0		1
	36.b) NA or other self-help?					[]	108	30]	0		1
	36.c) outpatient drug-free program?					[]	108	40]	0		1
	36.d) inpatient drug-free program?					[]	108	50]	0		1
	36.e) other? (IF YES:) Specify:	[10870]				[]	108	60]	0		1
37.	When was the last time you used:										
	37.a) Cocaine?	[10880]									
			D	D		М	0	Ν		Y	Y
	37.b) Stimulants?	[10890]									
			D	D		М	0	Ν		Y	Y
	37.c) Sedatives, hypnotics, or tranqui	lizers? [10900]									
		[10)00]	D	D		М	0	Ν		Y	Y
	37.d) Opiates?	[10910]									
			D	D		М	0	Ν		Y	Y
	37.e) Other drugs?	[17433]								 	
	Sile, other arays:	[1/100]	D	D		М	0	N	—	Y	Y
			2	2			5			-	-

Now I would like to read you a list of experiences that other people have reported. Tell me which ones you have had.

INTERVIEWER: For each positive response, ask the followingstandard probes:

Were you convinced?

How did you explain it?

Did you change your behavior?

How often did this happen?

How long did it last?

Record an example of each positive response in the margins.

1.	Has	there been a time when		<u>NO</u>	<u>YES</u>	SUSP- <u>ECTED</u>	<u>UNK</u>
	1.a)	you heard voices? For example, some people have had the experience of hearing people's voices whispering	g		l		
		or talking to them, even when no one was actually present.	[10920]	0	1	2	U
	1.b)	you had visions or saw things that were not visible to others?	[10930]	0	1	2	U
	1.c)	you had beliefs or ideas that others not share or later found out were not truelike people being against you, people trying to harm you, or people talking about you?		0	1	2	υ
		you believed that you were being give special messages (e.g., through the T or the radio)?					
		you believed that you had done someth terrible for which you should be pun	-				
		you believed that you were especially important in some way, or that you ha powers to do things that other people could not do?	ad				
		you had the feeling that you were und the control of some force or power of than yourself?					
		you had a change in your body or in y physical appearance that others could	•				
(IF	YES T	O ANY:) Describe:[10950]					

INTERVIEWER:	IF THERE IS NO EVIDENCE, FROM ANY SOURCE,
	OF ANY PSYCHOSIS OR IF THE EXPERIENCES
	REPORTED DID NOT LAST PERSISTENTLY THROUGH-
	OUT THE DAY FOR ONE DAY OR INTERMITTENTLY
	FOR A PERIOD OF THREE DAYS, SKIP TO
	SCHIZOTYPAL (BIPOLAR CENTERS - PAGE 87)
	OR SIS (SCHIZOPHRENIA CENTERS - PAGE 89).

			NO	YES	<u>UNK</u>
2.	Are you currently experiencing (Psychotic symptom	n s) ?[1096	50] 0	1	U
		DAYS		WEEKS	
	2.a) (IF YES:) How long ago did this begin?		OR		
	Record response:[10970][10980]	L	[10990]
				REC	AGE
3.	(IF NO:) How old were you the <u>last</u> time you had (Psychotic symptoms)?		[11000)]	
		DAYS		WEEKS	
	3.a) How long did these symptoms last?		OR		
		[11010]		[11020]
			<u>NO</u>	YES	UNK
4.	Since you first began experiencing (Psychotic sym have you ever returned to your normal self for an	-			
	two months?	[17704] 0	1	U
INT	ERVIEWER: For Q.5-Q.62, if there are positive sym	ptoms in	n the]

Ever column, be sure to code the presence/absence of those symptoms in the Current/Most Recent column.

DELUSIONS

INTERVIEWER: IF NO DELUSIONS (Q.1.c) SKIP TO HALLUCINATIONS (PAGE 67).

INTERVIEWER: For each positive response use the standard probes and record examples in the margins.

		EVE	R	CURRENT OR MOST RECENT EPISODE
			NO YES UNK	NO YES UNK
5.	Persecutory Delusions		0 1 U	0 1 U
	Have you ever felt that people were out to get you or deliberately trying to harm you? (IF YES:) Specify: [11080]	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11050] [11060] [11070] [11090]	[11040]
б.	Jealousy Delusions		0 1 U	0 1 U
	Have you ever been convinced that your (husband/wife/boyfriend/ girlfriend) was being unfaithful to you?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11130] [11140] [11150] [11160]	[11120]

		EVE	R	CURRENT OR MOST
			NO YES UNK	RECENT EPISODE
7.	Guilt or Sin Delusions		0 1 U	0 1 U
_	Have you ever been convinced that you committed a crime, sinned greatly, or deserved punishment?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11180] [11200] [11210] [11220] [11230] [11240]	[11190]
8.	Grandiose Delusions		0 1 U	0 1 U
	<pre>Have you ever felt you had any special powers, talents, or abilities much more than other people? (PROBES: having a special purpose, mission or identity?)</pre>	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11250] [11270] [11280] [11290] [11300] [11310]	[11260]
9.	Religious Delusions		0 1 U	0 1 U
	<pre>Have you had any relig- ious beliefs or exper- iences that other people didn't share? (IF YES:) Tell me about that.</pre>	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11320] [11340] [11350] [11360] [11370] [11380]	[11330]
10.	Somatic Delusions		0 1 U	0 1 U
	Have you ever had a change in your body or the way it was working for which the doctor could find no cause? (PROBE: like incurable cancer, bowels stopped up, insides rotting?)	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11390] [11410] [11420] [11430] [11440] [11450]	[11400]
11.	Erotomanic Delusions		0 1 U	0 1 U
	Have you ever believed that another person was in love with you when there was no real reason to think so? (IF YES:) Specify: [21040]	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[20970] [20990] [21000] [21010] [21020] [21030]	[20980]

		EVE	R	CURRENT OR MOST RECENT EPISODE
			NO YES UNK	NO YES UNK
12.	Delusions of Reference		0 1 U	0 1 U
	Have you ever seen things in magazines or on TV that seem to refer spe- cifically to you or contain a special message for you?	Depression Mania Alcohol	[11460] [11480] [11490] [11500] [11510] [11520]	[11470]
	Have you ever been sure that people were talking about you, laughing at you, or watching you?			
13.	Being Controlled		0 1 U	0 1 U
	Have you ever felt you were being controlled or possessed by some outside force or person?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11530] [11550] [11560] [11570] [11580] [11590]	[11540]
		STTE OPTIONAL	FOR BIPOLAR	STTES
14.	Delusions of Mind Reading	SITE OPTIONAL	0 1 U	0 1 U
14.		SITE OPTIONAL Psychosis Only Depression Mania Alcohol Drugs Other (med.)		
14.	Reading Have you ever had the feeling that people could read your mind or know what you are	Psychosis Only Depression Mania Alcohol Drugs	0 1 U [11600] [11620] [11630] [11640] [11650]	0 1 U
	Reading Have you ever had the feeling that people could read your mind or know what you are thinking?	Psychosis Only Depression Mania Alcohol Drugs	0 1 U [11600] [11620] [11630] [11640] [11650] [11660]	0 1 U [11610]
	Reading Have you ever had the feeling that people could read your mind or know what you are thinking? Thought Broadcasting Have you ever felt your thoughts were broadcast so other people could	Psychosis Only Depression Mania Alcohol Drugs Other (med.) Psychosis Only Depression Mania Alcohol Drugs	0 1 U [11600] [11620] [11630] [11640] [11650] [11660] 0 1 U [11670] [11690] [11700] [11710] [11720]	0 1 U [11610] 0 1 U

		EVE	CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK
17.	Thought Withdrawal		0 1 U	0 1 U
	Have you ever felt your thoughts were taken out of your head by some outside force?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11830] [11840] [11850] [11860]	[11820]
18.	Other Delusions		0 1 U	0 1 U
	Have you ever had any other thoughts or be- liefs that others did not share or thought were odd other than those we have just discussed?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11900] [11910] [11920] [11930]	[11890]
	(IF YES:) Specify delusions:	[11950] 		[11960]

19. How long did your longest period of
 (Delusions) last?

EVER			CURRENT/RECENT				
WEEKS			WEEKS				
[11970]			[11980]				

INTERVIEWER: Rate Q.20-Q.23 for Current/Most Recent Episode.

21. INTERVIEWER: Rate Fragmentary Nature of Delusions.

[12000]

[12010]

[12020]

- 0 = Not at all: All delusions are around a single theme, such as persecution.
- 1 = **Somewhat fragmentary:** Several different, but possibly related themes.
- 2 = **Definitely fragmentary:** Unrelated themes.
- U = Unknown

22. INTERVIEWER: Rate Widespread Delusions.

- 0 = Not widespread.
- 1 = Widespread: Delusions intrude into most aspects of patient's life and/or preoccupy patient most of the time.
- U = Unknown

23. INTERVIEWER: Rate Bizarre Quality of Delusions.

- 0 = **Not at all:** (e.g., wife is unfaithful).
- 1 = **Somewhat bizarre**: (e.g., subject is being persecuted by witches).
- 2 = **Definitely bizarre:** (e.g., little green men from Mars have been recording his dreams and broadcasting them back home).
- U = Unknown

HALLUCINATIONS

INTERVIEWER: IF NO AUDITORY HALLUCINATIONS (Q.1.a), SKIP TO Q.31.

INTERVIEWER: For each positive response use the standard probes and record examples in the margins.

		EVE	CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK
24.	Auditory - Voices, Noises, Music Have you ever heard sounds or voices other people could not hear? 24.a) (IF YES:) Did they say bad things about you or	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12030] [12050] [12060] [12070] [12080] [12090]	0 1 U [12040]
	threaten you?		[17705]	N/A
25.	Auditory - Running Commentary Have you ever heard voices that described or commented on what you were doing or thinking?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12100] [12120] [12130] [12140] [12150] [12160]	0 1 U [12110]
26.	Auditory - Two or More Voices Have you ever heard two or more voices talking with each other?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12170] [12190] [12220] [12210] [12220] [12230]	0 1 U [12180]
27.	Thought Echo Have you ever expe- rienced hearing your thoughts repeated or echoed?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12240] [12260] [12270] [12280] [12290] [12300]	0 1 U [12250]

		EVE	R	CURRENT OR MOST RECENT EPISODE			
			NO YES UNK	NO YES UNK			
		SITE OPTIONAL	FOR BIPOLAR	SITES			
28.	Audible Thoughts		0 1 U	0 1 U			
	Have you ever heard your own thoughts as a voice spoken out loud?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[12310] [12330] [12340] [12350] [12360] [12370]	[12320]			
29.	Did you ever talk to any voices you heard?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12380] [12400] [12410] [12420] [12430] [12440]	0 1 U [12390]			
30.	When you heard the voices, did you also see the person talking, even though others did not see that person?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12450] [12470] [12480] [12490] [12500] [12510]	0 1 U [12460]			
31.	Somatic or Tactile		0 1 U	0 1 U			
	<pre>Have you ever had unusual sensations or other strange feelings in your body? (PROBE: like electricity shooting through your body or your body parts moving around or growing?)</pre>	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[12520] [12540] [12550] [12560] [12570] [12580]	[12530]			
32.	Olfactory		0 1 U	0 1 U			
	Have you ever experienced any strange smells you couldn't account for or smells that others didn't notice?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[12590] [12610] [12620] [12630] [12640] [12650]	[12600]			

		EVER	CURRENT OR MOST RECENT EPISODE
		NO YES UNK	NO YES UNK
33.	Visual	0 1 U	0 1 U
	Have you ever had visions or seen things that other people could not see? (IF YES:) Did this occur when you were falling asleep or waking up?	Psychosis Only [12660] Depression [12680] Mania [12690] Alcohol [12700] Drugs [12710] Other (med.) [12720]	[12670]
34.	Gustatory	0 1 U	0 1 U
	Have you ever had a strange taste in your mouth that you couldn't account for?	Psychosis Only [12730] Depression [12750] Mania [12760] Alcohol [12770] Drugs [12780] Other (med.) [12790]	[12740]
35.	How long did your longest period of (Hallucinations) last?	DAYS [12800]	DAYS [12810]
36.	Did you (Hallucinate) throughout the day for at least several days during this period?	<u>NO YES UNK</u> 0 1 U [12820]	<u>NO YES UNK</u> 0 1 U [12830]
37.	INTERVIEWER: Are there mood incongruent hallucinations?	0 1 U [17706]	0 1 U [17708]
	37.a) (IF YES:) Did they last throughout the day for several days or intermittently throughout a one- week period?	0 1 U [17707]	0 1 U [17709]

			EVER			CURRENT OR MOST RECENT EPISODE			
38.	there belie you w	ELUSIONS ALSO:) Was a time when you ved (Delusion) that ere also ucination)?	<u>NO</u> 0	<u>YES</u> 1 [12840]	<u>unk</u> u	<u>NO</u> 0	<u>YES</u> 1 [12850]	<u>UNK</u> U	
	(IF Y 38.a)	ES:) INTERVIEWER: Rate the longest period of time they ever occurred together.		DAYS [12860]		N/A			
		Specify nature of delusions occurring with hallucinations		[12890]			[12900]		
	38.c)	INTERVIEWER: Code YES if persecutory delusions or jealous delusions are present in 38.b.	<u>NO</u> 0	<u>YES</u> 1 [12870]	<u>unk</u> u	<u>NO</u> 0	<u>YES</u> 1 [12880]	<u>UNK</u> U	

SITE OPTIONAL FOR BIPOLAR SITES

39. During the Current/Most Recent Episode, when you were (Hallucinating) ...

were you at all confused about where you were or the time of day?

did you have trouble with your memory?

INTERVIEWER: Rate Sensorium While Hallucinating.

[12910]

- 1 = Questionable
- 3 = **Definite**: Clouded sensorium, but <u>not</u> due to physical cause.
- U = **Unknown:** No Information.

DISORGANIZED BEHAVIOR

INTERVIEWER:	For each positive response use the standard probes and record
	examples in the margins.

		EVE	CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK
40.a)	Have you ever engaged in any unusual behavior like digging through garbage, wearing unusual clothes, or collecting things that other people thought were worthless?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12920] [12940] [12950] [12960] [12970] [12980]	0 1 U [12930]
40.b)	Have there been times when you did things that other people thought were socially or sexually inappropriate, disorganized or objectionable? For example, being too aggressive or doing things that didn't make any sense?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21050] [21070] [21080] [21090] [21100] [21110]	0 1 U [21060]

				EVER WEEKS	CURRENT/RECENT WEEKS
41.	How long did	(Disorganized	behavior) <i>last?</i>	[17710]	[17711]

FORMAL THOUGHT DISORDER

Have people ever complained that your speech was mixed up or did not make sense?

(IF YES:) How did they describe it?

INTERVIEWER: If subject is unable to describe their past speech pattern, code based on observation or code UNKNOWN.

		EVE	CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK
			0 1 U	0 1 U
42.	Disorganized Speech	Psychosis Only	[12990]	[13000]
		Depression	[13010]	
	(Incoherent, disturbed,	Mania	[13020]	
	and/or illogical speech)	Alcohol	[13030]	
		Drugs	[13040]	
		Other (med.)	[13050]	
			0 1 U	0 1 U
43.	Odd Speech	Psychosis Only	[13060]	[13070]
15.	oud speccin	Depression	[13080]	[13070]
	(Digressive, vague,	Mania	[13090]	
	over-elaborate, circum-	Alcohol	[13100]	
	stancial, metaphorical;	Drugs	[13110]	
	loosening of	Other (med.)	[13120]	
	associations)		[10120]	

44. How long did (Positive thought disorder) last?


EVER			CURRENT/RECENT					
WEEKS				WEEKS				
[13130]				[]	3140]		

time)?

		EVE	EVER		
			NO YES UNK	RECENT EPISODE NO YES UNK	
45.	Rigidity Did your body ever get stuck in one position so that you could not move?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [13150] [13170] [13180] [13190] [13200] [13210]	0 1 U [13160]	
46.	Stupor Have you ever had any periods when you were unable to speak, move, or respond to what was going on around you, even though you were awake? (IF YES:) Did anyone	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [17712] [17714] [17715] [17716] [17717] [17718]	0 1 U [17713]	
	else notice?				
47.	Excitement Have you ever been so excited that you moved around a lot without purpose (aside from mania)?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [17719] [17720] [17721] [17722] [17723] [17724]	0 1 U [17725]	
48.	Motoric immobility as evidenced by catalepsy (including waxy flexibility) Did you find that you would stay in one position for long periods of time and could be posed by other people moving your body?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21120] [21140] [21150] [21160] [21170] [21180]	0 1 U [21130]	
49.	Extreme negativism Did you find that you could not help yourself from resisting instructions by others or from remaining mute (that is, not talking for long periods of time)?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21190] [21210] [21220] [21230] [21240] [21250]	0 1 U [21200]	

		EVE	CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK
50.	Peculiarities of voluntary movement Did you make movements either with your whole body, parts of your body or your face that were unusual or had to be repeated over and over without any ability to control these movements yourself?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21260] [21280] [21290] [21300] [21310] [21320]	0 1 U [21270]
51.	Echolalia or echopraxia Did you find yourself repeating other people's words or movements and that you could not stop yourself from doing this?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21330] [21350] [21360] [21370] [21380] [21390]	0 1 U [21340]

52. How long did (Catatonic symptoms) last?



CURRENT/RECENT WEEKS [13230]

	EVER		CURRENT OR MOST RECENT EPISODE
		NO YES UNK	NO YES UNK
53. Have you had many days in a row when you weren't up to getting dressed or would start things but would not finish them (aside from depression)?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [13240] [13260] [13270] [13280] [13290] [13300]	0 1 U [13250]


INTERVIEWER: This item is only rated when the individual is unable to initiate and persist in goaldirected activities.

AVOLITION/APATHY

	How long did (Avolition/apa	thy) last?		EVER WEEKS]		NT/RE WEEKS	5
		EVE	R			CURRENT RECENT	-	-
			NO	YES UI	NK	NO	YES	UNK
55.	Alogia		0	1 U	J	0	1	U
	Have you often felt that you just had nothing to say? Have others commented that you don't talk much, even when someone is asking you questions, or that you take a long time to answer?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)] [[21400] 21420] 21430] 21440] 21450] 21460]		ſ	21410	
56.	How long did (Alogia) last?			EVER WEEKS [21470]		NT/RE WEEKS	5
AF	FECT							

		EVE	R	CURRENT OR MOST RECENT EPISODE
			NO YES UNK	NO YES UNK
57.	Have you ever appeared to have no emotions?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [13310] [13330] [13340] [13350] [13360] [13370]	0 1 U [13320]
58.	Did you ever show emotions that did not fit what was going on?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [17728] [17730] [17731] [17732] [17733] [17734]	0 1 U [17729]

59. How long did (Flat affect/inappropriate affect) last?



SITE OPTION	AL FOR BIPOLAR S	ITES							
DEPERSONALIZATION/									
DEREALIZATION	EVE	R	CURRENT OR MOST						
		-	RECENT EPISODE						
		NO YES UNK	NO YES UNK						
		0 1 U	0 1 U						
60. Depersonalization	Psychosis Only		[13390]						
	Depression	[13400]							
Have you ever felt as if you were outside your	Mania Alcohol	[13410] [13420]							
body, or as if part of	Drugs	[13430]							
your body did not belong	Other (med.)	[13440]							
to you?									
		0 1 U	0 1 U						
61. Derealization	Psychosis Only		[13460]						
	-	[13470]							
Have things around you ever seemed unreal? As	Mania Alcohol	[13480] [13490]							
if you were in a dream?	Drugs	[13500]							
II you were in a dream:	Other (med.)	[13510]							
		EVER	CURRENT/RECENT						
		WEEKS	WEEKS						
62. How long did the (Feelings	of Depersonal-								
ization/Derealization) last	-								
		[13520]	[13530]						

INTERVIEWER: DO NOT SKIP OUT OF THE PSYCHOSIS SECTION IF THE SUBJECT HAS A CHRONIC PSYCHIATRIC DISORDER WITH PSYCHOTIC FEATURES.

INTERVIEWER: IF PSYCHOSIS IS REPORTED WITHOUT CONCURRENT MAJOR DEPRESSION OR MANIA, SKIP TO Q.64.

		SITE	OPTIONAL	(BIPOLAR	CENTERS <u>ASK</u>	THIS	QUESTION)		
								NO	YES
63.	had (P	sychotic	a period symptoms epressed/h) when you	were		[13540]	0	1
	63.a)	last as	:) Did th long as c t (depress	one week w	vhile you		[13550]	0	1
	63.b)	Review a present if <u>mood</u>	all psycho during de incongrue	otic sympt epression ent psycho) INTERVIEWE coms coded and code YE tic symptom depression.	S	[13560]	0	1
		O COMORE AGE 89).	IDITY ASSI	ESSMENT (1	PAGE 113) OR	2			

ONSET OF FIRST SYMPTOMS/EPISODE


- 64. How old were you the <u>first</u> time that you were experiencing (Describe delusions, hallucinations, or other criteria for schizophrenia noted by the subject previously ?
- 65. How long did those (Psychotic symptoms) last? (If less than one week, code DAYS.)
- 66. Did you return to feeling like your normal self for at least two months?
- 67. How many episodes have you had? (By episodes I mean spells separated by periods of being your normal self for at least two months.)
- INTERVIEWER: Record total (minimum) number of episodes or periods of psychosis (separated from each other by at least two months). If subject never returned to pre-morbid state for at least two months, count as one period of illness. Make sure Q.4-Q.62 are coded in both Current/Most Recent column and Ever column.
- YES UNK NO INTERVIEWER: Do you suspect autism on the basis of 68.a) the medical history section or other information? [17737] 0 1 U INTERVIEWER: Do you suspect another Pervasive Developmental Disorder on the basis of the medical 68.b)
- history section or other information? [21490] 0 1 U

DELINEATION OF CURRENT OR MOST RECENT EPISODE

			NO	YES	UNK
69.	During the current/most recent episode, have you also been experiencing				
	69.a) a low/depressive episode?	[13620]	0	1	U
	69.b) a high/manic episode?	[13630]	0	1	U
70.	<i>Did the current/most recent episode follow increased or excessive use of alcohol?</i>	[13640]	0	1	U
	(IF YES:) Specify:[13650]				
71.	Did the current/most recent episode follow use of street drugs?	[13660]	0	1	U
	(IF YES:) Specify:[13670]				







[13600] 0 1

DAYS

EPISODES

U



			<u>NO</u>	YES	<u>UNK</u>
	Did the current/most recent episode follow serious medical illness?	[13680]	0	1	U
	(IF YES:) Specify:[13690]				
	Did the current/most recent episode follow use of prescription medications?	[13700]	0	1	U
	(IF YES:) Specify:[13710]				
	Did the current/most recent episode follow an extremely stressful life event (such as your house burning down or a violent death of a family member or friend)?	[17738]	0	1	U
	(IF YES:) Specify:[17739]				
75.a)	During the current/most recent episode, was there change in your ability to function at work or with family and friends? (That is, were you unable to do your job, go to school, do your work at home, or perform self-care activities?) Was there a decrea in your ability to have relationships with family and/or friends?	r	0	1	U
	INTERVIEWER: Code for deterioration of function: de the course of the disturbance, function in such areas as work, social relation and self care is markedly below the he level achieved before onset of the disturbance (or when the onset is in childhood or adolescence, failure to achieve expected level of social development).	oning ns,			
75.b)	(IF YES): Has this change in your functioning continued for much of the time since this episode began?	[21500]	0	1	U
76.	DSM III-R Brief Reactive Psychosis				
	During the current/most recent episode, did you experience unpredictable, intense mood changes				
	or did you feel baffled?	[17740]	0	1	U
77.	(IF FEMALE): Did the current/most recent episode begin within four weeks of childbirth?	[21510]	0	1	U

PRODROMAL AND RESIDUAL SYMPTOMS

INTERVIEWER: COMPLETE THE PRODROMAL PERIOD FIRST THEN COMPLETE THE RESIDUAL PERIOD. IF SUBJECT IS ACTIVELY PSYCHOTIC, COMPLETE THE PRODROMAL PERIOD ONLY, THEN SKIP TO Q.79.

Do not count as positive, symptoms that are due to a disturbance in mood or a psychoactive substance disorder.

Establishing the Prodromal Period:

78. Now I would like to ask you about the year before (Active psychotic symptoms) started. During that time did you.... Establishing the Residual Period: (Ask after completing Q.78.a-n)

Now I would like to ask you about the year after your (Psychotic symptoms) stopped. During that time did you....

		PRODROMAL PERIOD		RESI	DUAL	PE	RIOD	
		NO	YES	UNK	NO	YES	3	UNK
78.a)	stay away from family and friends, become socially isolated?	0	1 [1373(ט [0	0	1 [1374		U
78.b)	have trouble doing your job, going to school, or doing your work at home?		[1375(0]		[1376	0]	
78.c)	do anything unusual, like collecting garbage, talking to yourself in public, hoarding food?		[1377(0]		[1378	0]	
78.d)	neglect grooming, bathing, and keeping your clothes cleaned?		[1379(0]		[1380	0]	
78.e)	appear to have no emotions or		[21520	0]		[2153	0]	
	show emotions that did not fit with what was going on (for example, giggle or cry at the wrong time)?		[2154(0]		[2155	0]	
78.f)	speak in a way that was hard to understand, have a hard time getting to the point, or were you at a loss for words (not due to a speech impediment)?		[1383(0]		[1384	0]	
78.g)	have unusual beliefs or magical thinking (e.g., superstitiousness, belief in clairvoyance, telepathy, sixth sense, feeling that "others can feel my feelings"), have ideas that were not quite true, think others were referring to you when they really were not?		[13850	0]		[1386	0]	
					I			

							1
		PRODR	OMAL	PERIOD	RESI	DUAL	PERIOD
		NO	YES	UNK	NO	YES	UNK
78.h)	have unusual visual experiences or experiences of hearing (e.g., whispers, crackling), sense the presence of a force or person not actually there, or feel the world is unreal?	0	1 [13870	U]	0	1	U 0]
78.i)	have trouble getting going, or have no interests or energy?		[13890]		[1390	D]
78.j)	think that things around you, such as TV programs or news- paper articles, had some special meaning just for you?						
	think people were talking about you or laughing at you?						
	think you were receiving special messages in other ways?		[13910]		[13920	D]
78.k)	get nervous about being around other people, or about going to parties or other social events?						
	take criticism badly?		[13930]		[13940	0]
78.1)	worry that people had it in for you?						
	feel that most people were your enemies?						
	think people were making fun of you?		[13950]		[1396	D]
(PROD	ROMAL ONLY:)		WEEKS				
78.m)	How long did you have these experiences before you had					N/A	
	(Active psychotic features)?]	13970]			
78.n)	Was this year typical of your usual self (that is, as subject was prior to onset of earliest	<u>NO</u>	<u>YES</u>	<u>UNK</u>			
	symptoms)?		[13980]		N/A	
INTER	VIEWER: Return to page 79 to establish the Residual period and code in Residual Column.						
(RESI	DUAL ONLY:)						
. –	-					WEEK:	S
78.0)	How long did you have these experiences after your (Active		N/A				
70 `	psychotic features) stopped?					[13990	
/ø.p)	<i>Did you return to your usual self</i> (as subject was prior to age of				<u>NO</u>	<u>YES</u>	<u>UNK</u>
	onset of earliest symptoms) ?		N/A			[1400	0]

SCHIZOAFFECTIVE DISORDER, MANIC TYPE

INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF MANIA OR HYPOMANIA, SKIP TO Q.89. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MANIA, CONTINUE.

You mentioned before that you have had periods when you felt (Manic moods).

79. Did (Delusions or Hallucinations) ever occur when you were feeling extremely good or high, or when you were feeling unusually irritable? [14010] 0

(IF YES:) Record response: [14020]

SKIP TO Q.89.			
-	NO	YES	UNK

80. Did the manic episode correspond to either of the manic episodes described previously?

INTERVIEWER: Indicate if manic episode correspond			
to manic periods described in the MANIA section.	[14030]	0	1

U

YES

1

NO

SKIP TO Q.83.

8

8

81. During the period of feeling especially good or high when you were also having (Psychotic symptoms) were you experiencing...

	INTERVIEWER: Mark "YES" or "NO" for each symptom.	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
	Pressure speech/talkativeness?		[14040]]
	Racing thoughts?		[14050]]
	Inflated self esteem/grandiosity?		[14060]]
	Decreased sleep?		[14070]]
	Distractibility?		[14080]]
	Increased activity/psychomotor agitation?	,	[14090]]
	Poor judgment/reckless behavior?		[14100]]
2.	INTERVIEWER: Enter number of definite symptoms. [If Euphoric, criterion = 3] [If Irritable only, criterion = 4]	[14110]	SX	
2	Did there enjaging only follow plackel on drug intoke	<u>NO</u>	YES	<u>UNK</u>
3.	Did these episodes <u>only</u> follow alcohol or drug intake or withdrawal? [17	741] 0	1	U

INTERVIEWER: IF SUBJECT DOES NOT MEET CRITERIA FOR MANIA, SKIP TO Q.89.

84. Presence of Mood-Congruent Psychotic Symptoms

Code YES if psychotic symptoms occurring during any manic episode had content that was<u>entirely</u> consistent with themes of inflated worth, power, etc.[14120] 0 1 U

85.	Presence of Mood-Incongruent Psychotic Symptoms		<u>NO</u>	<u>YES</u>	<u>UNK</u>
	Code YES if psychotic symptoms occurring during any manic episode had content that was <u>not</u> consistent with themes of inflated worth, power, knowledge, identity, or special relationship to a deity or a famous person.	[14130]	0	1	U
Pers	sistence of Psychotic Symptoms with Affective Cleari	ng			
86.	Did the (Hallucinations/delusions) <u>ever</u> continue after your mood returned to normal?	[14140]	0	1	U
	86.a) (IF YES:) What is the longest time they las after your mood became normal?	sted [14150]		WEEKS	
87.	Did the (Other psychotic symptoms such as formal thought disorder, bizarre behavior, catatonia)		<u>NO</u>	<u>YES</u>	<u>UNK</u>
	<u>ever</u> continue after your mood returned to normal?	[17742]	0	1	U
	87.a) (IF YES:) What is the longest time they las after your mood became normal?	sted [17743]		WEEKS	
88.	INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms?	[14160]	<u>NO</u> 0	<u>yes</u> 1	
sc	CHIZOAFFECTIVE DISORDER, DEPRESSED TYPE				
	INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF LASTING AT LEAST ONE WEEK, SKIP TO Q. IF PSYCHOTIC SYMPTOMS OCCURRED DURING DEPRESSION, CONTINUE.	99.	LON		
	mentioned before that you have had periods when felt (Depressed mood) lasting at least one week.		NO	YES	
89.	Did (Delusions or hallucinations) ever occur when y were feeling especially depressed? (IF YES:) Record response: [14180]	rou [14170] -		1	
	SKIP TO Q.99.		NO	YES	<u>UNK</u>
90.	Did the depressive episode correspond to either of the depressive episodes described previously?	[14190]	0		U

91. During the period when you were feeling especially depressed when you were also having (Psychotic symptoms) were you experiencing...

	INTERVIEWER:	Mark "YES"	or "NO"	for each symptom.		<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
		Appetite/w	eight ch	nange?		U	[14200	-
		Sleep diff	iculty?				[14210]
		Change in	activity	r level? (psychomot	or)		[14220]
		Fatigue/lo	ss of en	nergy?			[14230]
		Loss of in	terest/p	leasure?			[14240]
		Low self e	steem/gu	ilt?			[14250]
		Decreased	concentr	ration?			[14260]
		Thoughts o	f death	or suicide?			[14270]
92.	INTERVIEWER:		4 if cu	finitive symptoms. arrent only) ast)		280]	SX	
0.2	Did there on	iandoa onlu f		achel or drug int	a ko	<u>NO</u>	YES	<u>UNK</u>
93.	or withdrawa		ollow al	cohol or drug inta	[17744]	0	1	U
INT 94.	DEPI	RESSION, SKIP Mood-Congruer	TO Q.99	otic Symptoms				
0.5	during any d was <u>entirely</u> personal ina	consistent w dequacy, guil	ode had with them Lt, etc.	content that mes of	[14290]	0	1	U
95.				<u>chotic Symptom</u> s				
	during any d was <u>not</u> cons inadequacy, g	istent with t guilt, etc.	sode had hemes of	content that E personal	[14300]	0	1	U
<u>Pers</u>	istence of Ps	ychotic Sympt	toms with	h Affective Cleari	ng			
96.		lucinations/d ood returned		s) <u>ever</u> continue al?	[14310]	0	1	U
							WEEKS	
		ES:) What is your mood be		ngest time they las rmal?	sted [14320]			
97.	Did the (Oth	er psychotic	symptoms	s such as formal		<u>NO</u>	<u>YES</u>	<u>UNK</u>
<i></i>	thought diso	rder, bizarre	e behavio	or, catatonia) curned to normal?	[17745]	0	1	U
							WEEKS	
		ES:) What is your mood be		ngest time they la: rmal?	sted [17746]			

IJ

[14340] 0 1

98. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [1433]	-	<u>NO</u> 0	<u>YES</u> 1	
POLYDYPSIA]	NO	YES	UNK
99. Have you ever consumed excess fluids over an extended period of time such that you had problems of low sodium, seizures, confusion, urinary tract difficulties	-			

PATTERN OF SYMPTOMS

or other medical complications?

This rating can be made only for people with psychotic episodes.

100. INTERVIEWER: Circle appropriate pattern from descriptions below:[14350]

- 1 = Continuously Positive: The subject has predominantly positive symptoms when ill. During periods of remission, he/she may have mild negative symptoms or be relatively asymptomatic.
- 2 = Predominantly Negative: The subject may have periods of mild psychosis with some delusions and hallucinations, but the predominant clinical features during most of his/her illness are negative symptoms. Thus, he/she is in a chronic deficit state most of the time with occasional flickers of delusions, hallucinations, or social disorganization.
- 3 = Predominantly Positive Converting to Predominantly Negative:The subject begins with a number of episodes characterized by positive symptoms, but these become more widely spaced, and the subject passes into a deficit state in between. Eventually, he/she remains in a deficit state for a prolonged period of time (e.g., two or three years), during which he/she may have occasional mild flickerings of positive symptoms.
- 4 = Negative Converting to Positive: The subject begins in a deficit state with a history of poor premorbid functioning. He/she then develops a florid psychotic picture that is relatively prominent and persistent and thereafter does not spend much time in the deficit state. It is likely that this pattern will be quite uncommon. Subjects who have an adolescent history of poor premorbid adjustment and who simply return to this level of functioning between episodes should be classified as Pattern 1 described above rather than as Pattern 4.
- 5 = Continuous Mixture of Positive and Negative Symptoms: Pattern is one of concurrent and continuous active psychosis and negative symptoms.

Classification of Longitudinal Course for Schizophrenia

- 101. These specifiers can be applied only after at least 1 year has elapsed since the initial onset of active-phase symptoms. [21560]
 - Episodic With Interepisode Residual Symptoms: when the course is characterized by episodes in which Criterion A for Schizophrenia is met and there are clinically significant residual symptoms between the episodes. With Prominent Negative Symptoms can be added if prominent negative symptoms are present during these residual periods.
 - **Episodic With No Interepisode Residual Symptoms:** when the course is characterized by episodes in which Criterion A for Schizophrenia is met and there are no clinically significant residual symptoms between the episodes.
 - Continuous: when characteristic symptoms of Criterion A are met throughout all (or most) of the course. With Prominent Negative Symptoms can be added if prominent negative symptoms are also present.
 - Single Episode in Partial Remission: when there has been a single
 episode in which Criterion A for Schizophrenia is met and some
 clinically significant residual symptoms remain. With Prominent
 Negative Symptoms can be added if these residual symptoms include
 prominent negative symptoms.
 - Single Episode in Full Remission: when there has been a single episode
 in which Criterion A for Schizophrenia has been met and no
 clinically significant residual symptoms remain.
 - **Other or Unspecified Pattern:** if another or an unspecified course pattern has been present.

VERSION 2.0 16-DEC-94

PATTERN OF SEVERITY

102.	Pattern of	Severity	(Circle	appropriate	pattern):	1	2	3	4	5
									[]	14360]

- 1 = Episodic Shift
 Episodes of illness are interspersed
 between periods of health or near
 normality.
- 2 = Mild Deterioration Periods of illness occur, but there are also extended periods of return to near normality, with some ability to work at a job and near normal or normal social functioning.

3 = Moderate Deterioration

The subject may occasionally experience some resolution of symptoms, but overall the course is downhill culminating in a relatively severe degree of social and occupational incapacitation.

4 = Severe Deterioration

The subject's illness has become chronic resulting in inability to maintain employment (outside of sheltered workshop) and social impairment.

5 = Relatively Stable The subject's illness has not changed significantly.

BIPOLAR CENTERS ONLY

			NO	YES	<u>UNK</u>
1.	INTERVIEWER:	Do you have reasonable suspicion from any source (e.g., Overview, Psychosis Screen, behavior or appearance during interview, information from relatives, medical records) that subject may have		I	
		Schizotypal Personality features? [1438	30] 0	1	U
	s	KIP TO COMORBIDITY (PAGE 113).			

The next part of the interview is designed to learn more about your personality--the kind of person you are in general. Please answer the way that has been most typical for you for most of your adult life (excluding times when you were depressed or manic).

INTERVIEWER: These items refer to the subjects' usual functioning independent of another psychiatric illness (e.g., when not depressed in a person with major depressive disorder).

In general did you....

		2.0	110	01110
2.	stay away from family and friends, becoming socially isolated with no close friends or confidants?	0	1 [1774	ប 7]
3.	have trouble doing your job, going to school, or doing your work at home?		[1439	0]
4.	do anything unusual, like collecting garbage, talking to yourself in public, hoarding food, wearing clothing that was unusual and would call attention to yourself?		[1440	0]
5.	not take care of hygiene and grooming?		[1441	0]
6.	not appear to have emotions, or not respond with emotion when appropriate or show emotions that did not fit with what was going on?		[1442	0]
7.	speak in a way that was hard to understand, have a hard time getting to the point, or were you at a loss for words (not due to a speech impediment)?		[1443	0]
8.	have unusual beliefs or magical thinking (e.g., superstitiousness, belief in clairvoyance, telepathy, "sixth sense," feeling that "others can feel my feelings,")?		[1444	0]
9.	have unusual visual experiences or experiences of hearing (e.g., whispers, crackling), or sense the presence of a force or person not actually there, or feel the world was unreal?		[1445	0]

94

NO


YES

UNK

VERSION 2.0 20-JAN-95

		<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
10.	think that things around you, such as TV programs or newspaper articles, had some special meaning just for you?	Ū	-	Ū
	think people were talking about you or laughing at you?			
	think you were receiving special messages in other ways?		[14460]
11.	get nervous about being around other people, or about going to parties or other social events?		[14470]
12.	worry that people had it in for you?			
	feel that most people were your enemies?			
	have ideas that were not quite true, thinking others were referring to you when they really were not?			
	think people were making fun of you?		[14480]

SCHIZOPHRENIA CENTERS ONLY



* Developed by Kenneth S. Kendler, M.D.

** Modified by NIMH Genetics Initiative Schizophrenia Linkage Sites

M. MODIFIED SIS (Cont'd)

Up until now, I have been asking you about specific feelings, emotions, or experiences you may have had in your life. The next part of the interview is designed to learn more about your personality--the kind of person you are in general. For some of the questions, your feelings may have changed over the years. In that case, please answer the way that has been most typical for you for most of your adult life.

SOCIAL ISOLATION/INTROVERSION

How many friends do you have? By friends, I mean people 1. you would have contact with, on a regular basis, either in person, by phone, or by letter.

FRIENDS [17448]

NO

6

YES

Ω

[17449]

[17450]

IF NONE, SKIP TO Q.4

1.a) (IF ONLY ONE FRIEND:) Do you wish you had more friends?

How often do you have contact with friends--either 2. see them (him/her), talk to them on the phone, or write letters? Would you say everyday, two or three times a week, once a week, once a month, less than once a month, or never?

IF NEVER, CODE 6 AND SKIP TO Q.4

- 0 = Every day
- 1 = Two or three times a week
- 2 = 0nce a week
- 3 = Once a month
- 4 = Less than once a month
- 6 = Never

IF CODED 0, 1, OR 2, SKIP TO Q.3

- 2.a) Follow-up Probe: Do you wish you had more contact 6 than you do? [17451]
- 3. How close do you feel to your friend(s)? Would you say very close, somewhat close, a little close, or not at all close?
- [17452]

YES

0

NO

- 0 = Very close
- 2 = Somewhat close
- 4 = A little close
- 6 = Not at all close

4. Another thing we'd like to know is how often you have contact with your relatives (not counting the ones you live with). How often would you see them, talk to them on the phone, or write letters? Would you say every day, two or three times a week, once a week, once a month, less than once a month, or never? [17453] 0 = Every day 1 = Two or three times a week 2 = 0nce a week3 = Once a month4 = Less than once a month 6 = NeverHow often do you attend meetings of clubs or other 5. organizations? In answering, please do not count religious services. Would you say more than once a week, once a week, a few times a month, once a month, less than once a month, or never? [17454] 0 = More than once a week 1 = Once a week2 = A few times a month 3 = Once a month4 = Less than once a month 6 = Neverб. How often do you attend religious services? Would you say more than once a week, once a week, a few times a month, once a month, less than once a month, or never? [17455] 0 = More than once a week 1 = 0nce a week2 = A few times a month 3 = Once a month4 = Less than once a month 6 = NeverYES NO Is there anyone with whom you have a close relationship 7. outside of your immediate family that you can share your most private feelings? (IF MARRIED, ADD: "This could б include your husband/wife.") [17456] 0 CODE Q.8 AS "00". PEOPLE How many people do you have that kind of relationship with? 8. [17457] 9. INTERVIEWER: Rate Global Assessment of Social Isolation ABSENT MILD MODERATE MARKED

2

0

1

3

5

6

[17458]

4

VERSION 2.0 20-JAN-95

M. MODIFIED SIS (Cont'd)

SKIP TO Q.11

10. INTERVIEWER: Rate Objective Reason for Social Isolation (e.g., illness, physical handicap, most of friends died, lives in very isolated area with no transportation). **PROBES:** Has your physical health made it difficult for you to get out to meet people? Has your living situation or lack of transportation made it difficult for you to get out to meet people? [17459] 0 = Definite objective reason--probably explains all 3 = Some objective reason--cannot explain all 6 = No objective reason People differ in terms of how much they like to be alone 11. versus to be with other people. That is, some people are more loners and others are more outgoing. Overall, would you consider yourself to be very much of a loner, somewhat of a loner, a little bit of a loner, or not at all a loner? [17460] 0 = Not at all a loner 2 = A little bit of a loner 4 = Somewhat of a loner 6 = Very much of a loner Overall, would you consider yourself to be very outgoing, 12. <u>somewhat</u> outgoing, <u>a little bit</u> outgoing, or <u>not at all</u> outgoing? [17461] 0 = Very outgoing 2 = Somewhat outgoing 4 = A little bit outgoing 6 = Not at all outgoing 13. Please answer the following questions for the kind of person you have been for most of your life. Answer either True or False. TRUE FALSE 13.a) I prefer hobbies and leisure activities that do not involve other people. [17462] 0 6 13.b) I am usually content to just sit alone, thinking and day-dreaming. [17463] б 0 13.c) I could be happy living all alone in a 0 cabin in the woods or mountains. [17464] б 13.d) If given the choice, I would much rather be alone than with others. [17465] 6 IF Q.11, 12, AND 13.a-d ALL CODED 0, SKIP TO GLOBAL ASSESSMENT OF INTROVERSION - Q.15.

14. The following is a list of questions. Please answer them with regard to the kind of person you are in general. Answer<u>Yes</u> or <u>No</u>.

	YES NO
14.a) Are you a talkative person?	0 6 [17466]
14.b) Are you rather lively?	[17467]
14.c) Do you usually take the initiative in making new friends?	[17468]
14.d) Do you enjoy cooperating with others?	[17469]
14.e) Do you tend to keep in the background on social occasions?	[17470]
14.f) Do you like mixing with people?	[17471]
14.g) Do you like plenty of bustle and excitement around you?	[17472]
14.h) Are you mostly quiet when you are with other people?	[17473]
14.i) Can you get a party going?	[17474]
14.j) Do you enjoy meeting new people?	[17475]

15. INTERVIEWER: Rate Global Assessment of Introversion. (Based on Q.11-14.)

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17476]

SENSITIVITY

- 16. In general, how sensitive are you to comments or remarks made about you? Would you say <u>very</u> sensitive, <u>somewhat</u> sensitive, <u>a little bit</u> sensitive, or <u>not at all</u> sensitive? [17477]
 - 0 = Not at all
 - 2 = A little bit
 - 4 = Somewhat sensitive
 - 6 = Very sensitive
- 17. If someone made a nasty comment about you that you didn't deserve, how long would you take to get over it? Would you say <u>a week or more, 2-3 days</u>, <u>a day</u>, <u>an hour</u>, or just <u>a minute</u>?

0 = A minut	е
-------------	---

- 1 = An hour
- 2 = A day
- 4 = Two to three days

[17478]

6 = A week or more

18. The following is a list of statements. Please tell me whether you think each item is <u>definitely true</u> for you, <u>probably true</u> for you, <u>probably</u> <u>not true</u> for you, or <u>definitely not true</u> for you. [SIS CARDS, P.1]

		DEFINITELY TRUE	PROBABLY TRUE	PROBABLY NOT TRUE			
18.a) I avoid doing because I'm af that I might m fool of myself	raid ake a	6	4	2	0	[17479]	
18.b) I am touchy.		6	4	2	0	[17480]	
18.c) Emotionally, I pretty "thin- skinned."	' m	6	4	2	0	[17481]	
18.d) I worry a lot appearing fool front of other people.		6	4	2	0	[17482]	
18.e) Any kind of cr ism really get upset.		6	4	2	0	[17483]	

19. INTERVIEWER: Rate Global Assessment of Sensitivity. (On Basis of Self-Report)

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17484]

ANGER TO PERCEIVED SLIGHTS

20.	Do people say that you sometimes look for and find criticism that wasn't really intended?						
21.	Did you ever break off a relationship or leave a social situation because of being insulted?	[17486]					
	<pre>21.a) (IF YES:) How often has that happened? 2 = Rarely 4 = Sometimes 6 = Often</pre>	[17487]					
22.	There is a saying that the best defense is a good offense. Are you prone to attack back if you feel slighted or insulted by others?	[17488]					

22.a) (IF YES:) How often does this happen? [17489] 2 = Rarely VERSION 2.0 20-JAN-95

- 4 = Sometimes
- 6 = Often

		NO	YES
23.	Do you lose your temper easily?	[17490] 0	6
	<pre>23.a) (IF YES:) How often? 2 = Rarely 4 = Sometimes 6 = Often</pre>	[17491]	

24. INTERVIEWER: Rate Global Assessment of Anger in Response to Perceived Slights.

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	б	[17492]

SOCIAL ANXIETY

25. I'd like to read to you a list of questions about how you have felt in social situations. The possible answers to these questions are <u>always</u>, <u>often</u>, <u>sometimes</u>, or <u>never</u>. [SIS CARDS] Again, answer these questions for what would be most typical for you for most of your adult life.

		ALWAYS	OFTEN	SOMETIMES	1	NEVER
25.a)	When you are in social situa- tions, how often do you feel uncomfortable? Would you say always, often, sometimes, or never?	6	4	2	0	[17493]
25.b)	Before you attend a social event, how often do you feel anxious?	6	4	2	0	[17494]
25.c)	When you are in a social situa- tion, how often do you worry too much about what other people might think of you?	б	4	2	0	[17495]
25.d)	How often would you avoid social situations where you knew you would have to be with people?	6	4	2	0	[17496]
25.e)	When you are in a social situa- tion, how much of the time are you worrying that you'll say the wrong thing or appear foolish?	б	4	2	0	[17497]

26. INTERVIEWER: Rate Global Assessment of Social Anxiety.


ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17498]
		•					

SKIP TO IDEAS OF REFERENCE (PART 1) - Q.28.

<u>NO</u><u>YES</u> You've mentioned feeling uncomfortable or ill at ease 27. in some social situations. Does your discomfort tend to diminish after getting to know people? [17499] 6 0 IDEAS OF REFERENCE (PART I) - BEING WATCHED 28. At one time or another, when in public, many people have had the feeling they are being watched. How often have you had such a feeling? Would you say often, sometimes, <u>rarely</u>, or <u>never</u>? [17500] 0 Never = SKIP TO Q.35 2 = Rarelv4 = Sometimes 6 = OftenWhen this happens, do you feel you are being watched by 29. a lot of people, by just a few people, or by only one person? [17501] 2 = 0ne4 = A few6 = A lotWhen this happens (the feeling of being watched), do you 30. feel you are being singled out for special attention? [17502] 2 = No4 = Possibly 6 = Definitely 31. Could you give me an example of one time you remember when you had the feeling of being watched by others? Record response verbatim: [17503] 32. Why did you think that you were being looked at? INTERVIEWER: Record any realistic reasons why subject might have been looked at (e.g., sexual "checking-out", physical anomaly, poor clothing, accent, etc.), then rate. [17504] 0 Strong realistic reasons describing normal reaction SKIP TO Q.35 2 = Some realistic reason, but over-reaction 4 = Little realistic reason, very exaggerated reaction

6 = No evident realistic reason

33.	Where have you been when you had the feeling of being watched?	[17505]
	PROBE: Has it only been near where you live? How about when you travel to another town?	[1,303]
	0 = Not applicable, hasn't traveled far from home	
	2 = Only near home	
	4 = Only far from home	
	6 = Both near and far from home	
34.	The people who appear to be watching you, are they people you know, you don't know, or both?	
	2 = Only known	[17506]
	4 = Only unknown	
	6 = Both known and unknown	
35.	If you were going to a public place tomorrow, do you think you would be watched? Would you say <u>definitely</u> , <u>probably</u> , <u>probably not</u> , or <u>definitely not</u> ?	[17507]
	0 = Definitely not	
	2 = Probably not	
	IF Q.32 "SKIPPED OUT" OR RATED 0, SKIP TO SCHIZOTYPAL SOCIAL ANXIETY RATING - Q.36.	
	4 = Probably	
	6 = Definitely	
	35.a) (IF Q.26 IS RATED 2 OR MORE:) I want to go back a bit. Before you talked about feeling uncomfortable or ill at ease in social situations. Would you say that your	<u>NO</u> <u>YES</u>
	discomfort is related to the feeling that you're being watched or that others are paying special attention to you? [17508]	0 6
	SKIP TO SCHIZOTYPAL SOCIAL ANXIETY RATING 0.36	
	35.b) (IF YES:) Is your discomfort about being watched greater when in public among people you don't know than in	
	situations where you know people? [17509]	0 6
		0 6
	situations where you know people? [17509]	0 6
	situations where you know people? [17509]	0 6



6 = No evident realistic reason

When you are in public, how often do you feel that 41. other people are dropping hints about you? (Probe: How often do people try to tell you something without saying it directly or straight out?) Would this happen often, sometimes, rarely, or never? [17517] 0 Never = SKIP TO Q.43 2 = Rarely 4 = Sometimes 6 = Often 42. Could you give me an example or two of this (a time when people were dropping hints about you)? [17518] 0 = Definitely normal 2 = Probably normal 4 = Probably pathological 6 = Definitely pathological NO YES Do people ever seem to be using a kind of "double-talk" 43. around you, where it may appear that they are just talking normally, but they are really slipping in nasty 0 comments about you? [17519] 6 If YES, probe and only score YES if pathological. SKIP TO GLOBAL ASSESSMENT RATING - Q.44 43.a) (IF YES:) How often do people seem to use this kind of "double-talk" around you? Would you say often, sometimes, or only rarely? [17520] 2 = Rarely4 = Sometimes 6 = Often

44. INTERVIEWER: Rate Global Assessment of Ideas of Reference

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17521]

SUSPICIOUSNESS

Remember that in this part of the interview I'm asking about the kind of person you are <u>in general</u>. Please answer these questions in the way that has been most typical for you for most of your adult life.

- 45. Some people tend to be very trusting by nature, while others are less inclined to trust people. Overall, would you consider yourself to be a <u>very</u> trusting person, <u>somewhat</u> trusting, <u>a little bit</u> trusting, or <u>not at all</u> trusting?
 - 0 = Very trusting
 - 2 = Somewhat trusting
 - 4 = A little bit trusting
 - 6 = Not at all trusting
- 46. People differ in their views about people and how much they can really be trusted. Here are two different views about people. The first is, "Most people are untrustworthy. Given the opportunity, they will take advantage of you." The second view is "Most people are basically trustworthy. Given the opportunity, they will do their best to help their fellow man." Which of these views do you believe in most?

- 0 = Second statement
- 3 = In-between
- 6 = First statement
- 47.I would now like to read a list of feelings that some people
 have. I want you to tell me how often you have had feelings
 like that. The possible answers are <u>often</u>, <u>sometimes</u>,
 <u>rarely</u>, or <u>never</u>? [SIS CARDS, P.3]

		Often	Sometimes	Rarely	Ne	ever
47.a)	I feel that the people I know cannot really be trusted. Would you say often, sometimes, rarely, or never?	6	4	2	0	[17524]
47.b)	I feel that people criticize me more than I deserve.	6	4	2	0	[17525]
47.c)	I feel that I need to be on my guard around other people.	6	4	2	0	[17526]
47.d)	I feel that people blame me for things that are not my fault.	6	4	2	0	[17527]

[17522]

[17523]

VERSION 2.0 20-JAN-95 48. For the following statements, would you say that you <u>definitely agree</u>, <u>probably agree</u>, <u>probably disagree</u>, or <u>definitely disagree</u> with them? [SIS CARDS, P.4]

		DEFINITELY AGREE	PROBABLY AGREE	PROBABLY DISAGREE		NITELY SAGREE
48.a)	All in all, it is probably safer never to trust anyone.	б	4	2	0	[17528]
48.b)	If I trust too much in people, sooner or later they will let me down.	6	4	2	0	[17529]
48.c)	If I am not careful, others will take advantage of me.	б	4	2	0	[17530]
48.d)	People seem to lie to me a lot.	6	4	2	0	[17531]
48.e)	If you confide in people, sooner or later they will use the information you gave them to hurt you.	6	4	2	0	[17532]
48.f)	I hold grudges for a long time.	6	4	2	0	[17533]
48.g)	I feel that I have been the victim of some kind of con- spiracy.	6	4	2	0	[17534]

49. Are there people who have gone out of their way to deliberately hold you back in life and to make things difficult for you? [17535]

SKIP TO Q.50

- 49.a) (IF YES:) What makes you think that? How did they hold you back?
 - 0 = Definitely normal
 - 2 = Probably normal
 - 4 = Probably pathological
 - 6 = Definitely pathological


NO

0

YES

б

[17536]



PHOLOG.	ICAL JEALOUSY		NO	У
Do vo	u get jealous easily?	[17542]		-
		[1,312]	Ľ	
SKI	P TO Q.55			
(IF Y	ES:)			
54.a)	What types of things make you jealous?			
	Record response verbatim: [17543]			
54.b)	How much of the time do you feel jealous?		[17	5
	2 = Rarely 4 = Sometimes 6 = Often			
54.c)	What problems does it cause for you?			
	Record response verbatim:[17545]			
54.d)	INTERVIEWER: Rate Based on Q.54.a-c.		[10]	_
	<pre>0 = Definitely normal 2 = Probably normal 4 = Probably pathological 6 = Definitely pathological</pre>		[17	5
	you ever found that your spouse or partner was thful to you?	[17547]	<u>NO</u>	
SKI	P TO GLOBAL RATING - Q.56			
55.a)	(IF YES:) How did you find out about it?			
	Record response verbatim: [17548]			

VERSION 2.0 20-JAN-95

55.b) (IF YES:) How did you react to the situation?

Record response verbatim: _____[17549]_____

55.c) INTERVIEWER: Rate Based on Q.55.a-b.

- 0 = Definitely normal
- 2 = Probably normal
- 4 = Probably pathological
- 6 = Definitely pathological

56. INTERVIEWER: Rate Global Assessment of Pathological Jealousy.

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17551]

RESTRICTED EMOTION

57. The following is a list of brief statements. Could you tell me if they are true for you <u>often</u>, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>? [SIS CARDS, P.3]

		Often	Sometimes	Rarely	N	ever
	I want to hug people I feel close to.	0	2	4	6	[17552]
57.b) 1	I feel very happy.	0	2	4	6	[17553]
57.c) 1	I feel very sad.	0	2	4	6	[17554]
	I show my true feelings.	0	2	4	6	[17555]
ē	I feel strongly about a social or political issue.	0	2	4	6	[17556]
n 1	I feel emotionally moved by things like music or the beauty of nature.	0	2	4	6	[17557]
57.g) 1	I feel sentimental.	0	2	4	6	[17558]
	I show affection to the people I care about.	0	2	4	6	[17559]

58.INTERVIEWER: Rate Global Assessment of Restricted Emotion.

ABSENT	MILD	MODERATE	MARKED

[17550]

VERSION 2.0 20-JAN-95			M. 1	MODIFIED	SIS (Con	t'd)	120
0	1	2	3	8 4	5	6	[17560]

MAGICAL THINKING

59. I have a list of statements here. Could you tell me if you think they are <u>definitely true</u> for you, <u>probably true</u> for you, <u>probably</u> <u>not true</u> for you, or <u>definitely not true</u> for you? [SIS CARDS, P.1]

		DEFINITELY TRUE	PROBABLY TRUE	PROBABLY NOT TRUE		NITELY TRUE
59.a)	I think I could learn to read other people's minds if I wanted to.	6	4	2	0	[17561]
59.b)	Horoscopes are right too often for it to be a coincidence.	6	4	2	0	[17562]
59.c)	Numbers like 13 and 7 have special powers.	6	4	2	0	[17563]
59.d)	I can sometimes fore- tell the future.	6	4	2	0	[17564]
59.e)	Good luck charms keep evil away.	6	4	2	0	[17565]
59.f)	I have felt that I might cause something to happen just by thinking too much about it.	6	4	2	0	[17566]
59.g)	I feel that the spirits of the dead can influ- ence the living.	6	4	2	0	[17567]
59.h)	I believe in black magic.	б	4	2	0	[17568]
59.i)	Accidents can be caused by mysterious forces.	6	4	2	0	[17569]

60. Now, I have another list of statements. I'd like to know how often you have experiences like this. The possible responses are <u>often</u>, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>. [SIS CARDS, P.3]

		Often	Sometimes	Rarely	1	Never
60.a)	I communicate with other people using only my mind. Would you say often, sometimes, rarely, or never?	6	4	2	0	[17570]
60.b)	I sense when bad things are going to happen to people close to me.	6	4	2	0	[17571]
60.c)	I feel the presence of an evil spirit around me.	6	4	2	0	[17572]
60.d)	Dreams that I have come true.	6	4	2	0	[17573]

VERSION 2.0 20-JAN-95	м.	MODIFIED	SIS	(Cont	'd)			
								122
60.e) I feel that other reading my mind.	peop	le are		6	4	2	0	[17574]

61.	<pre>INTERVIEWER: Rate Deviance of Magical Thinking from Subcultural Norms. [17575] 0 = Not applicable, no magical thinking 1 = Not deviant 2 = Mildly deviant 4 = Moderately deviant 6 = Markedly deviant</pre>
62.	NO YES Many people think that there are things that can bring bad luck or misfortune, such as seeing a black cat, walking under a ladder, breaking a mirror, or Friday the 13th. Do you have any beliefs like that? [17576] 0 6 SKIP TO Q.63
	62.a) (IF YES:) What sorts of beliefs like these do you have? Any more? Record response verbatim: [17577]
63.	Many people do things to keep evil away or to bring themselves good luck, such as keeping a rabbit's foot or a lucky horseshoe, knocking on (touching) wood, or throwing salt over their shoulder if they spill it. Do you do any things like that to keep evil away or bring good luck? [17578] 0 6
	INTERVIEWER: Only score superstitious responses as YES.
	IF NO TO Q.62 AND Q.63, SKIP TO GLOBAL RATING - Q.68.
	IF NO ONLY TO Q.63, SKIP TO Q.64.
	63.a) (IF YES:) Tell me what sorts of things you do to keep evil away. Any more?
	Record response verbatim:[17579]

64.	INTERVIEWER: Read the list of recorded superstitions to subject (and/or) what he/she does to keep evil away	
	How sure are you (that these beliefs are really true) and/or (that you need to do this to keep evil away)? PROBE: Could they just be "old wives' tales"? [17580]	1
	0 = Considerable doubt as to veracity of superstitions	
	2 = Some doubt as to veracity of superstitions	
	4 = A little doubt as to veracity of superstitions	
	6 = No doubt as to veracity of superstitions	
65. I	NTERVIEWER: Rate Number of Superstitious Beliefs.]
	4 = Some	
	6 = Many	
66.	INTERVIEWER: Rate Deviance of Superstitions from Sub-Cultural Norms.]
	0 = Not at all deviant	
	2 = Mildly deviant	
	4 = Moderately deviant	
	6 = Markedly deviant	
	<u>NO</u> <u>YE</u>	<u>S</u>
67.	Do these beliefs (List superstitions) have a practical effect on your life? [17583] 0 6	
	SKIP TO GLOBAL RATING - Q.68	
	67.a) (IF YES:) In what way do they affect you? PROBE: What do you do different because of what you believe?	1
	2 = Minimal effect on behavior [17584	1
	4 = Modest effect on behavior	
	6 = Large effect on behavior	
68.	INTERVIEWER: Rate Global Assessment of Magical Thinking.	
	ABSENT MILD MODERATE MARKED	
	0 1 2 3 4 5 6 [17585]

ILLUSIONS

69. People sometimes have the experience of mistaking an object for a person or an animal. For example, driving at dusk you might see a lamp post (gate post) out of the corner of your eye and think it is a man standing by the road. How often have you had experiences like that? Would you say often, sometimes, rarely, or never? [17586] 0 = Never 2 = Rarely 4 = Sometimes 6 = Often70. People also sometimes hear crackling or knocking sounds or bells ringing, sounds that are probably not real. How often have you heard sounds like that? Would you say often, sometimes, rarely, or never? [17587] 0 = Never 2 = Rarely4 = Sometimes 6 = Often71. How often have you had the experience of hearing your name called but realizing that it must have been your imagination? Would you say often, sometimes, rarely, or <u>never</u>? [17588] 0 = Never 2 = Rarely4 = Sometimes 6 = Often NO YES When it's quiet, some people have the experience of 72. hearing people's voices whispering or talking to them, even when no one is actually present. Have you ever had such an experience? [17589] б 0 SKIP TO Q.73 72.a) (IF YES:) How often have you had this experience (of hearing whispers or voices)? Would you say often, sometimes, or rarely? [17590] 2 = Rarely4 = Sometimes 6 = Often

73. Have you ever had the experience that some person or force was around you even if you could not see anyone? PROBES: When did this happen? What kind of person or force did you experience?
0 = No

[17591]

SKIP TO GLOBAL ASSESSMENT - Q.74

- 2 = Yes, other
- 4 = Yes, religious experience
- 6 = Yes, dead relative or close friend
- 73.a) **(IF YES:)** How often would you have this experience (feeling that some person or force was around you)? Would you say <u>often</u>, <u>sometimes</u>, or <u>rarely</u>?

[17592]

- 2 = Rarely
- 4 = Sometimes
- 6 = Often

74. INTERVIEWER: Rate Global Assessment of Illusions.

ABSENT MILD			MODERATE		MARKED		
0	1	2	3	4	5	6	[17593]

PSYCHOTIC-LIKE PHENOMENA

75. How often do your thoughts become muddled or confused? Would you say <u>often</u>, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>?

[17594]

- 0 = Never
- 2 = Rarely
- 4 = Sometimes
- 6 = Often
- 76. How often do your thoughts suddenly stop, causing you to lose completely your train of thought? Would you say <u>often</u>, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>?

[17595]

0 = Never			
	SKIP TO Q.78]	
2 = Rarelv			

- 4 = Sometimes
- 6 = Often

- 128
- 77. Do you ever feel as if some outside agency or power is causing your thoughts to stop, or even taking the thoughts out of your head? [17596] 0 = No3 = Yes, just stopping 6 = Yes, out of head NO YES 78. Sometimes people feel that their thoughts are so real that it seems as if they are spoken out loud so that other people could hear them. Have you ever experienced that? [17597] Ο 6 SKIP TO Q.79 78.a) (IF YES:) How often have you had this experience (of feeling like your thoughts were being spoken out loud)? Would you say <u>often</u>, <u>sometimes</u>, or <u>rarely</u>? [17598] 2 = Rarely4 = Sometimes 6 = Often 79. How often do thoughts or feelings come into your mind which feel like they don't belong? Would you say often, sometimes, rarely, or never? [17599] 0 = Never 2 = Rarely4 = Sometimes 6 = Often 80. How often do thoughts or feelings come into your mind which feel like they are not yours? Would you say often, sometimes, rarely, or never? [17600] 0 = Never 2 = Rarely 4 = Sometimes 6 = Often81. How often do thoughts or feelings come into your mind which feel like they were placed there by an agency or power outside yourself? Would you say often, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>? [17601] 0 Never SKIP TO GLOBAL ASSESSMENT RATING - Q.82 2 = Rarely4 = Sometimes 6 = Often

81.a)	What agency or power do you feel places thoughts or feelings in your mind? INTERVIEWER: Circle all that apply.	[17602]
	1 = Close relative or friend	
	2 = Devil	
	3 = God	
	4 = Other, Specify: [17603]	
81.b)	How is it that (this agency or power) places thoughts or feelings in your mind? 0 = Not at all deviant	[17604]
	2 = Slightly deviant	
	4 = Moderately deviant	
	6 = Very deviant	
82. INTER	RVIEWER: Rate Global Assessment of Psychotic-Like Symptoms.	

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17605]

SEXUAL ANHEDONIA

Finally, I want to ask you just a few questions about your sexual experiences.

83.	Over your adult life, have you had one or more		<u>NO</u>	<u>YES</u>
	relationship(s) in which sex was a part of that relationship(s)?	[17606]	6	0
	83.a) (IF NO:) Do you wish you had?	[17607]	6	0

- 84. Over your adult life, would you say that your drive for sexual relations has been:
- [17608]

- 0 = Very strong
- 2 = Somewhat strong
- 4 = Not too strong
- 6 = Almost nonexistent

85.	INTERVIEWER:	Data	Global	Aggoggmont	۰f	Correct1	Anhodonia
05.	INIERVIEWER.	Nace	GIODAI	Assessment	OL	Deruar	Anneuonita.

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17609]

That's all the questions I have in this part of the interview.

Time SIS Ended: _____

INTERVIEWER: At the conclusion of the interview, review the following set of global ratings. If any of the following are rated 3 or more, then return to page 61 and administer the Psychosis Section items.


86. SIS Summary


<u>S</u>	IS Item	SIS Item Description	<u>Rating</u>	
86.a)	Q.44	Global Ideas of Reference		[17610]
86.b)	Q.52	Global Suspiciousness		[17611]
86.C)	Q.68	Global Magical Thinking		[17612]
86.d)	Q.74	Global Illusions		[17613]
86.e)	Q.82	Global Psychotic-Like Symptoms		[17614]

ABSENT		MILD		MODERATE		MARKED
0	1	2	3	4	5	б

INTERVIEWER:	SUBJECTS WHO HAVE SIGNIFICANT HISTORY OF ALCOHOL, MARIJ OR OTHER DRUG ABUSE <u>AND</u> EVIDENCE OF DEPRESSION, MANIA, E MANIA, DYSTHYMIA, OR PSYCHOSIS SHOULD BE ASKED THIS SEC						-		
	Check here	if this	section	does not	apply to	subject. [14490]]		
You mentioned earlier your (Mood changes/Psychotic symptoms), and also that you were using (Alcohol/Drugs) heavily. Think about <u>the first time</u> you had any of these problems. Which came first (Mood changes/Psychotic symptoms) or (Alcohol/Drugs)? INTERVIEWER: Rate first occurrence.									
	nanges/psych			rred fir	st.	[17748	3]		
	./drug abuse								
	nanges/psych ed at the sa		otoms and	alcohol/	drug abuse				
4 = Not cle	ear.								
					DAVC	NEEKO			

- 1.a) (IF MOOD CHANGES/PSYCHOTIC SYMPTOMS OCCURRED FIRST:) For how long did you have (Mood changes/Psychotic symptoms) before you started using (Alcohol/Drugs) heavily?
- 1.b) (IF ALCOHOL/DRUGS OCCURRED FIRST:)
 For how long were you using (Alcohol/Drugs)
 heavily before your (Mood changes/
 Psychotic symptoms) began?





[14540]

INTERVIEWER: IF ONLY ONE EPISODE (TOTAL) OF MOOD CHANGES/PSYCHOTIC SYMPTOMS, SKIP TO SUICIDAL BEHAVIOR (PAGE 115).

INTERVIEWER: Hand Comorbidity Card to subject.

- Now I would like you to think about other episodes of (Mood changes/Psychotic symptoms) and tell me which statement on the card best characterizes these episodes.
 - 1 = Emotional/thinking difficulties always occurred first
 [Ask Q.4 only]
 - 2 = Alcohol/drug abuse always occurred first
 [Ask Q.3 only]
 - 3 = Emotional/thinking difficulties and alcohol/drug abuse always occurred at the same time [Ask Q.3 and Q.4]
 - 4 = No strict pattern (sometimes emotional/thinking difficulties first, sometimes alcohol/drugs first) [Ask Q.3 and Q.4]
 - 5 = Emotional/thinking difficulties and alcohol/drug abuse always occurred independently

SKIP TO SUICIDAL BEHAVIOR (PAGE 115)

[Ask Q.3 and Q.4]

3.	-	your (Mood/Psychotic) episodes <u>ever</u> continued you stopped using (Alcohol/Drugs) heavily?	d [14570]	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
	3.a)	(IF YES:) What was the longest time a (Mood/Psychotic) episode ever continued after you stopped using (Alcohol/Drugs)? (If less than one week, code DAYS.)	DAYS OR [14580]		WEEKS]
4.	-	ou <u>ever</u> continue to use (Alcohol/Drugs) heav. your (Mood/Psychotic) episode stopped?	<i>ily</i> [14630]	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
	4.a)	(IF YES:) What was the longest you used (Alcohol/Drugs) heavily after a (Mood/Psychotic) episode stopped? (If less than one week, code DAYS.)	DAYS OR [14640]		WEEKS]

	I'm going to ask you some (further) questions about idal behavior.				
			NO	YES	<u>UNK</u>
1.	Have you ever <u>tried</u> to kill yourself?	[14670] 0] 1	U
	SKIP TO ANXIETY DISORDERS (PAGE 117).				
	<pre>1.a) (IF YES:) How many times have you tried to kill yourself?</pre>	[14	680]	TIM	ES
	1.b) How old were you the first time you tried to kill yourself?	[21	570]	AG	E
INTE	RVIEWER: For the following questions, ask about the <u>mo</u> <u>serious</u> attempt.	<u>st</u>			
2.	How did you try to kill yourself?				
	Record response: [14690]				
3.	How old were you?	[14	700] <u>NO</u>	ONS	AGE
4.	Did you require medical treatment after this attempt?		0	1 [1471	U
5.	Were you admitted to a hospital after the attempt?	<u>NO</u> 0	<u>ER</u> 1 [14	<u>INPT</u> 2 720]	<u>UNK</u> U
6.	Did you want to die?		<u>NO</u> 0	<u>YES</u> 1 [1473	<u>UNK</u> U 0]
7.	Did you think you would die from what you had done?			[1474	0]
8.	INTERVIEWER: Rate <u>intent</u> of most serious attempt.			[14	750]
	1 = No intent or minimal intent, manipulative gesture.2 = Definite intent, but ambivalent.				
	3 = Serious intent, expected to die.				
	U = No information, not sure.				

9.	INTERVIEWER: Rate <u>lethality</u> of most serious attempt.	[14760]
	1 = No danger (no effects, held pills in hand).	[14/00]
	2 = Minimal (scratch on wrist).	
	3 = Mild (10 aspirin, mild gastritis).	
	4 = Moderate (10 Seconals, briefly unconscious).	
	5 = Severe (cut throat).	
	6 = Extreme (respiratory arrest or prolonged coma).	
	U = No information, not sure.	
10.	Did the suicidal behavior described occur during	
	10.a) Depression?	<u>NO YES UNK</u> 0 1 U [14770]
	10.b) Mania?	[14780]
	10.c) Alcohol Abuse?	[14790]
	10.d) Drug Abuse?	[14800]
	10.e) Psychosis?	[14810]
	10.f) Other? (IF YES:) Specify:[14820]	[14830]

Now I would like to ask you some questions about certain situations and reactions you may have experienced.

OBSESSIONS

			NO	YES	UNK
1.	make	you ever been bothered by thoughts that did not any sense, that kept coming back to you even when ried not to have them? [14840]	μ	1	U
		(IF UNCLEAR:) Did these thoughts continue to bother you no matter how hard you tried to get rid of them or ignore them?			
	SKI	P TO Q.2.			
	1.a)	What were they?[14850]			
	1.b)	What did you do about them?[14870]			
			<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
	1.c)	INTERVIEWER: Code YES if the person tries to ignore or suppress such thoughts or to neutralize them with some other thought or action.		[1488	0]
	1.d)	INTERVIEWER: Does the person recognize that the obsessions are imposed from within (not from without as in thought insertion)?		[1489	0]
	1.e)	INTERVIEWER: Code YES if the thoughts appear to be unrelated to other AXIS I disorders which are present (e.g., Major Depression, Mania, Eating Disorders, Substance Abuse Disorder).		[1486	0]
со	MPULSI	ONS			
2.	you c anxio	you ever had to repeat some act over and over which ould not resist repeating in order to feel less uslike washing your hands, counting things, or ing things? (PROBE: Another example might be doing			

2.b) What were you afraid would happen if you did not do it?

things in a certain order and having to start over again

IF NO OBSESSIONS (any NO in Q.1) AND NO COMPULSIONS,

2.a) What was it you did over and over? ___[14910]____

[14900]

0

1

U

if you get the order wrong.)

IF NO COMPULSIONS ONLY, SKIP TO Q.4

SKIP TO Q.11.

[14920]

_

	2.c) INTERVIEWER: Code YES if the behavior is design to neutralize or prevent something unwanted, ye		<u>NO</u>	<u>YES</u>	<u>UNK</u>
	is not realistically connected with what it is meant to neutralize or prevent.	[14930]	0	1	U
3.	Did you ever feel that these behaviors were excessiv or unreasonable?	e [14940]	0	1	U
			M	IINUTE	S
4.	How much time did you spend doing (Compulsion) and or thinking about (Obsession) each day?	[14970]			
5.	Did you seek help from anyone, like a doctor or othe	r	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	professional?	[14980]	0	1	U
6.	Did you take any medication?	[14990]	0	1	U
	(IF YES:) Specify:[15000]				
	have on your life? [15010]				
			<u>NO</u>	YES	<u>UNK</u>
	7.a) Did these (Obsessions and/or Compulsions) bothe you a lot?	er [15020]	0	1	U
	7.b) Did they significantly interfere with how you managed your work, school, household tasks, or				
	social relationships?	[15030]	0	1	U
				ONS	AGE
8.	How old were you the <u>first</u> time you were bothered by (Obsession and/or Compulsion)?	[15	040]		
_				REC	AGE
9.	How old were you the <u>last</u> time you were bothered by (Obsession and/or Compulsion)?	[15	050]		
			NO	YES	<u>UNK</u>
10.	Did you ever have (Obsession and/or Compulsion) at so				
	time other than within two months of having (Depressing Psychosis).	[on / [15060]	0	1	U

PANIC DISORDER

<u></u>					,		VEC	TINTZ
11.	you s	you ever had panic attacks or anxiety attack uddenly felt very frightened in situations t sually not considered threatening?	hat	en 1551	-	<u>00</u>	<u>YES</u> 1	<u>UNK</u> U
	11.a)	(IF NO:) Have you ever had <u>sudden</u> , <u>unexplan</u> episodes of physical symptoms such as rapic loud heartbeat, feeling faint or lightheade sweating, trembling? How about <u>sudden</u> , <u>unexplained</u> episodes of chest tightness or feeling of smothering? <u>SKIP TO Q.28 - PHOBIC DISORDER</u>	d or ed, a	1552	0]	0	1	U
12.		ibe spells and situations in which (Symptoms ated above) happen: (Are the attacks predictak [15530]))	_				
	12.a)	INTERVIEWER: Code NO if the attacks were a predictable. Code YES if attacks were at initially unexpected and seemed to be comi of the blue even if they later became trig	least ng ou geree	t ut d	_	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	12.b)	by one particular stimulus. INTERVIEWER: Code NO if the attacks were associated exclusively with physical exert life-threatening situations.	iono	1554 r 1555		0	1	U U
13.		g the attacks, did you experience any of ollowing symptoms:	E	EVER		1	MOS	
			NO 0	YES 1	-	NO 0	YES 1	-
	13.a)	sudden rapid heartbeat, your heart pounding loudly?		5560]]	1557()]
	13.b)	choking?	[1	5580]	[15590)]
	13.c)	sudden sweating?	[1	5600]	[15610)]
	13.d)	sudden trembling or shaking?	[1	5620]	[15630)]
	13.e)	hot flashes or chills?	[1	5640]	[15650)]
	13.f)	chest tightness or pain?	[1	5660]	[15670)]
	13.g)	shortness of breath, or a feeling of smothering, or lightheadedness?	[1	5680]] [15690)]
	13.h)	dizziness or unsteady feelings?	[1	5700]	[1571()]
	13.i)	numbness or tingling?	[1	5720]	[15730)]

[15740]

[15750]

13.j) fear of dying during the attack?

1	4	0

13.k) nausea or abdominal distress?	[15760]	[15770]

		EVER			MOST ATTACKS					
		NO 0	YES 1	UNK U	NO 0	YES 1	UNK U			
13.1)	feeling that you or the world around you was strange or unreal?	[15780]			[15790]					
13.m)	fear of going crazy or doing something uncontrolled?	[15800]		[15810]						
INTERVIEWER: IF LESS THAN TWO SYMPTOMS, SKIP TO Q.28 - PHOBIC DISORDER.										

INTERVIEWER: If more than two symptoms are coded YES in Q.13 and subject progressed past Q.4 in Somatization, review corresponding items in Somatization disorder (Q.3.e, 7.b, 10.e, 16.a, 16.e, 16.f) to make sure they did not occur <u>only</u> during panic attacks. If they did, recode those items as "NO" in Somatization section.

14. Which symptoms occurred during most attacks? (Code in Column II.)

14.a) Count Symptoms in Column II and enter here.

15. Was there ever a time when four of these symptoms occurred together?

IF Q.14.a IS 2 OR LESS AND Q.15 IS NO, SKIP TO Q.28 - PHOBIC DISORDER.

(IF YES:)

	15.a) Did you have at least three of these symptoms during most attacks?	[15840]	0	1	U
	15.b) Did these symptoms develop and become intense within 10 minutes?	[15850]	0	1	U
	15.c) (IF YES:) Did this happen more than once?	[15860]	0	1	U
16.	How many panic attacks like this have you had?	[2158	30]	ATTA	.CKS
17.	Have you had as many as six panic attacks, spread ov a six-week period?	er	<u>NO</u> 0	<u>YES</u> 1 [1587	<u>UNK</u> U
	17.a) (IF YES:) Were you nervous between the attack.	5?		[1588	0]
18.	Have you ever had at least four of these attacks within a four-week period?			[1589	0]

SX

<u>UNK</u>

U

YES

1

[15820]

[15830]

NO

19.a) After having an attack, have you been afraid of having another one?

[15900]

P. ANXIETY DISORDERS (Cont'd)

			<u>NO</u>	<u>YES</u>	<u>UNK</u>
19.b)	Have you been worried about the implications or consequences of the attack?	[21610]	0	1	U
19.c)	Have you changed your behavior?	[21620]	0	1	U
	(IF YES:) Specify:[21630]				
				WEE	KS
19.d)	(IF YES TO Q.19.a,b,or c:) How long did the fear, worry or change in your behavior last (weeks)?	[159	10]		
	(weeks)?		<u>NO</u>	<u>YES</u>	<u>UNK</u>
20.	Did you seek help from anyone, like a doctor or other professional?	[15920]	0	1	U
21.	Did you take any medications for these attacks?	[15930]	0	1	U
	(IF YES:) Specify:[15940]				
22.	Did you <u>only</u> have the attacks when you were consuming a lot of caffeine or alcohol or taking drugs like amphetamines? (IF YES:) Specify:[17754]	[15950]	0	1	υ
23.	Did a doctor ever tell you that you had a medical condition that might have been responsible for these attacks (e.g., overactive thyroid) ?	[15960]	0	1	U
24.	Did these attacks significantly interfere with how you managed your work, school, household tasks or social relationships?	[15980]	0	1	U
	(IF YES:) Specify:[15990]				
				ONS	AGE
25.	How old were you the <u>first</u> time you had a panic attac	k? [160	00]		
26.	How old were you the <u>last</u> time you had a panic attack	? [160	10]	REC	AGE
27.	Did you ever have a panic attack at some time other than within two months before or after having		<u>NO</u>	<u>YES</u>	<u>UNK</u>

(Depression/Psychosis)?

[16020] 0 1 U

PHOBIC DISORDER

28.	Have g	you ever been excessively afraid of the followin	ng:	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	28.a)	going out alone, being alone in a crowd or in stores, or being in places where you feel you cannot escape or get help? (Agoraphobic)	[15070]	0	1	U
	28.b)	doing certain things in front of people like speaking, eating, or writing? (Social)	[15080]	0	1	U
	28.c)	afraid of certain animals, heights, or being closed in? (Simple/Specific)	[15090]	L	1	U
		SKIP TO EATING DISORDERS (PAGE 125)				
29.	Did y	ou go out of your way to avoid				
	29.a)	Agoraphobic fear(s)?	[15100]	0	1	U
	29.b)	Social fear(s)?	[15110]	0	1	U
	29.c)	Simple/Specific fear(s)?	[15120]	لما	1	U
30.	note (e.g. embar: wheth has of of de	ibe Fear(s) by category. If avoidance has develop what motivated the person to avoid the situation , fear of sudden development of a symptom attack rassment, or humiliation). For Agoraphobia, no er either a limited symptom attack or panic attack ccurred in the past or whether there is only a veloping an attack. Agoraphobic Fear(s): [15130]	n k, te ack			
30.	note (e.g. embar: wheth has of of de 30.a)	what motivated the person to avoid the situation, , fear of sudden development of a symptom attac rassment, or humiliation). For Agoraphobia, no er either a limited symptom attack or panic attac ccurred in the past or whether there is only a veloping an attack.	n k, te ack	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
30.	note (e.g. embar: wheth has of of de 30.a) 30.b)	<pre>what motivated the person to avoid the situation , fear of sudden development of a symptom attack rassment, or humiliation). For Agoraphobia, non- er either a limited symptom attack or panic attack ccurred in the past or whether there is only a veloping an attack. Agoraphobic Fear(s): [15130] INTERVIEWER: Did the avoidant behavior begin</pre>	n k, te ack fear 			
30.	note (e.g. embar: wheth has of of de 30.a) 30.b) 30.c) 30.c)	<pre>what motivated the person to avoid the situation , fear of sudden development of a symptom attack rassment, or humiliation). For Agoraphobia, no er either a limited symptom attack or panic attack ccurred in the past or whether there is only a veloping an attack. Agoraphobic Fear(s): [15130] </pre>	n k, te ack fear 	0	1	

VERSION 2.0 20-JAN-95

during or just after a panic attack? [17753] 0 1 U

INTE	RVIEWER: For each fear, ask	AGO	AGORAPHOBIC SOCIAL			SIMPLE							
Q.31	through Q.40.	N O	Y E S	U N K	N O	Y E S	U N K	N O	Y E S	U N K			
31.	Did you almost always become anxious when you were experiencing (Feared object/situation)?	0	l N/A	U	0	1 .517(U]	0	1 .5180	ט ן			
32.	Do you think that you should have been that anxious?	[]	1519()]	[]	5200)]	[15210]]			
33.	INTERVIEWER: Code YES if there is persistent fear of an object, activity, or situation which the subject tends to avoid or else endures with intense anxiety.	[15220]		[15220]		[15220]		15220] [15230])]	[1	.5240]
33.a	Were you greatly upset about <u>having</u> the fear?	[18001	L]	[]	8002	2]	[1	.8003]			
34.	Because of (Feared object/ situation), was there a difference in your social life or in how you managed your work, school, or household tasks?	[1525()]	[]	5260)]	[1	.5270]			
	(IF YES:) Specify:	_[15280][15290]_		_[15300]_]_							
35.	INTERVIEWER: For Social Phobia: Code YES if the fear is unrelated to a pre-existing Axis I or Axis III disorder [e.g., stuttering, trembling (Parkinson's), or exhibiting abnormal eating behavior (Anorexia Nervosa or Bulimia Nervosa)].		N/A		[]	.531()]	[1	.5320]			
	For Simple Phobia: Code YES if fear is unrelated to Obsessive Compulsive Disorder or Post Traumatic Stress Disorder.												
36.	Did you seek help from anyone, like a doctor or other professional?	[15330)]	[]	5340)]	[1	.5350]			
37.	Did you take any medications?	[15360)]	[1	5370)]	[1	5380]			
	(IF YES:) Specify:	_[15390)]_	_[1	5400)]_	_[1	5410]_			
2.0	Did own have this muchlem at												
38.	Did you ever have this problem at some time other than two months before or after having (Depression/ Psychosis)?	[]	1542()]	[]	15430)]	[1	.5440]			

AGORAPHOBIC	SOCIAL	SIMPLE/ SPECIFIC
ONS AGE [15450]	ONS AGE [15460]	ONS AGE [15470]
REC AGE [15480]	REC AGE [15490]	REC AGE [15500]

- 39. How old were you the <u>first</u> time you had this problem?
- 40. How old were you the <u>last</u> time you had this problem?

Now, I would like to ask you some questions about your eating habits and your weight.

ANOREXIA NERVOSA

1. Was there ever a time when you weighed much less than other people thought you ought to weigh? [16030] 0 1

SKIP TO Q.14.

2. At that time, had you lost a lot of weight on purpose or was it while you were growing up and you kept your weight down on purpose? [16040]

SKIP TO Q.14.

3.	What was your lowest weight at that time?	[16050]				
4.	How tall were you? Record response:[16060]	[160	70]	INC	HES	
5.	How old were you?	[160	80]	AG	E	
		<u>S</u>	MALL	MED.	LG.	

6. INTERVIEWER: Note body frame.

WEIGHT CRITERION FOR ANOREXIA (15% BELOW EXPECTED WEIGHT)								
MEN	Small Frame	Medium Frame	Large Frame	*WOMEN	Small Frame	Medium Frame	Large Frame	
5 ' 2 "	99	105	113	4'10"	80	86	95	
5 ' 3 "	101	108	116	4'11"	83	88	97	
5 ' 4 "	104	111	119	5'0"	85	91	100	
5 ' 5 " 5 ' 6 "	104 107 109	111 113 116	122 125	5'0" 5'1" 5'2"	85 87 91	94 96	102 104	
5'7"	112	119	129	5'3"	93	99	108	
5'8"	116	124	133	5'4"	95	102	110	
5'9"	119	127	136	5'5"	97	104	113	
5'10"	124	130	139	5 ' 6 "	101	109	117	
4'11"	127	134	144	5 ' 7 "	104	112	120	
6'0"	130	138	148	5'8"	108	116	124	
6'1"	134	142	152	5'9"	111	119	127	
6'2"	137	145	156	5'10"	114	122	131	
6'3"	141	150	160	5'11"	118	126	135	
6'4"	144	154	164	6'0"	121	129	138	
* For wom	18 ± 0	25 vears	old, subtra	act one po	und for ea	ch vear u	nder 25	

For women 18 to 25 years old, subtract one pound for each year under 25.

<u>NO YES UNK</u>

6.a) INTERVIEWER: Is lowest weight (Q.3) more than table entry for height, gender, and body? [17749] 0 1 U

SKIP TO Q.14.

UNK

U

U

YES

1

POUNDS

NO

Ο

[16090] 1 2 3

yourself as too fat in some ways?

	NO 0	<u>YES UNK</u> 1 U
8.	Were you still very much afraid that you could become fat?	[16110]
9.	(IF FEMALE:) Did your periods stop even when you were not pregnant?	[16120]
	9.a) (IF YES:) Did you miss at least three cycles in a row?	[16130]
10.	Was there a medical disorder causing your weight loss?	[16140]
	(IF YES:) Specify: [16150]	
11.	Did your lowered weight follow the use of diet pills, amphetamines, cocaine, or other substances?	[16160]
	(IF YES:) Specify: [16170]	
12.	How old were you the <u>first</u> time your weight was below? (See weight criterion table for loss of 15%.) [16180]	ONS AGE
13.	How old were you the <u>last</u> time your weight was below? (See weight criterion table for loss of 15%.) [16190]	REC AGE
в	ULIMIA	YES UNK
14.	Has there been a time in your life when you went on food binges (i.e., rapid consumption of a large amount of food in a discrete period of time, usually less than two hours)? [16200]	
	SKIP TO PATHOLOGICAL GAMBLING (PAGE 127).	
15.	During these binges were you afraid you could not stop eating, or that your eating was out of control?	[16210]
16.	Did you have eating binges as often as twice a week for at least three months?	[16220]
17.	Did you do anything to make up for eating so much, perhaps like	
	17.a) making yourself vomit?	[16230]
	17.b) taking laxatives or diuretics?	[16240]
	17.c) strictly dieting?	[16250]
	17.d) fasting?	[16260]
	17.e) exercising a lot? 17.f) other? (IF YES:) Specify:[16280]	[16270]
	17.f) other? (IF YES:) Specify:[16280]	[16290]
18.	At this time were you a lot more concerned about your weight and/or shape than most people your age?	[16300]
	I	ONS AGE
19.	(IF YES TO Q.16) How old were you when you <u>first</u> binged regularly? [16310]	OIND AGE

20.	(IF YES	TO Q.16)	How old	were	you	the	last	
	time yo	u binged r	regularly	·?				[16320]

	SITE OPTIONAL		
1.	Have you ever gambled or bet too often or too much?	<u>NO YES 1</u> 0 1 [16330]	<u>UNK</u> U
	SKIP TO ANTISOCIAL PERSONALITY (PAGE 128).		
2.	Do you frequently gamble larger amounts or over a longer period of time than you intend?	[16340]	
3.	Do you need to increase the size or frequency of the bets to achieve excitement?	[16350]	
4.	Do you become restless or irritable if you are unable to gamble?	[16360]	
5.	Do you sustain repeated losses by trying to win back losses?	[16370]	
б.	Are you frequently preoccupied with gambling?	[16380]	
7.	Have you made repeated attempts to stop or reduce your gambling?	[16390]	
8.	Have you frequently neglected family, social, or job obligations when you gamble?	[16400]	
9.	Has gambling ever caused you to skip important social, job, or recreational activities?	[16410]	
10.	Have you continued to gamble in spite of debts and/or other consequences?	[16420]	
 ,			
	INTERVIEWER: IF LESS THAN FOUR YES RESPONSES, SKIP TO ANTISOCIAL PERSONALITY (PAGE 128).		
		ONS AGE [16430]	
11.	How old were you when you <u>first</u> gambled heavily?	REC AGE	
12.	How old were you the <u>last</u> time you gambled heavily?	[16440] <u>NO YES U</u> 0 1	UNK U
13.	Have you ever sought help for a problem with gambling?	[17750]	

Now I would like to ask you some questions about when you were younger.

1	Defer	15		<u>NO</u>	YES
1.		re you were 15 years old			
	1.a)	did you often skip school?	[16450]	0	1
	1.b)	did you run away from home overnight more than onc or did you run away from home without returning?	e [16460]	0	1
	1.c)	did you often start physical fights?	[16470]	0	1
	1.d)	did you more than once use a weapon like a club, gun, or knife in a fight?	[16480]	0	1
	1.e)	did you more than once steal things or did you more than once forge anyone's signature on a check or credit card?	[16490]	0	1
	1.f)	were you often mean to animals including pets or did you ever hurt an animal on purpose?	[16500]	0	1
	1.g)	<i>did you physically hurt another person on purpose</i> (other than in a fight)?	[16510]	0	1
	1.h)	did you ever set fires when you were not supposed	t@16520]	0	1
	1.i)	did you ever destroy someone's property on purpose (other than fire setting)?	[16530]	0	1
	1.j)	did you often tell lies?	[16540]	Q	1
		(IF YES:) Why did you tell a lot of lies?			
		[16550]			
		INTERVIEWER: Code NO if subject lied to avoid physical or sexual abuse.			
		ALL NO, END OF QUESTIONS ASKED OF SUBJECT E Q.2 AS 00 AND SKIP TO GAS (PAGE 131).			
	1.k)	did you ever force someone to have sex with you?	[16560]	0	1
	1.1)	did you ever take money or property from someone else by threatening them or using force, like snatching a purse or robbing someone?	[16570]	0	1
		€			- OV
2.	INTER	VIEWER: Record the number of positive symptoms in Q.1.	16580]		SX
		THAN THREE POSITIVE SYMPTOMS, JESTIONS ASKED OF SUBJECTSKIP TO GAS (PAGE 131)			I
			_	ONS	AGE
3.	How o	ld were you the <u>first</u> time you (list positive			

symptoms in Q.1.)?

VERSION 2.0 20-JAN-95 INTERVIEWER: For Q.4-15 do not count as positive items that are solely related to alcohol and/or drug abuse. For subjects with a history of alcohol/drug abuse, use the following probe: "Was this (Behavior) <u>always</u> due to your use of alcohol/drugs?"

Now I am going to ask you questions about yourself after the age of 15.

		<u>NO</u> 0	<u>YES</u> 1
4.	In the last five years, have you been unemployed for six months or more, other than when you were in school, sick, on strike, laid off, a full-time housewife, retired, or in jail?	[16	600]
5.	When you were working, were you often absent from work when you were not ill or did you repeatedly miss work because you did not want to go?	[16	610]
	INTERVIEWER: Code NO if absence due to illness in family.		
6.	Since you were 15, have you quit three or more jobs without having another job lined up?	[16	620]
7.	Since you were 15, have you repeatedly done things that you could have been arrested for like stealing, or engaging in illegal occupations such as selling drugs or stolen goods, destroying property, or harassing others?	[16	630]
8.	Since you were 15, have you often thrown things, hit or physically attacked anyone (including your wife/husband, partner, or children)?	[16	640]
9.	Since you were 15, have you often failed to pay back debts that you owed like credit card charges or loans, or have you failed to take care of other financial responsibilities like child support or providing support for other dependents?	[16	650]
10.	Since you were 15, have you ever travelled from place to place without knowing where you were going to stay or work or have you had no regular place to live for a month		
	or more?	[16	660]
11.	Since you were 15, have you frequently lied, used an alias, or conned others for personal profit or pleasure?	[16	670]
12.	Since you were 15, have you received three or more speeding tickets or have you often driven while intoxicated?	[16	680]
IN	TERVIEWER: IF SUBJECT HAS NEVER BEEN RESPONSIBLE FORCHILDREN,		

			<u>NO</u> 0	<u>YES</u> 1
13.	not ta	you were 15, has anyone ever said that you were aking proper care of a child of yours (or a child ere responsible for) like		
	13.a)	not giving the child enough food?	[16	690]
	13.b)	not keeping the child clean resulting in his/her illness?	[16	700]
	13.c)	not getting medical care when the child was seriously ill?	[16	710]
	13.d)	leaving the child with neighbors because you were not able to take care of the child at home? (except for babysitting)	[16	720]
	13.e)	not arranging for anyone to take care of the child when you were away?	[16	730]
	13.f)	running out of money to take care of the child more than once because you spent the money on yourself?	[16	740]
14.	person or lon	you were 15, have you ever been faithful to one n in a romantic or love relationship for one year nger; that is, you did not have an affair or any ight stands during that time?		
	INTERV	VIEWER: Code YES (for positive symptom) if subject has never sustained a totally monogamous relationship for more than one year.	[16	750]
15.		ou feel it was okay for you to have stolen, hurt, destroyed, or (List other antisocial acts from 2)?	[16	760]
16.		aid that you (Review positive symptoms in Q.4-15) . Id were you the <u>last</u> time you did any of these [16770]	REC	AGE

1.

2.

3.

91

90

81

80

71

70

61

60

51

50

41

40

31

30

21

Rate subject's lowest level of functioning during the past month (or at time of admission if hospitalized). Rate actual functioning regardless of treatment or prognosis. NO YES [16780] 0 Is the subject hospitalized? 1 CURRENT EPISODE GAS GAS: At Worst Point During Current Episode [16790] PAST MONTH GAS [16800] GAS: During Past Month SCORE CRITERIA 100 Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his warmth and integrity. No symptoms. Good functioning in all areas, many interests, socially effective, generally satisfied with life. There may or may not be transient symptoms and "everyday" worries that only occasionally get out of hand. No more than slight impairment in functioning, varying degrees of "everyday" worries and problems that sometimes get out of hand. Minimal symptoms may or may not be present. Some mild symptoms (e.g., depressive mood and mild insomnia) OR some difficulty in several areas of functioning, but generally functioning pretty well, has some meaningful interpersonal relationships and most untrained people would not consider him "sick". Moderate symptoms OR generally functioning with some difficulty (e.g., few friends and flat affect, depressed mood and pathological self-doubt, euphoric mood and pressure of speech), moderately severe antisocial behavior. Any serious symptomatology or impairment in functioning that most clinicians would think obviously requires treatment or attention (e.g., suicidal preoccupation or gesture, severe obsessional rituals, frequent anxiety attacks, serious antisocial behavior, compulsive drinking, mild but definite manic syndrome). Major impairment in several areas, such as work, family relations, judgment, thinking or mood (e.g., depressed woman avoids friends, neglects family, unable to do housework), OR some impairment in reality testing or communication (e.g., speech is at times obscure, illogical, or irrelevant) OR single suicide attempt. Unable to function in almost all areas (e.g., stays in bed all day) OR behavior is considerably influenced by either delusions or hallucinations OR serious impairment in communication (e.g., sometimes incoherent or unresponsive) or judgment (e.g., acts

20 Needs some supervision to prevent hurting self or others, or to maintain minimal personal hygiene (e.g., repeated suicide attempts, frequently violent, manic excitement, smears feces), OR gross 11 impairment in communication (e.g., largely incoherent or mute).

grossly inappropriate).

Needs constant supervision for several days to prevent hurting self 10 or others or makes no attempt to maintain minimal personal hygiene 1 or serious suicide act with clear intent and expectation of death.

See SANS Manual for detailed coding definitions (N. Andreason, 1984).

INTERVIEWER: Ratings are to be based on the last 30 days.

		<u>NONE</u>				<u>SEV</u>	<u>/ERE_UNK</u>
AF	FECTIVE FLATTENING OR BLUNTING						
1.	Unchanging Facial Expression The patient's face appears woodenchanges less than expected as emotional content of discourse changes.	0	1	2	3	4	5 U [16810]
2.	Decreased Spontaneous Movements The patient shows few or no spontaneous movements, does not shift position, move extremities, etc.	0	1	2	3	4	5 U [16820]
3.	Paucity of Expressive Gestures The patient does not use hand gestures or body position as an aid in expressing his ideas.	0	1	2	3	4	5 U [16830]
4.	Poor Eye Contact The patient avoids eye contact or "stares through" interviewer even when speaking.	0	1	2	3	4	5 U [16840]
5.	Affective Nonresponsivity The patient fails to laugh or smile when prompted.	0	1	2	3	4	5 U [16850]
б.	Inappropriate Affect The patient's affect is inappropriate or incongruous, not simply flat or blunted.	0	1	2	3	4	5 U [16860]
7.	Lack of Vocal Inflections The patient fails to show normal vocal emphasis patterns, is often monotonic.	0	1	2	3	4	5 [16870]
8.	Global Rating of Affective Flattening This rating should focus on overall severity of symptoms, especially unresponsiveness, inappropriateness and an overall decrease in emotional intensity.	0	1	2	3	4	5 U [16880]
AL	OGIA						
9.	Poverty of Speech The patient's replies to questions are restricted in <u>amount</u> , tend to be brief, concrete, unelaborated.	0	1	2	3	4	5 [16890]
10.	Poverty of Content of Speech The patient's replies are adequate in amount but tend to be vague, over concrete or over generalized, and convey little in information.	0	1	2	3	4	5 [16900]

	SANS CODES	
0 = None/Not at All	3 = Moderate	U = Unknown/
1 = Questionable	4 = Marked	Cannot Be Assessed/
2 = Mild	5 = Severe	Not Assessed

1	1	1
- I.	h	
-	v	-

		NONE				SEV	VERE UNK
11.	Blocking The patient indicates, either spontaneously or with prompting, that his train of thought was interrupted.	0	1	2	3	4	5 [16910]
12.	Increased Latency of Response The patient takes a long time to reply to questions, prompting indicates the patient is aware of the question.	0	1	2	3	4	5 [16920]
13.	Global Rating of Alogia The core features of alogia are poverty of speech and poverty of content.	0	1	2	3	4	5 [16930]
AV	OLITION/APATHY						
14.	Grooming and Hygiene The patient's clothes may be sloppy or soiled, and he may have greasy hair, body odor, etc.	0	1	2	3	4	5 U [16940]
15.	Inpersistence at Work or School The patient has difficulty seeking or maintaining employment, completing school work, keeping house, etc. If an inpatient, cannot persist at ward activities, such as OT, playing cards, etc.	0	1	2	3	4	5 U [16950]
16.	Physical Anergia The patient tends to be physically inert. He may sit for hours and not initiate spontaneous activity.	0	1	2	3	4	5 U [16960]
17.	Global Rating of Avolition/Apathy Strong weight may be given to one or two prominent symptoms if particularly striking.	0	1	2	3	4	5 U [16970]
AN	HEDONIA/ASOCIALITY						
18.	Recreational Interests and Activities The patient may have few or no interests. Both the quality and quantity of interests should be taken into account.	0	1	2	3	4	5 U [16980]
	SANS CODES						
1 =	None/Not at All3 = ModerateQuestionable4 = MarkedMild5 = Severe	U =	Ca	knowr nnot t Ass	Be A		ssed/

		<u>NONE</u>				<u>SEVERE</u> <u>UNK</u>
19.	Sexual Activity The patient may show decrease in sexual interest and activity, or no enjoyment when active.	0	1	2	3	4 5 U [16990]
20.	Ability to Feel Intimacy and Closeness The patient may display an inability to form close or intimate relationships, especially with opposite sex and family.	0	1	2	3	4 5 U [17000]
21.	Relationships with Friends and Peers The patient may have few or no friends and may prefer to spend all his time isolated.	0	1	2	3	4 5 U [17010]
22.	Global Rating of Anhedonia/Asociality This rating should reflect overall severity, taking into account the patient's age, family status, etc.	0	1	2	3	4 5 U [17020]
AT	TENTION					
23.	Social Inattentiveness The patient appears uninvolved or unengaged. He may seem "spacey".	0	1	2	3	4 5 U [17030]
24.	Inattentiveness During Mental Status Testing Refer to tests of "serial 7s" (at least five subtractions) and spelling "world" backwards.	0	1	2	3	4 5 U [17040]
25.	Global Rating of Attention This rating should assess the patient's overall concentration, both clinically and on tests.	0	1	2	3	4 5 U [17050]

	SANS CODES	
0 = None/Not at All	3 = Moderate	U = Unknown/
1 = Questionable	4 = Marked	Cannot Be Assessed/
2 = Mild	5 = Severe	Not Assessed

See SAPS Manual for detailed coding definitions (N. Andreason, 1984)

		NONE	<u> </u>			SEVERE
НА	LLUCINATIONS					
1.	Auditory Hallucinations The patient reports voices, noises, or other sounds that no one else hears.	0	1	2	3	4 5 [17060]
2.	Voices Commenting The patient reports a voice which makes a running commentary on his behavior or thoughts.	0	1	2	3	4 5 [17070]
3.	Voices Conversing The patient reports hearing two or more voices conversing.	0	1	2	3	4 5 [17080]
4.	Somatic or Tactile Hallucinations The patient reports experiencing peculiar physical sensations in the body.	0	1	2	3	4 5 [17090]
5.	Olfactory Hallucinations The patient reports experiencing unusual smells which no one else notices.	0	1	2	3	4 5 [17100]
б.	Visual Hallucinations The patient sees shapes or people that are not actually present.	0	1	2	3	4 5 [17110]
7.	Global Rating of Hallucinations This rating should be based on the duration and severity of the hallucinations and their effects on the patient's life.	0	1	2	3	4 5 [17120]
DE	LUSIONS					
8.	Persecutory Delusions The patient believes he is being conspired against or persecuted in some way.	0	1	2	3	4 5 [17130]
9.	Delusions of Jealousy The patient believes his spouse is having an affair with someone.	0	1	2	3	4 5 [17140]
10.	Delusions of Guilt or Sin The patient believes that he has committed some terrible sin or done something unforgivable.	0	1	2	3	4 5 [17150]
11.	Grandiose Delusions The patient believes he has special powers or abilities.	0	1	2	3	4 5 [17160]

	SAPS CODES
0 = None/Not at All	3 = Moderate
1 = Questionable	4 = Marked
2 = Mild	5 = Severe

		NONE				৫৮১	/ERE UNK
12.	Religious Delusions The patient is preoccupied with false beliefs of a religious nature.	0	1	2	3	4	5 [17170]
13.	Somatic Delusions The patient believes that somehow his body is diseased, abnormal, or changed.	0	1	2	3	4	5 [17180]
14.	Delusions of Reference The patient believes that insignificant remarks or events refer to him or have special meaning.	0	1	2	3	4	5 [17190]
15.	Delusions of Being Controlled The patient feels that his feelings or actions are controlled by some outside force.	0	1	2	3	4	5 [17200]
16.	Delusions of Mind Reading The patient feels that people can read his mind or know his thoughts.	0	1	2	3	4	5 [17210]
17.	Thought Broadcasting The patient believes that his thoughts are broadcast so that he himself or others can hear them.	0	1	2	3	4	5 [17220]
18.	Thought Insertion The patient believes that thoughts that are not his own have been inserted into his mind.	0	1	2	3	4	5 [17230]
19.	Thought Withdrawal The patient believes that thoughts have been taken away from his mind.	0	1	2	3	4	5 [17240]
20.	Global Rating of Delusions This rating should be based on the duration and persistence of the delusions and their effect on the patient's life.	0	1	2	3	4	5 [17250]
BI	ZARRE BEHAVIOR						
21.	Clothing and Appearance The patient dresses in an unusual manner or does other strange things to alter his appearance.	0	1	2	3	4	5 U [17260]
22.	Social and Sexual Behavior The patient may do things considered inappropriate according to usual social norms (e.g., masturbating in public).	0	1	2	3	4	5 U [17270]

	SAPS CODES	
0 = None/Not at All	3 = Moderate	U = Unknown/
1 = Questionable	4 = Marked	Cannot Be Assessed/
2 = Mild	5 = Severe	Not Assessed

V. SAPS (Cont'd)

		NONE				SEV	VERE UNK
23.	Aggressive and Agitated Behavior The patient may behave in an aggressive, agitated manner, often unpredictably.	0	1	2	3	4	5 U [17280]
24.	Repetitive or Stereotyped Behavior The patient develops a set of repetitive actions or rituals that he must perform over and over.	0	1	2	3	4	5 U [17290]
25.	Global Rating of Bizzare Behavior This rating should reflect the type of behavior and the extent to which it deviates from social norms.	0	1	2	3	4	5 U [17300]
PO	SITIVE FORMAL THOUGHT DISORDER						
26.	Derailment A pattern of speech in which ideas slip off track onto ideas obliquely related or unrelated.	0	1	2	3	4	5 [17310]
27.	Tangentiality The patient replys to a question in an oblique or irrelevant manner.	0	1	2	3	4	5 [17320]
28.	Incoherence A pattern of speech that is essentially incomprehensible at times.	0	1	2	3	4	5 [17330]
29.	Illogicality A pattern of speech in which conclusions are reached that do not follow logically.	0	1	2	3	4	5 [17340]
30.	Circumstantiality A pattern of speech that is very indirect and delayed in reaching its goal idea.	0	1	2	3	4	5 [17350]
31.	Pressure of Speech The patient's speech is rapid and difficult to interrupt; the amount of speech produced is greater than that considered normal.	0	1	2	3	4	5 [17360]
32.	Distractible Speech The patient is distracted by nearby stimuli which interrupt his flow of speech.	0	1	2	3	4	5 [17370]
33.	Clanging A pattern of speech in which sounds rather than meaningful relationships govern word choice.	0	1	2	3	4	5 [17380]
34.	Global Rating of Positive Formal Thought Disorder The frequency of this rating should reflect the frequency of abnormality and degree to which it affects the patient's ability to communicate.	0	1	2	3	4	5 [17390]

	SAPS CODES	
0 = None/Not at All	3 = Moderate	U = Unknown/
1 = Questionable	4 = Marked	Cannot Be Assessed/
2 = Mild	5 = Severe	Not Assessed

INTERVIEWER: The following items should be rated after the interview. Rate Q.1 - Q.27 from observation during the interview.

RAPPORT

- 1. **INTERVIEWER: Rate Eye Contact** How often did the subject look at you during the interview? How good was eye contact? How would it compare to an average interview with a "normal" person?
 - 0 = Average

[17615]

- 1 = More than average
- 2 = Less than average
- 3 = Much less than average
- 4 = Absent
- 2. **INTERVIEWER:** Rate Body Language Did the subject nod and smile at appropriate times? Did the subject appropriately say hello and goodbye with a handshake or other appropriate gesture? Did the subject's body language convey a sense of emotional involvement in the interview, or was his/her body turned away?
 - [17616]

2 = Fair: body language sometimes indicates distance, detachment from interview.

3 = Poor: body language often demonstrates distance, detachment from interview. 4 = Very Poor: body language indicates almost no involvement in interview.

- 3. **INTERVIEWER:** Rate Emotional Rapport How well was the subject able to convey affect to you in the course of the interview? How warm and close did you feel the interview was?
 - 0 = Good: emotional rapport close, but some appropriate distance.

 - 2 = Fair: emotional rapport sometimes present, but sometimes felt to be too distant.

3 = Poor: emotional rapport only rarely present.

[17617]

4. INTERVIEWER: Rate Global Rapport.

<u>Good</u>	<u>Fair to Good</u>	<u>Fair</u>	Poor	<u>Very Poor</u>
0	1	2	3	4 [17618]

AFFECT

5. **INTERVIEWER:** Rate Fullness of Affect. Did the subject demonstrate an expected range of emotions during the interview (e.g., sadness, joy, anger and humor)? Your rating must take into account what affect might normally be displayed, given the subject matter of the interview. That is, if nothing really sad was discussed, do not rate affect as less full because the subject did not demonstrate sadness.

[17619]

- 0 = Good: full affective range.
- 1 = Fair to Good: affective range subtly muted.
- 2 = Fair: some affective range, but often aloof.
- 3 = Poor: affect nearly always aloof, sometimes blunted.
- 4 = Very Poor: affect flat.
- 6. **INTERVIEWER:** Rate Appropriateness of Affect. Did the subject express affect that was not expected, given the content of the interview? Score only the presence of inappropriate affect. (Flat affect, by itself, is not inappropriate.)

[17620]

- 0 = Good: affect never inappropriate.
- 1 = Fair to Good: affect rarely inappropriate.
- 2 = Fair: affect sometimes appropriate, but occasionally inappropriate.
- 3 = Poor: affect frequently inappropriate.
- 4 = Very Poor: affect nearly always inappropriate/incongruous.
- 7. **INTERVIEWER:** Rate Lability/Stability of Affect. How rapidly did the subject's affect change during the interview? Assess appropriateness of affective change during the interview.

[17621]

[17622]

- 0 = Good: affect very stable, well modulated.
- 1 = Fair to Good: affect usually stable, well modulated. Only rarely labile.
- 2 = Fair: some lability of affect.
- 3 = Poor: affect frequently labile.
- 4 = Very Poor: affect very frequently and dramatically changing throughout interview.
- 8. **INTERVIEWER:** Rate General Warmth versus Coldness of Subject's Affect. If the interview occured during a home visit, how welcome did you feel?
 - 0 = Very Warm
 - 1 = Warm
 - 2 = Neutral
 - 3 = Cold
 - 4 = Very Cold

9. INTERVIEWER: Rate Global Rapport.

<u>Good</u>	<u>Fair to Good</u>	<u>Fair</u>	Poor	<u>Very Poor</u>
0	1	2	3	4 [17623]

ORGANIZATION OF SPEECH/THOUGHT

INTERVIEWER: This section should be assessed based in part on subject's speech during an unstructured part of your contact with him/her.

- 10. INTERVIEWER: Rate Goal-Directedness of Speech/Thought. Did the subject stick to the subject of the questions, and answer them in a direct, logical manner? Or did the subject digress from the subject under discussion? If so, how often and how far did the subject digress from the theme being discussed? Include here "circumstantiality," that is, digressions that eventually make it back to the subject under discussion, and "vagueness," and inability to follow the subject's thinking pattern clearly.
 - 0 = Good: speech always goal-directed.
 - 1 = Fair to Good: speech usually goal-directed, but with occasional digression.
 - 2 = Fair: speech in general goal-directed, but digression not infrequent.
 - 3 = Poor: frequent digression away from content of question.
 - 4 = Very Poor: subject digresses nearly all the time, rarely sticks to subject of question.
- 11. INTERVIEWER: Rate Organization of Associations. Did the subject's associations during the interview make sense? Could you follow the subject's line of reasoning? With many individuals, even though they are digressive, it is easy to follow their lines of "digression." With others, this is much more difficult. Take into account educational level, accents, articulation difficulties, etc.

[17625]

[17626]

[17624]

- 0 = Good: subject's associations always tight, easy to follow.
- 1 = Fair to Good: subject's associations nearly always tight, occasional tangentiality.
- 2 = Fair: subject's associations usually appropriate, but tangentiality definitely present.
- 3 = Poor: subject nearly always tangential, but derailment and incoherence rare.
- 4 = Very Poor: subject often derails, incoherence definitely present--a
 "Schizophrenic" speech pattern.
- 12. **INTERVIEWER: Evaluate Rate of Subject's Speech.** What was the average speed of the subject's speech? Was it difficult to interrupt the subject when speaking?
 - 0 = Average
 - 1 = Slightly pressured speech
 - 2 = Definitely pressured speech
 - 3 = Slow rate slower than normal
 - 4 = Very Slow long pauses in subject's speech

[17627]

- 13. **INTERVIEWER: Rate Amount of Subject's Speech.** How much would the subject say in response to questions? How often would you need to prod or probe the subject to get information?
 - 0 = Amount of speech average
 - 1 = More than average amount of speech
 - 2 = Greatly more speech than average
 - 3 = Possible poverty of speech
 - 4 = Definite poverty of speech
- 14. **INTERVIEWER:** Rate Poverty of Content of Subject's Speech. Subject's speech may be adequate in amount, but conveys little information. Score especially repetitive, stereotyped, empty speech.

[17628]

- 0 = Absent
- 1 = Slight
- 2 = Mild
- 3 = Moderate
- 4 = Marked
- 15. INTERVIEWER: Rate Global Organization of Speech/Thought.

<u>Good</u>	<u>Fair to Good</u>	<u>Fair</u>	Poor	Very Poor
0	1	2	3	4 [17629]

ODD/ECCENTRIC BEHAVIOR

- 16. **INTERVIEWER:** Rate Motor Behavior--Posture, Gait, Body Movements. Was the subject's non-verbal behavior odd or eccentric? Did the subject hold his/her body in an unusual posture? Did the subject have any odd tics or other motor movements?
 - 0 = No evidence of odd motor behavior
 - 1 = Motor behavior slightly odd
 - 2 = Motor behavior mildly odd
 - 3 = Motor behavior moderately odd
 - 4 = Motor behavior definitely odd
- 17. **INTERVIEWER:** Rate Appropriateness of Subject's Social Behavior. Was the subject's behavior socially inappropriate in any way? Was it, for example, too familiar, e.g., invading your body space, staring, inappropriately seductive, flirtatious, or hostile? Could you read the subject's social cues, or was "something missing"? Include "talking to self" and inappropriate attempts at humor here.

[17631]

[17630]

- 0 = No evidence of social oddness
- 1 = Social behavior slightly odd
- 2 = Social behavior mildly odd
- 3 = Social behavior moderately odd
- 4 = Social behavior definitely odd

18.	this rating,		r social circums	s, Grooming, Cle stances and job (
		-				[17632]				
	0 = Good: c	lress, grooming,	fully appropriat	te						
	1 = Fair to	Good: dress, gr	cooming, general	ly appropriate						
	2 = Fair: dress, grooming, somewhat inappropriate									
	3 = Poor: d	lress, grooming,	markedly inappro	opriate						
	4 = Very Poc	or: dress, groom	ning, clearly ina	appropriate						
19.		Rate Global O	ddness. al, and dressing	g behaviors.						
	None	<u>Sliqht</u>	Mild	Moderate	<u>Marked</u>					
	0	1	2	3	4	[17633]				

SUSPICIOUSNESS/GUARDEDNESS

20. INTERVIEWER: Rate Non-Verbal Aspects of Suspiciousness/Guardedness. What is subject's level of vigilance, does subject have a "squint-eyed" suspicious look, continually scanning environment for danger. If interview occurred during a home visit, was there inappropriate hesitancy to let you into home. Note that many of these behaviors have the result of making the interviewer feel "on edge."

```
[17634]
```

- 0 = None: absolutely no evidence of nonverbal sus/guard
- 1 = Slight: suspicious behavior possibly present, but only occurs rarely
- 2 = Mild: suspicious behavior definitely present, but only occasionally
- 3 = Moderate: suspicious behavior definitely present, moderately
 frequent
- 4 = Marked: nearly continual suspicious behavior
- 21. **INTERVIEWER:** Rate Verbal Aspects of Suspiciousness/Guardedness. Did the subject ask repetitive questions about the object of the study, question the validity of your answers to questions, or look for "hidden" meaning in questions?

[17635]

- 0 = None: absolutely no evidence of verbal suspiciousness/guardedness
- 1 = Slight: suspicious comments possibly made, but only rarely
- 2 = Mild: suspicious comments definitely made, but only occasionally
- 3 = Moderate: suspicious comments definitely made, with moderate frequency
- 4 = Marked: suspicious comments made nearly continually

22. INTERVIEWER: Rate Global Suspiciousness.

None	<u>Slight</u>	Mild	<u>Moderate</u>	<u>Marked</u>
0	1	2	3	4 [17636]

IRRITABILITY

- 23. **INTERVIEWER:** Rate Irritable Behavior. Is the subject cranky, argumentative? This includes both behavior toward the interviewer and also toward other people in the area if observed.
 - 0 = None: absolutely no evidence of irritability
 - 1 = Slight: irritable behavior possibly present, but only occurs rarely
 - 2 = Mild: irritable behavior definitely present, but only occurs occasionally
 - 3 = Moderate: irritable behavior definitely present, occurs with moderate frequency
 - 4 = Marked: irritable behavior present continually
- 24. **INTERVIEWER:** Rate Social and Interpersonal Functioning. Given the subject's background, sex, and age, how well was the subject functioning socially and interpersonally? Consider both acquaintances/friends and enduring intimate relations. Has the subject been able to socialize, e.g., enjoy social life, have meaningful friendships, have intimate love relationships?

[17638]

- 0 = Excellent: excellent interpersonal/social functioning
- 1 = Good: good interpersonal/social functioning
- 2 = Fair: slight decrement in interpersonal/social functioning
- 3 = Poor: clear decrement in interpersonal/social functioning
- 4 = Very Poor: very poor interpersonal/social functioning

25. INTERVIEWER: How did the subject react to the length of the interview?

1	2	3	4	5	U [17639]
TOO LONG, R WAS TIRED, BORED, OR CONCERNED ABOUT TIME		ABOUT RIGHT		TOO SHORT, R WANTED TO TALK MORE, TELL MORE THAN WE HAD TIME FOR	DON ' T KNOW

26. INTERVIEWER: When answering the questions, how open and forthcoming do you think the respondent was?

0	1	2	3	4	5	6	[17640]
VERY OPEN			ABOUT AVERAGE			NOT AT ALL OPE	

27. INTERVIEWER: How was the subject's understanding of the questions?

[17641]

- 0 = Excellent
- 1 = Good
- 2 = Fair
- 3 = Poor

[17637]

28. INTERVIEWER: Rate the overall quality of this interview.

- 0 = High quality
- 1 = Generally reliable
- 2 = Questionable
- 3 = Unsatisfactory

INTERVIEWER: Remember to review interview.

[17642]

INTERVIEWER: Indicate how reliable you think the information provided by the subject is in the following areas.

		GOOD	FAIR	<u>UNRELIABLE</u>	
1.	SOMATIZATION	1	2	3	[17400]
2.	MAJOR DEPRESSION	1	2	3	[17410]
3.	MANIA	1	2	3	[17420]
4.	ALCOHOL ABUSE	1	2	3	[17442]
5.	DRUG ABUSE	1	2	3	[17443]
6.	PSYCHOSIS	1	2	3	[17444]
7.	ANXIETY DISORDERS	1	2	3	[17445]
8.	EATING DISORDERS	1	2	3	[17446]
9.	ANTISOCIAL PERSONALITY	1	2	3	[17447]
10.	OVERALL RELIABILITY	1	2	3	[18004]

Y. NARRATIVE SUMMARY

[17672]

VERSION 2.0 20-JAN-95

SUBJECT ID:			NAME :	First	Last
PHYSICIAN NAME	HOSPITAL/CLINIC NAME	CITY	STATE	TREATMENT DATES	CONDITION

INTERVIEWER: Rate each item for <u>all</u> subjects based on information obtained during interview.

1. Course of disorder.

Score this item in hierarchical fashion, e.g., if subject's course in the past is rated 2, but for the time-period now being considered it rates 4, then the correct rating is 4.

[17658]

WEEKS

[17643]

1 = Single episode with good recovery 2 = Multiple episodes with good recovery between episodes 3 = Multiple episodes with partial recovery between episodes 4 = Continuous, chronic illness without deterioration 5 = Continuous, chronic illness with deterioration 6 = Not applicable, no disorder. INTERVIEWER: IF Q.1 EQUALS 6 "NOT APPLICABLE, NO

DISORDER", SKIP OUT OF THE SECTION.

2. Duration of illness.

The answer to this question is used to determine whether the respondent had an episode that met diagnostic criteria for duration. Total duration of illness (psychosis, major depression, mania and/or dysthymia) includes prodromal and residual disabilities as well as the active phase of illness. In a psychotic disorder, "prodromal/residual phase" symptoms count as any two of the following before or after an active episode:

Social isolation/marked impairment in role Markedly peculiar behavior Marked impairment in personal hygiene Blunted, flat, or inappropriate affect Digressive, vague, or over-elaborate speech Odd or bizarre ideation Unusual perceptual experiences

3.	Increased sociability.	<u>NONE</u>	MODERA	<u>te M</u>	<u>ARKED</u>
	None = No increase in sociability	0	1	[1	2 76441
	Moderate = Over-familiarity			ι⊥	/044]
	Marked = Loss in social inhibitions resulting in behavior which is inappropriate to the circumstance and out of character.				
4.	Other non-affective auditory hallucinations pres	ent.	NO	<u>YES</u>	<u>UNK</u>
	Rate any other kind of auditory hallucinations. The include pleasant or neutral voices and non-verbal hallucinations. This category <u>does not</u> include the echo, third person auditory hallucinations, running commentary, abusive/accusatory/persecutory hallucinations	hought 1	0	1 [1	U 7645]

UNK

NO

YES

5. Other delusions (see page 62). Rate any other kind of delusions. These include:

Rale	any other kind of defusions. These include.			
5.a)	Primary delusional perception	0	1 [17646]	U
5.b)	Delusional mood		[17647]	
5.c)	Nihilistic delusions		[17648]	
5.d)	Poverty		[17649]	
5.e)	Political delusions		[17650]	
5.f)	Delusions that others are imposters		[17651]	

6.	Subject's insight.	<u>INSIGHT</u>		ACKS IGHT
	Subject lacks insight if unable to recognize that his/ her experiences are abnormal or that they are the product of an anomalous mental process, or subject recognizes that his/her experiences are abnormal but gives a delusional explanation.	0] [170	552]
7.	Rapport difficulty.	N	<u>10</u>	YES
	Interviewer finds difficulty in establishing contact		0	1

with subject who appears remote or detached. Do not[17653]include subjects who are difficult to interview becauseof hostility or irritability.

8. Deterioration from premorbid level of functioning.


	ect does not regain his/her premorbid functioning			
after	an acute episode of illness:	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
8.a)	Social functioning	Ū	[17654]	C
8.b)	Occupational functioning		[17655]	
8.c)	Emotional functioning		[17656]	

9. Psychotic symptoms respond to neuroleptics.

Rate globally over total period. Score positively if [17657] illness appears to respond to any type of neuroleptics, (depot or oral) or if any relapse occurs when medication is stopped.

CLOSE YOUR EYES

VERSION 2.0 20-JAN-95



ALCOHOL USE CARD "A"	
IF YOU USED TO DRINK: 50% MOR	RE IS:
2 Drinks/Bottles 3 Drink	s/Bottles
4 Drinks/Bottles 6 Drinks	/Bottles
6 Drinks/Bottles 9 Drink	s/Bottles
8 Drinks/Bottles 12 Drin	nks/Bottles
1 Pint 1	1/2 Pints
2 Pints 3	Pints
1 Quart 1	1/2 Quant
1 Quart 1	1/2 Quart
2 Quarts 3	Quarts

ALCOHOL USE CARD "B"

LIST OF SYMPTOMS

Teel you should gut down on duinking
Feel you should cut down on drinking
People annoyed you by criticizing your drinking
Feel guilty about drinking behavior
Have a drink first thing in the morning
Tried often to stop or cut down on drinking
Tried to stop or cut down on drinking but could not
Gone on binges or benders
Started drinking when you said you wouldn't or drank
more than you intended
Spent so much time drinking or recovering
Cause you to have problems such as
problems at work/school
physical fights
objections from family, friends, doctor, clergy lost friends
Need to drink more to get an effect
Made rules to control drinking
Given up or reduced important activities
Trouble driving
Arrested for drunk driving
Arrested because of drunken behavior
Been drinking where increased your chances of getting hurt
Kept you from working or taking care of household
responsibilities
Had blackouts
Drink unusual things like rubbing alcohol, mouthwash
Cutting down caused you to:
be unable to sleep
feel anxious, depressed, irritable
sweat
feel weak
heart beat faster
have nausea/vomiting
have headaches
have the shakes
see things that weren't there
have the DT's
have fits, seizures, convulsions
Cause health problems
liver disease
stomach disease
feet to tingle
memory problems
pancreatitis
other problems
Continue to drink with these problems
Drank when you knew other illness could be made worse
Any psychological problem start or get worse
Had treatment for drinking

MARIJUANA USE CARD	
LIST OF SYMPTOMS	
<pre>Spend so much time using marijuana or recovering Used marijuana when you knew it caused psychological problems. Tried often to cut down on marijuana Tried to cut down on marijuana but could not Used marijuana more frequently or in larger amounts Need to use more to get an effect Cutting down causes you to: feel nervous be unable to sleep (insomnia) have nausea have diarrhea. Used marijuana to make these symptoms go away Under effects of marijuana where it increased your chances of getting hurt. Given up or reduced important activities. Under effects while in school, working or taking care of household responsibilities.</pre>	

DRUG USE CA	RD "A"
A. <u>Cocaine</u>	F. <u>Hallucinogens</u>
Cocaine (girl)	LSD
Coca Leaves	Purple Microdot
Freebase	Blotters
Rock	Mescaline
Crack	Peyote
Toot	Mushrooms (Magic Mushrooms)
	Psilocybin
B. <u>Stimulants</u>	MDMA (Ecstasy)
Amphetamine	G. <u>Solvents</u>
Methamphetamine	
Meth.	Glue
Speed	Toluene
Crystal	Gasoline
Beauties (Black Beauties)	Paint
Diet Pills	Paint Thinner
C. <u>Sedatives, Hypnotics, Tranquilizers</u>	H. <u>Other</u>
Quaaludes (Ludes)	Nitrous Oxide
Valium	Amyl Nitrite
Librium	Poppers
Xanax	Butyl Nitrite
Barbiturates	Khat
Barbs	Betel Nut
Seconal	
	I. <u>Combination</u>
D. <u>Opiates</u>	
	Speedball
Heroin	T's and Blues
Воу	
Smack	
Opium	
Darvon	
Codeine	
Percodan	
Demerol	
Methadone	
Dilaudid	
E. <u>PCP</u>	
Нод	
Angel Dust (Dust)	
Seryl	
Dip	
Wack	
Water	

LIST OF SYMPTOMS "B"

Α.	Feel depressed
В.	Feel nervous, tense, restless, or irritable
C.	Feel tired, sleepy, or weak
D.	Have trouble sleeping
E.	Have an increase or decrease in appetite
F.	Tremble or twitch
G.	Sweat or have a fever
Н.	Have nausea or vomiting
I.	Have diarrhea or stomach aches
J.	Have your eyes or nose run
К.	Have muscle pains
L.	Yawn
М.	Have your heart race
N.	Have seizures

DRUG USE CARD "C"

LIST OF SYMPTOMS

<pre>Spend so much time using (Drug) or recovering Tried often to cut down on (Drug) Tried to cut down on (Drug) but could not Need to use more to get an effect Given up or reduced important activities Used (Drug) more frequently or in larger amounts Two of these occurred together because not using (Drug):</pre>	
feel depressed, anxious, irritable	
feel tired, sleepy, weakbe unable to sleep	
have an increase or decrease in appetite	
tremble, twitch	
sweat, have fever	
have nausea/vomiting	
have diarrhea/stomach aches	
have eyes water/nose run	
have eyes water/hose run	
yawn	
have heart race	
have seizures	
Used (Drug) to make these symptoms go away	
Used (Drug) when you knew other "illness" could	
be made worse	
Used (Drug) when you knew boss, family, etc., objected Under effects of (Drug) while in school, working	
or taking care of household responsibilities Used (Drug) when you knew it caused psychological	
problems Under effects of (Drug) where it increased your	
chances of getting hurt	

- **1** = Emotional/Thinking Difficulties Always Occurred First.
- 2 = Alcohol/Drug Abuse Always Occurred First.
- 3 = Emotional/Thinking Difficulties and Alcohol/Drug Abuse Always Occurred At The Same Time.
- 4 = No Strict Pattern (Sometimes Emotional/Thinking Difficulties First, Sometimes Alcohol/Drugs First).
- 5 = Emotional/Thinking Difficulties and Alcohol/Drug Abuse Always Occurred Independently.
- 6 = Not Clear.

DEFINITELY TRUE

PROBABLY TRUE

PROBABLY NOT TRUE

DEFINITELY NOT TRUE

ALWAYS

OFTEN

SOMETIMES

NEVER

OFTEN

SOMETIMES

RARELY

NEVER

DEFINITELY AGREE

PROBABLY AGREE

PROBABLY DISAGREE

DEFINITELY DISAGREE